



This Form must be Typed  
Form must be Signed  
All blanks must be Filled

### WELL PLUGGING APPLICATION

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act,  
MUST be submitted with this form.

OPERATOR: License #: \_\_\_\_\_  
Name: \_\_\_\_\_  
Address 1: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
Contact Person: \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

API No. 15 - \_\_\_\_\_  
If pre 1967, supply original completion date: \_\_\_\_\_  
Spot Description: \_\_\_\_\_  
\_\_\_\_ - \_\_\_\_ - \_\_\_\_ Sec. \_\_\_\_ Twp. \_\_\_\_ S. R. \_\_\_\_  East  West  
\_\_\_\_ Feet from  North /  South Line of Section  
\_\_\_\_ Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Check One:  Oil Well  Gas Well  OG  D&A  Cathodic  Water Supply Well  Other: \_\_\_\_\_  
 SWD Permit #: \_\_\_\_\_  ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_

Conductor Casing Size: \_\_\_\_\_ Set at: \_\_\_\_\_ Cemented with: \_\_\_\_\_ Sacks  
Surface Casing Size: \_\_\_\_\_ Set at: \_\_\_\_\_ Cemented with: \_\_\_\_\_ Sacks  
Production Casing Size: \_\_\_\_\_ Set at: \_\_\_\_\_ Cemented with: \_\_\_\_\_ Sacks

List (ALL) Perforations and Bridge Plug Sets:

Elevation: \_\_\_\_\_ (  G.L. /  K.B. ) T.D.: \_\_\_\_\_ PBTD: \_\_\_\_\_ Anhydrite Depth: \_\_\_\_\_  
(Stone Corral Formation)

Condition of Well:  Good  Poor  Junk in Hole  Casing Leak at: \_\_\_\_\_  
(Interval)

Proposed Method of Plugging (attach a separate page if additional space is needed):

Is Well Log attached to this application?  Yes  No Is ACO-1 filed?  Yes  No

If ACO-1 not filed, explain why:

**Plugging of this Well will be done in accordance with K.S.A. 55-101 et. seq. and the Rules and Regulations of the State Corporation Commission**

Company Representative authorized to supervise plugging operations: \_\_\_\_\_  
Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_  
Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

Proposed Date of Plugging (if known): \_\_\_\_\_

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Submitted Electronically



### CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

*This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.*

Select the corresponding form being filed:  C-1 (Intent)  CB-1 (Cathodic Protection Borehole Intent)  T-1 (Transfer)  CP-1 (Plugging Application)

OPERATOR: License # \_\_\_\_\_  
Name: \_\_\_\_\_  
Address 1: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
Contact Person: \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_ Fax: ( \_\_\_\_\_ ) \_\_\_\_\_  
Email Address: \_\_\_\_\_

Well Location:  
\_\_\_\_ - \_\_\_\_ - \_\_\_\_ - \_\_\_\_ Sec. \_\_\_\_ Twp. \_\_\_\_ S. R. \_\_\_\_  East  West  
County: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

*If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:*

**Surface Owner Information:**

Name: \_\_\_\_\_  
Address 1: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

*When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.*

*If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.*

**Select one of the following:**

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

*If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.*

I Submitted Electronically

# ALLIED CEMENTING CO., LLC. 041315

Federal Tax I.D.# 20-5975804

P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

|  |                 |                                      |                     |            |                    |                           |                            |
|--|-----------------|--------------------------------------|---------------------|------------|--------------------|---------------------------|----------------------------|
| DATE <u>1-21-10</u>                                      | SEC. <u>12</u>  | TWP. <u>16</u>                       | RANGE <u>12</u>     | CALLED OUT | ON LOCATION        | JOB START <u>2:30p.m.</u> | JOB FINISH <u>3:00p.m.</u> |
| LEASE <u>DEWKERS</u>                                     | WELL # <u>1</u> | LOCATION <u>Libenthal W to 170 N</u> |                     |            | COUNTY <u>Rush</u> | STATE <u>K5</u>           |                            |
| <input checked="" type="radio"/> OLD OR NEW (Circle one) |                 |                                      | <u>3/4 N W. 170</u> |            |                    |                           |                            |

CONTRACTOR Express

TYPE OF JOB Squeeze

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH \_\_\_\_\_

TUBING SIZE 2 7/8 DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL Jans Ducker Cole DEPTH \_\_\_\_\_

PRES. MAX 1500ps. MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER USED 20SK 40 @

CEMENT AMOUNT ORDERED 250 60/40

7cc on side

|          |                   |   |              |               |
|----------|-------------------|---|--------------|---------------|
| COMMON   | <u>12</u>         | @ | <u>13.50</u> | <u>162.00</u> |
| POZMIX   | <u>8</u>          | @ | <u>7.55</u>  | <u>60.40</u>  |
| GEL      |                   | @ |              |               |
| CHLORIDE |                   | @ |              |               |
| ASC      |                   | @ |              |               |
|          |                   | @ |              |               |
|          |                   | @ |              |               |
|          |                   | @ |              |               |
|          |                   | @ |              |               |
|          |                   | @ |              |               |
|          |                   | @ |              |               |
| HANDLING | <u>20SK</u>       | @ | <u>2.25</u>  | <u>45.00</u>  |
| MILEAGE  | <u>10/sk/mile</u> |   |              | <u>300.00</u> |
| TOTAL    |                   |   |              | <u>567.40</u> |

**EQUIPMENT**

PUMP TRUCK CEMENTER Craig

# 417 HELPER MATT

BULK TRUCK

# 410 DRIVER Ron

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Plug set @ 3315 spots @ 2772. Hole @ 2648  
Set 20SK @ 2680. TOC = 2517 wash clean @ 2524  
Set packer to squeeze @ 2462. Squeezed to 1000 ps.  
Top hole @ 611-1268. Rate 4B @ 500 ps.

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE 991.00

EXTRA FOOTAGE @ \_\_\_\_\_

MILEAGE 20 @ N/C

MANIFOLD @ \_\_\_\_\_

@ \_\_\_\_\_

@ \_\_\_\_\_

TOTAL 991.00

CHARGE TO: Mc Oil

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

@ \_\_\_\_\_

@ \_\_\_\_\_

@ \_\_\_\_\_

@ \_\_\_\_\_

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment



# ALLIED CEMENTING CO., LLC. 041317

Federal Tax I.D.# 20-5975804

10 P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

|  |                 |  |                 |            |                    |                          |                           |
|--|-----------------|--|-----------------|------------|--------------------|--------------------------|---------------------------|
| DATE <u>1-22-10</u>                                      | SEC. <u>12</u>  | TWP. <u>16</u>                             | RANGE <u>12</u> | CALLED OUT | ON LOCATION        | JOB START <u>3:00 pm</u> | JOB FINISH <u>3:30 pm</u> |
| LEASE <u>DELKERS</u>                                     | WELL # <u>1</u> | LOCATION <u>Libenthal W to 170RD 3/4 N</u> |                 |            | COUNTY <u>Rush</u> | STATE <u>KS</u>          |                           |
| <input checked="" type="radio"/> OLD OR NEW (Circle one) |                 |  | <u>WINTO</u>    |            |                    |                          |                           |

CONTRACTOR Express

TYPE OF JOB Squeeze

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH \_\_\_\_\_

TUBING SIZE 2 7/8 DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL Don's factor Cble DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER Craig

# 417 HELPER MATT

BULK TRUCK

# 410 DRIVER Ken

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Top hole 611-1268 Rate 4BCL@500psi  
Radio set to Squeeze @ 485'

CHARGE TO: Ma. Oil

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 250 60/40 3% cc

|          |                    |   |              |                      |
|----------|--------------------|---|--------------|----------------------|
| COMMON   | <u>150</u>         | @ | <u>13.50</u> | <u>2025.00</u>       |
| POZMIX   | <u>100</u>         | @ | <u>7.55</u>  | <u>755.00</u>        |
| GEL      |                    | @ |              |                      |
| CHLORIDE | <u>7</u>           | @ | <u>51.50</u> | <u>360.50</u>        |
| ASC      |                    | @ |              |                      |
|          |                    | @ |              |                      |
|          |                    | @ |              |                      |
|          |                    | @ |              |                      |
|          |                    | @ |              |                      |
|          |                    | @ |              |                      |
|          |                    | @ |              |                      |
| HANDLING | <u>250 SK</u>      | @ | <u>2.25</u>  | <u>562.50</u>        |
| MILEAGE  | <u>.10/SK/mile</u> |   |              | <u>500.00</u>        |
|          |                    |   |              | TOTAL <u>4203.00</u> |

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_ 991.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 20 N/C @ 0 0

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 991.00

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

# ALLIED CEMENTING CO., LLC. 33803

Federal Tax I.D.# 20-5975804

P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

|  |                |  |                            |            |                    |                         |                          |
|--|----------------|--|----------------------------|------------|--------------------|-------------------------|--------------------------|
| DATE <u>2-1-10</u>                                       | SEC. <u>12</u> | TWP. <u>16</u>                             | RANGE <u>12</u>            | CALLED OUT | ON LOCATION        | JOB START <u>3:30pm</u> | JOB FINISH <u>4:00pm</u> |
| LEASE <u>OEIKERS</u>                                     | WELL# <u>1</u> | LOCATION <u>Liebert hal Black Top w to</u> |                            |            | COUNTY <u>Rush</u> | STATE <u>KS</u>         |                          |
| <input checked="" type="radio"/> OLD OR NEW (Circle one) |                |  | <u>170 RD 3/4 N W, 100</u> |            |                    |                         |                          |

CONTRACTOR Express

TYPE OF JOB Squeeze

HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_

CASING SIZE 5 1/2 DEPTH \_\_\_\_\_

TUBING SIZE 2 7/8 DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL Dans packer cole DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 30 Com

1cc

|          |                  |   |              |               |
|----------|------------------|---|--------------|---------------|
| COMMON   | <u>30</u>        | @ | <u>13.50</u> | <u>405.00</u> |
| POZMIX   |                  | @ |              |               |
| GEL      |                  | @ |              |               |
| CHLORIDE | <u>1</u>         | @ | <u>51.50</u> | <u>51.50</u>  |
| ASC      |                  | @ |              |               |
|          |                  | @ |              |               |
|          |                  | @ |              |               |
|          |                  | @ |              |               |
|          |                  | @ |              |               |
|          |                  | @ |              |               |
|          |                  | @ |              |               |
| HANDLING | <u>30</u>        | @ | <u>2.25</u>  | <u>67.50</u>  |
| MILEAGE  | <u>19 5/8/mi</u> |   |              | <u>150.00</u> |

**EQUIPMENT**

PUMP TRUCK CEMENTER Craig

# 417 HELPER MATT

BULK TRUCK

# 410 DRIVER Alvin

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Hole from 2016-47. Spnt 30SK + 3% CL @ 2080. Pul to 1768 & Reverse out Packer Set 1674 to squeeze. Washed out & Pul Tools.

TOTAL 674.09

**SERVICE**

|                   |           |   |                           |
|-------------------|-----------|---|---------------------------|
| DEPTH OF JOB      | _____     |   |                           |
| PUMP TRUCK CHARGE | _____     |   | <u>991.00</u>             |
| EXTRA FOOTAGE     | _____     | @ |                           |
| MILEAGE           | <u>30</u> | @ | <u>7.00</u> <u>210.00</u> |
| MANIFOLD          | _____     | @ |                           |
|                   | _____     | @ |                           |
|                   | _____     | @ |                           |

TOTAL 1201.00

CHARGE TO: Mai Oil

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**PLUG & FLOAT EQUIPMENT**

|       |   |       |
|-------|---|-------|
| _____ | @ | _____ |
| _____ | @ | _____ |
| _____ | @ | _____ |
| _____ | @ | _____ |
| _____ | @ | _____ |

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment



Conservation Division  
Finney State Office Building  
130 S. Market, Rm. 2078  
Wichita, KS 67202-3802



Phone: 316-337-6200  
Fax: 316-337-6211  
<http://kcc.ks.gov/>

Mark Sievers, Chairman  
Thomas E. Wright, Commissioner  
Shari Feist Albrecht, Commissioner

Sam Brownback, Governor

June 05, 2013

Allen Bangert  
Mai Oil Operations, Inc.  
8411 PRESTON RD STE 800  
DALLAS, TX 75225-5520

Re: Plugging Application  
API 15-165-21349-00-00  
OELKERS 1  
NE/4 Sec.19-16S-19W  
Rush County, Kansas

Dear Allen Bangert:

This letter is to notify you that the Conservation Division has received your plugging proposal, form CP-1, for the above well and has reviewed the proposal for completeness. The central office will now forward your CP-1 to the district office listed below for review of the proposed plugging method. **Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit in accordance with K.A.R. 82-3-600.**

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. This notice in no way constitutes authorization to plug the above well by persons not having legal rights of ownership or interest in the well.

**This notice is void after December 02, 2013. The CP-1 filing does not bring the above well into compliance with K.A.R 82-3-111 with regard to the Commission's temporary abandonment requirements.**

Sincerely,  
Production Department Supervisor

cc: District 1

(620) 225-8888