



KANSAS CORPORATION COMMISSION 1145718  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

June 2009

Form Must Be Typed  
Form must be Signed  
All blanks must be Filled

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Conv. to GSW
- Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date      Date Reached TD      Completion Date or Recompletion Date

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  Flowing  Pumping  Gas Lift  Other *(Explain)* \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____ <input type="checkbox"/> Other <i>(Specify)</i> _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	---	---



Hurricane Services, Inc.  
 3613 A Y Road  
 Madison, KS 66860  
 Office # 620-437-2661  
 Brad Cell # 620-437-6765

Ticket Number 100241  
 Location Madison  
 Foreman Brad Butler

Cement Service ticket

Date	Customer #	Well Name & Number	Sec./Township/Range	County
4-23-13		Kramer # 6	3-24-17E	Woodson
Customer German Oil		Mailing Address	City	State Zip

Job Type:	Longstring			Truck #	Driver
Hole Size: 5 7/8"	Casing Size:	Displacement: 7 1/4 Bbls	201	Kelly	
Hole Depth: 1241'	Casing Weight:	Displacement PSI: 600	202	Ferry	
Bridge Plug:	Tubing: 2 7/8"	Cement Left in Casing: 0'	105	Austin	
Packer:	PBTD: 1234'		106	Rick	

Quantity Or Units	Description of Services or Product	Pump charge	
35	Mileage	\$3.25/Mile	790.00 113.75
142 SACKS	QuickSet cement	17.90	2541.80
200 lbs.	Gel > Flush Ahead	.30	60.00
4 Hrs.	Water Truck	84.00	336.00
4 Hrs.	Water Truck	84.00	336.00
4600 GAL	Water	13.00 P/1000	59.80
	Rental on wireline serv.	50.00	n/c
Tons	Bulk Truck > minimum charge	\$1.15/Mile	250.00
2	Plugs 2 7/8" Top Rubber	25.00	50.00
	Subtotal		4537.35
	Sales Tax		197.95
	Estimated Total		4735.30

Remarks: Rig up to 2 7/8" Tubing - Tased float shoe at 1234' by wireline. Pumped 5 Bbl. water ahead, 10 Bbl. Gel  
 Flush, circulate Gel around with 40 Bbl. water flush. Mixed 142 Sks. QuickSet cement, shut down - washout  
 Pump lines. Release 2-Plugs - Displace plugs with 7 1/4 Bbls water. Final Pumping at 600 PSI.  
 Bumped Plugs to 1100 PSI, close tubing now/ 1100 PSI Good cement returns w/ 7 Bbl. slurry  
 Job complete - Tear down

"Thank you"

Witnessed by Row  
 Customer Signature

Hurricane Services, Inc.  
 3613 A Y Road  
 Madison, KS 66860  
 Office # 620-437-2661  
 Brad Cell # 620-437-6765

Ticket Number 100241  
 Location Madison  
 Foreman Brad Butler

Cement Service ticket

Date	Customer #	Well Name & Number	Sec./Township/Range	County
4-23-13		Kramer # 6	3-24-17E	Woodson
Customer		Mailing Address	City	State Zip
German Oil				

Job Type:	Longstring	Truck #	Driver
Hole Size: 5 7/8"	Casing Size:	201	Kelly
Hole Depth: 1241'	Casing Weight:	202	Jerry
Bridge Plug:	Tubing: 2 7/8"	105	Austin
Packer:	PBTD: 1234'	106	Rick

Quantity Or Units	Description of Services or Product	Pump charge	
35	Mileage	\$3.25/Mile	790.00 113.75
142 SACKS	QuickSet cement	17.90	2541.80
200 lbs.	Gel > Flush Ahead	.30	60.00
4 Hrs.	Water Truck	84.00	336.00
4 Hrs.	Water Truck	84.00	336.00
4600 GAL	Water	13.00 P/1000	59.80
	Rental on Wireline Serv.	50.00	n/c
Tons	Bulk Truck > minimum charge	\$1.15/Mile	250.00
2	Plugs 2 7/8" Top Rubber	25.00	50.00
		Subtotal	4537.35
		Sales Tax	197.95
		Estimated Total	4735.30

Remarks: Rig up to 2 7/8" Tubing - Tased float shoe at 1234' by wireline. Pumped 5 Bbl. water ahead, 10 Bbl. Gel  
 Flush, circulate Gel around with 40 Bbl. water flush. Mixed 142 Sks. QuickSet cement, shutdown - washout  
 Pumping. Release 2-Plugs - Displace Plugs with 7 1/4 Bbls water. Final Pumping at 600 PSI  
 Bumped Plugs to 1100 PSI, close Tubing now/ 1100 PSI Good cement returns w/ 7 Bbl. slurry  
 Job complete - Tear down

"Thank you"

Witnessed by Row  
 Customer Signature