

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

Kansas Corporation Commission Oil & Gas Conservation Division

1146081

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
OPERATOR: License#	feet from N / S Line of Sectio
Name:	feet from E / W Line of Sectio
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSI
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes No
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III
	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR)
	Will Cores be taken?
	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	0 0,
	underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; If from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; If from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically	underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; If from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY	runderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	runderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY	runderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	runderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	runderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	runderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	runderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:					Location of W	/ell: County:
Lease:						feet from N / S Line of Section
Well Number:						
	f Acres attributable				Is Section:	Regular or Irregular
QTR/QTR	/QTR/QTR of acrea	ge:				
						Irregular, locate well from nearest corner boundary.
					Section corne	er used: NE NW SE SW
				PI	.AT	
	Show loca	tion of the well. S	Show footage to ti			dary line. Show the predicted locations of
			_			as Surface Owner Notice Act (House Bill 2032).
	CCO #4		You may	y attach a se	parate plat if desi	ired.
	660 ft	•				
		: :	:	:	:	
						LEGEND
610 ft.	 •					O Well Location
						Tank Battery Location
	:	:	:		:	Pipeline Location
	:	: :	:	:	÷	Electric Line Location
	:				:	Lease Road Location
		• • • • • • • • • • • • • • • • • • • •	······· · · · · · · · · · · · · · · ·		······	
				:	:	
			'			EXAMPLE
	:	: :		:	:	
			23			
		•			······	
	:				:	
	:	: :		:	:	: : :
	:	: :	:	:	:	1980' FSL
				:		
	:	:				
	:	: :	:	:	<u> </u>	
				:		SEWARD CO. 3390' FEL
	•			:	•	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

ON #1 1146081

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Type of Pit: Pit is:			
Emergency Pit Burn Pit	☐ Emergency Pit ☐ Burn Pit ☐ Proposed ☐ Existing		SecTwp R	
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes N	No		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits	
	om ground level to dee			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:		
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	her:	Dormi	t Date: Lease Inspection:Yes No	

CORRECTION #1

KANSAS CORPORATION COMMISSION 1146081

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed

All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City: State: Zip:+				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				



27


26

Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846



26

25

002622usgs Office/Fax: (620) 276-6159 PLAT NO. Cell: (620) 272-1499 Tasset #1-23/ Berexco, LLC LEASE NAME OPERATOR 660' FNL - 660' Ford County, KS 23 **26s** LOCATION SPOT Twp. COUNTY 2386.4' GR. ELEVATION: 1" = 1000' Directions: From the NW side of Spearville, Ks at the intersection of May 23rd, 2013 DATE: Hwy 50 & Lake Rd. North & Main St. South - Now go 0.4 miles SE on Main Ben R. MEASURED BY: St. - Now go 0.1 mile East on Davis St - Now go 1.5 miles South on Spearville Ford Rd – Now go 0.6 miles East on Garnett Rd – Now go 3.3 Drew H. DRAWN BY: miles South on Garnett Rd - Now go 2 miles East on Jewell Rd to the NW AUTHORIZED BY: Dana W. corner of section 23-26s-22w & ingress stake SE into - Now go approx. 930' This drawing does not constitute a monumented survey SE through wheat into staked location. or a land survey plat. Final ingress must be verified with land owner or Operator. This drawing is for construction purposes only. 128 Rd (gravel) 15 14 13 14 ingress stake SE into Jewell Rd (blacktop) 22 23 23 24 single phase powerline 129 Rd wheat Q (gravel) Tasset #1-23X 660' FNL - 666 FWL 2386.4' = gr. elev. at staked loc. NAD 83 Lat. = N37° 46' 34.228" Long. = W990 42 12.330 I staked location with 7' wood (painted orange and blue) and t-post Location falls in 18" wheat While standing at staked location looking 150' in all directions loc. has 1' to 3' bumps 22 23 23 24



Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846



TOPATTO

002622usgs Office/Fax: (620) 276-6159 Cell: (620) 272-1499 Tasset #1-23 Berexco, LLC OPERATOR LEASE NAME 660' FNL - 660' F Ford County, KS 23 **26s** Twp. COUNTY 2386.4' GR. ELEVATION: 1" = 1000 Directions: From the NW side of Spearville, Ks at the intersection of May 23rd, 2013 Hwy 50 & Lake Rd. North & Main St. South - Now go 0.4 miles SE on Main Ben R. MEASURED BY: St. - Now go 0.1 mile East on Davis St - Now go 1.5 miles South on Spearville Ford Rd – Now go 0.6 miles East on Garnett Rd – Now go 3.3 Drew H. DRAWN BY:. miles South on Garnett Rd - Now go 2 miles East on Jewell Rd to the NW AUTHORIZED BY: Dana W. corner of section 23-26s-22w & ingress stake SE into - Now go approx. 930' This drawing does not constitute a monumented survey SE through wheat into staked location. or a land survey plat. Final ingress must be verified with land owner or Operator. This drawing is for construction purposes only. -128 Rd 0 (gravel) 13 143 ingress stake SE into Jewell Rd (blacktop) single phase powerline 129 Rd wheat (gravel) Tasset #1-23X 660' FNL - 566 2386.4' = gr. elev. at staked loc. Lat. = N37° 46' 34.228" Long. = W99° 42' 12.336' I staked location with 7' wood (painted orange and blue) and t-post Location falls in 18" wheat While standing at staked location looking 150' in all directions loc. has 1' to 3' bumps 2368 2348 2338 2340 26 26




002622usgs

Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499



Berexco, LLC

COUNTY

Ford County, KS

OPERATOR

Tasset #1-23 X LEASE NAME

660' FNL - 660' F LOCATION SPOT

1" = 1000 May 23rd, 2013 DATE: Ben R. MEASURED BY:

Drew H. DRAWN BY: . AUTHORIZED BY: Dana W.

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 2386.4°

Directions: From the NW side of Spearville, Ks at the intersection of Hwy 50 & Lake Rd. North & Main St. South - Now go 0.4 miles SE on Main St. - Now go 0.1 mile East on Davis St - Now go 1.5 miles South on Spearville Ford Rd – Now go 0.6 miles East on Garnett Rd – Now go 3.3 miles South on Garnett Rd - Now go 2 miles East on Jewell Rd to the NW corner of section 23-26s-22w & ingress stake SE into - Now go approx. 930' SE through wheat into staked location.

Final ingress must be verified with land owner or Operator.






Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499



Berexco, LLC

Ford County, KS

COUNTY

OPERATOR

Tasset #1-23 X LEASE NAME

660' FNL - 560' FW LOCATION SPOT

May 23rd, 2013 DATE:

Ben R. MEASURED BY:_ Drew H. DRAWN BY: _

AUTHORIZED BY: Dana W.


This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 2386.4°

Directions: From the NW side of Spearville, Ks at the intersection of Hwy 50 & Lake Rd. North & Main St. South - Now go 0.4 miles SE on Main St. - Now go 0.1 mile East on Davis St - Now go 1.5 miles South on Spearville Ford Rd - Now go 0.6 miles East on Garnett Rd - Now go 3.3 miles South on Garnett Rd - Now go 2 miles East on Jewell Rd to the NW corner of section 23-26s-22w & ingress stake SE into - Now go approx. 930' SE through wheat into staked location.

Final ingress must be verified with land owner or Operator.





22

27


26

Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846



23 24

26

25

002622usgs Office/Fax: (620) 276-6159 PLAT NO. Cell: (620) 272-1499 Tasset #1-23 Berexco, LLC OPERATOR LEASE NAME 660' FNL - 560' FWI Ford County, KS **26s** 22wLOCATION SPOT COUNTY 2386.4 GR. ELEVATION: 1" = 1000' SCALE: Directions: From the NW side of Spearville, Ks at the intersection of May 23rd, 2013 DATE: Hwy 50 & Lake Rd. North & Main St. South - Now go 0.4 miles SE on Main Ben R. MEASURED BY: St. - Now go 0.1 mile East on Davis St - Now go 1.5 miles South on Spearville Ford Rd - Now go 0.6 miles East on Garnett Rd - Now go 3.3 Drew H. DRAWN BY: miles South on Garnett Rd - Now go 2 miles East on Jewell Rd to the NW AUTHORIZED BY: Dana W. corner of section 23-26s-22w & ingress stake SE into - Now go approx. 930' This drawing does not constitute a monumented survey SE through wheat into staked location. or a land survey plat. Final ingress must be verified with land owner or Operator. This drawing is for construction purposes only. TANK BATTERY 15 13 14 ingress stake Jewell Rd (blacktop) PELOYHLINE 23 24 129 Rd (gravel) LEASE Tasset #1-23 X ROAD. 660' FNL -2660' FWL 2386.4' = gr. elev. at staked loc. NAD 83 Lat. = N37° 46' 34.228" Long. = W999-421-12-330" I staked location with 7 wood (painted orange and blue) and t-post Location falls in 18" wheat While standing at staked location looking 150' in all directions loc. has 1' to 3' bumps

Summary of Changes

Lease Name and Number: Tasset 1-23 X

API/Permit #: 15-057-20899-00-00

Doc ID: 1146081

Correction Number: 1

Approved By: Steve Bond 06/07/2013

Field Name	Previous Value	New Value
ElevationPDF	2386 Estimated	2387 Estimated
Feet to Nearest Water Well Within One-Mile of Pit	3525	3426
Ground Surface Elevation	2386	2387
KCC Only - Date Received	06/06/2013	06/07/2013
KCC Only - Regular Section Quarter Calls	W2 E2 NW NW	E2 W2 NW NW
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=23&t	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=23&t
Nearest Lease Or Unit Boundary	660	610
Number of Feet East or West From Section Line	710	610
Number of Feet East or West From Section Line	710	610
Quarter Call 3	E2	W2

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 3	E2	W2
Quarter Call 4 - Smallest	W2	E2
Quarter Call 4 - Smallest	W2	E2
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 46007	//kcc/detail/operatorE ditDetail.cfm?docID=11 46081

Summary of Attachments

Lease Name and Number: Tasset 1-23 X

API: 15-057-20899-00-00

Doc ID: 1146081

Correction Number: 1

Approved By: Steve Bond 06/07/2013

Attachment Name

Tasset #1-23X Staking Plat Maps