

Kansas Corporation Commission Oil & Gas Conservation Division

1146963

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|---|---|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R |
| Address 2: | Feet from North / South Line of Section |
| City: | Feet from _ East / _ West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | County: |
| Name: | Lease Name: Well #: |
| Wellsite Geologist: | Field Name: |
| Purchaser: | Producing Formation: |
| Designate Type of Completion: | Elevation: Ground: Kelly Bushing: |
| New Well Re-Entry Workover | Total Depth: Plug Back Total Depth: |
| Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): | Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? |
| Operator: | |
| Well Name: | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dual Completion Permit #: SWD Permit #: ENHR Permit #: | Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: Lease Name: License #: Quarter Sec TwpS. R |
| GSW Permit #: | County: Permit #: |
| GSW Permit #: Spud Date or Date Reached TD Completion Date or Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|------------------------------------|
| Letter of Confidentiality Received |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II Approved by: Date: |

Side Two



| Operator Name: | | | | Lease N | lame: | | | Well #: | | |
|---|--|----------------------------------|-------------------------------|-----------------------|-----------|------------------|--|-------------------------------------|-----------|--------------------------|
| Sec Twp | S. R | East |] West | County: | | | | | | |
| INSTRUCTIONS: Sh time tool open and clo recovery, and flow rat line Logs surveyed. A | osed, flowing and shu es if gas to surface te | t-in pressures st, along with | s, whether s final chart(s | hut-in press | ure reach | ed static level, | hydrostatic pres | ssures, bottom h | nole temp | erature, fluid |
| Drill Stem Tests Taker (Attach Additional | | Yes | ☐ No | | Log | g Formation | n (Top), Depth a | nd Datum | | Sample |
| Samples Sent to Geo | logical Survey | Yes | No | | Name | | | Тор | | Datum |
| Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop) | d Electronically | ☐ Yes ☐ Yes ☐ Yes | No No No | | | | | | | |
| List All E. Logs Run: | | | | | | | | | | |
| | | Report a | | RECORD | New | Used | on, etc. | | | |
| Purpose of String | Size Hole Drilled | Size C Set (In | asing | Weig Lbs. / | ht | Setting Depth | Type of Cement | # Sacks Used | , ,, | and Percent additives |
| | | | | | | | | | | |
| | | <u> </u> | DDITIONAL | CEMENTIN | IG / SQUE | EZE RECORD | | | | |
| Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone | Depth Top Bottom | Type of 0 | Cement | # Sacks | Used | | Type and | Percent Additives | | |
| | | | | | | | | | | |
| Shots Per Foot | PERFORATI Specify | ON RECORD - Footage of Each | Bridge Plug n Interval Per | s Set/Type forated | | | cture, Shot, Ceme mount and Kind of N | nt Squeeze Record Material Used) | d | Depth |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | | Packer At: | | Liner Run: | | | | |
| | | | | | | | Yes N | 0 | | |
| Date of First, Resumed | Production, SWD or EN | IHR. Pr | oducing Meth | nod: | g | as Lift C | Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Water | BI | ols. | Gas-Oil Ratio | | Gravity |
| DISPOSITI | ON OF GAS: | | N | METHOD OF | COMPLET | TION: | | PRODUCTIO | ON INTER | VAL: |
| Vented Solo | Used on Lease | | n Hole | Perf. | Dually (| | nmingled mit ACO-4) | | | |
| (11 verneu, 3u | 10./ | Othe | r (Specify) | | | | I — | | | |



| Customer | Wehmeyer | State, County | Montgomery , Kansas | Cement Type | 1 | CLASS A |
|--|--|---------------------------------------|--|---|--|---|
| lob Type | Long String | Section | The state of the s | Excess (%) | | 30 |
| Customer Acct # | | TWP | W. St. 191 50 40. | Density | | 13.8 |
| Vell No. | Wehemeyer #6 | RGE | | Water Required | | |
| Mailing Address | | Formation | 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | Yeild | 50024 5 | 1.77 |
| City & State | | Tubing | 28.000 18 | Sacks of Cement | | 55 |
| ip Code | | Drill Pipe | | Slurry Volume | | 17.3 |
| Contact | | Casing Size | 4 1/2 11.6# | Displacement | | 8.2 |
| mail | | Hole Size | 6 3/4 | Displacement PSI | | 600/1200 |
| Cell | | Casing Depth | 535 | MIX PSI | 1 | 300 |
| Dispatch Location | BARTLESVILLE | Hole Depth | | Rate | | 4.5 |
| ode | Cement Pump Charges and Mileage | Quantity | Unit | Price per Unit | | |
| 5401 | CEMENT PUMP (2 HOUR MAX) | 1 | 2 HRS MAX | \$1,085.00 | \$ | 1,085.00 |
| 5402 | FOOTAGE | 535 | PER FOOT | \$0.23 | \$ | 123.05 |
| 5406 | EQUIPMENT MILEAGE (ONE-WAY) | 35 | PER MILE | \$4.20 | \$ | 147.00 |
| 5407 | MIN. BULK DELIVERY (WITHIN 50 MILES) | 1 | PER LOAD | \$368.00 | \$ | 368.00 |
| 0 | | | 0 | \$0.00 | \$ | 280,000 280,000 |
| 0 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | |
| <u> </u> | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | * |
| | | | | EQUIPMENT TOTAL | \$ | 1,723.05 |
| | Cement, Chemicals and Water | | | | | |
| 1126A | THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLORIS | | 0 | \$20.16 | \$ | 1,108.80 |
| 1118B | PREMIUM GEL/BENTONITE (50#) | 150 | 0 | \$0.22 | \$ | 33.00 |
| 1110A | KOL SEAL (50 # SK) | 300 | 0 | \$0.46 | \$ | 138.00 |
| 1123 | CITY WATER (PER 1000 GAL) | 3.3 | 0 | \$17.30 | \$ | 57.09 |
| 1107A | PHENOSEAL | 40 | 0 | \$1.35 | \$ | 54.00 |
| 0 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | |
| 00 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | - |
| <u> </u> | | | 0 | \$0.00 | \$ | |
| 0 | <u> </u> | | 0 | \$0.00 | \$ | |
| | | | | CHEMICAL TOTAL | \$ | 1,390.89 |
| | Water Transport | | | | <u> </u> | |
| 5502C | 80 BBL VACUUM TRUCK (CEMENT) | 3 | BL VACUUM TRUCK (CEN | | \$ | 300.00 |
| <u> </u> | | | 0 | \$0.00 | \$ | |
| 0 | <u> </u> | | 0 | \$0.00 | \$ | |
| | I | · · · · · · · · · · · · · · · · · · · | | RANSPORT TOTAL | \$ | 300.00 |
| | Cement Floating Equipment (TAXABLE) | | | <u> </u> | <u> </u> | |
| | Cement Basket | | | 44.44 | | |
| 0 | <u></u> | | 0 | \$0.00 | \$ | - |
| | Centralizer | | T | 00.00 | | |
| 0 | | - | 0 0 | \$0.00 | \$ | |
| U | Float Shoe | | | \$0.00 | 1 4 | |
| ···· | rioat shoe | | 1 0 | \$0.00 | \$ | |
| | Float Collars | | 1 0 | \$0.00 | IΦ | |
| 0 | 1 loat Collais | - | 0 | \$0.00 | \$ | |
| <u>~</u> | Guide Shoes | -1 1 | | ψ0.00 | <u> Ψ</u> | |
| | | | | | | s - 51 - 5 5 |
| Ó | | 7 | 1 0 | \$0.00 | \$ | - |
| 0 | | | 0 | \$0.00 | \$ | |
| | Baffle and Flapper Plates | | | | 4i | |
| 0 | Baffle and Flapper Plates | | 0 | \$0.00 | \$ \$ | |
| | | | 0 | \$0.00 | \$ | |
| 0 | Baffle and Flapper Plates | | | | 4i | - |
| 0 | Baffle and Flapper Plates Packer Shoes | | 0 | \$0.00 | \$ | - |
| 0 | Baffle and Flapper Plates Packer Shoes | | 0 | \$0.00 | \$ | - |
| 0 | Baffle and Flapper Plates Packer Shoes DV Tools | | 0 | \$0.00 | \$ | - |
| 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools | | 0 0 | \$0.00 \$0.00 \$0.00 | \$ \$ | |
| 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. | | 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 | \$ \$ \$ | |
| 0 0 0 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers | | 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 | \$ \$ \$ \$ \$ \$ | - |
| 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG | 1 | 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 | \$ \$ \$ \$ \$ | - |
| 0 0 0 0 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers | 1 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 | \$ \$ \$ \$ \$ | 47.25 |
| 0 0 0 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG | | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 | \$ \$ \$ \$ \$ | 47.25 |
| 0 0 0 0 0 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools | 1 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL | \$ \$ \$ \$ \$ | 47.25 |
| 0 0 0 0 0 0 0 4404 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME | 1 | 0 0 0 0 0 0 0 0 PER UNIT | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL | \$ \$ \$ \$ \$ \$ | - - - - 47.25 47.25 3,461.19 |
| 0 0 0 0 0 0 0 4404 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade | 1 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX | \$ \$ \$ \$ \$ \$ \$ | 47.25 47.25 3,461.19 90.60 |
| 0 0 0 0 0 0 0 4404 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME | 1 | 0 0 0 0 0 0 0 0 PER UNIT | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL | \$ \$ \$ \$ \$ \$ | - - - - 47.25 47.25 3,461.19 |
| 0 0 0 0 0 0 0 4404 0 FRUCK# | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade James Ness | 1 | 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING E 6.30% | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT) | \$ \$ \$ \$ \$ \$ \$ \$ \$ | 47.25 47.25 3,461.19 90.60 3,551.79 355.18 |
| 0 0 0 0 0 0 0 4404 0 FRUCK# | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade James Ness | 1 | 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING E 6.30% | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL | \$ \$ \$ \$ \$ \$ \$ \$ \$ | 47.25 47.25 47.25 3,461.19 90.60 3,551.79 |

DATE FOREMAN SELLING.

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.



| Time: | Description | Rate (bpm) | Volume (bbl) | Pressure | Notes |
|---------|--|------------|--------------|----------|-----------------------|
| 3:20 AM | Hooked up to well | | | | 2000 - 1007 - 20 - 31 |
| | Established circulation with gel sweep | 4.5 | 15 | 200 | |
| | Ran 55 sack Thickset cement | 4.5 | 17.3 | 200 | |
| | Shut down washed pump and lines | | | | |
| | Droped plug and displaced plug | 3.5 | 8.2 | 600 | |
| | Landed plug | | 270740 | 1200 | |
| 4:10 AM | Plug Held | | | | |
| | | | | | |
| | | | | | |
| | | | 2 2 2 2 | | |

Hooked up to well and pumped 10 bbl water ahead of a 150# gel sweep. Than ran 55 sacks of thickset cement. Shut down and washed pump and lines. Droped plug and displaced 8.2 bbl to land plug at 1200 psi. Released press and plug held. Put 200 psi back on plug and shut plug container in per requet of customer. Cement to surface. Thank You.

| (2) (2) | | | -Vo 48 853 8 7 20 20 |
|-------------|---|---|----------------------|
| | | 0 | |
| | 20 20 1 1000000000000000000000000000000 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 2012/07 C 1,890 1999 | | |
| | | | |
| fore Notes: | 39 (2004) (2004) (2004) (2004) | | |
| | | | |



| Customer | Wehmeyer | State, County | Montgomery , Kansas | Cement Type | 1 | CLASS A |
|--|--|---------------------------------------|--|---|--|---|
| lob Type | Long String | Section | The state of the s | Excess (%) | | 30 |
| Customer Acct # | | TWP | W. St. 191 50 40. | Density | | 13.8 |
| Vell No. | Wehemeyer #6 | RGE | | Water Required | | |
| Mailing Address | | Formation | 10 10 10 10 10 10 10 10 10 10 10 10 10 1 | Yeild | 50024 5 | 1.77 |
| City & State | | Tubing | 28.000 18 | Sacks of Cement | | 55 |
| ip Code | | Drill Pipe | | Slurry Volume | | 17.3 |
| Contact | | Casing Size | 4 1/2 11.6# | Displacement | | 8.2 |
| mail | | Hole Size | 6 3/4 | Displacement PSI | | 600/1200 |
| Cell | | Casing Depth | 535 | MIX PSI | 1 | 300 |
| Dispatch Location | BARTLESVILLE | Hole Depth | | Rate | | 4.5 |
| ode | Cement Pump Charges and Mileage | Quantity | Unit | Price per Unit | | |
| 5401 | CEMENT PUMP (2 HOUR MAX) | 1 | 2 HRS MAX | \$1,085.00 | \$ | 1,085.00 |
| 5402 | FOOTAGE | 535 | PER FOOT | \$0.23 | \$ | 123.05 |
| 5406 | EQUIPMENT MILEAGE (ONE-WAY) | 35 | PER MILE | \$4.20 | \$ | 147.00 |
| 5407 | MIN. BULK DELIVERY (WITHIN 50 MILES) | 1 | PER LOAD | \$368.00 | \$ | 368.00 |
| 0 | | | 0 | \$0.00 | \$ | 280,000 280,000 |
| 0 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | |
| <u> </u> | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | * |
| | | | | EQUIPMENT TOTAL | \$ | 1,723.05 |
| | Cement, Chemicals and Water | | | | | |
| 1126A | THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLORIS | | 0 | \$20.16 | \$ | 1,108.80 |
| 1118B | PREMIUM GEL/BENTONITE (50#) | 150 | 0 | \$0.22 | \$ | 33.00 |
| 1110A | KOL SEAL (50 # SK) | 300 | 0 | \$0.46 | \$ | 138.00 |
| 1123 | CITY WATER (PER 1000 GAL) | 3.3 | 0 | \$17.30 | \$ | 57.09 |
| 1107A | PHENOSEAL | 40 | 0 | \$1.35 | \$ | 54.00 |
| 0 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | |
| 00 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | - |
| <u> </u> | | | 0 | \$0.00 | \$ | |
| 0 | <u> </u> | | 0 | \$0.00 | \$ | |
| | | | | CHEMICAL TOTAL | \$ | 1,390.89 |
| | Water Transport | | | | <u> </u> | |
| 5502C | 80 BBL VACUUM TRUCK (CEMENT) | 3 | BL VACUUM TRUCK (CEN | | \$ | 300.00 |
| <u> </u> | | | 0 | \$0.00 | \$ | |
| 0 | <u> </u> | | 0 | \$0.00 | \$ | |
| | I | · · · · · · · · · · · · · · · · · · · | | RANSPORT TOTAL | \$ | 300.00 |
| | Cement Floating Equipment (TAXABLE) | | | <u> </u> | <u> </u> | |
| | Cement Basket | | | 44.44 | | |
| 0 | <u></u> | | 0 | \$0.00 | \$ | - |
| | Centralizer | | T | 00.00 | | |
| 0 | | - | 0 0 | \$0.00 | \$ | |
| U | Float Shoe | | | \$0.00 | 1 4 | |
| ···· | rioat Shoe | | 1 0 | \$0.00 | \$ | |
| | Float Collars | | 1 0 | \$0.00 | IΦ | |
| 0 | 1 loat Collais | - | 0 | \$0.00 | \$ | |
| <u>~</u> | Guide Shoes | -1 1 | | ψ0.00 | <u> Ψ</u> | |
| | | | | | | s - 51 - 5 5 |
| Ó | | 7 | 1 0 | \$0.00 | \$ | - |
| 0 | | | 0 | \$0.00 | \$ | |
| | Baffle and Flapper Plates | | | | 4i | |
| 0 | Baffle and Flapper Plates | | 0 | \$0.00 | \$ \$ | |
| | | | 0 | \$0.00 | \$ | |
| 0 | Baffle and Flapper Plates | | | | 4i | - |
| 0 | Baffle and Flapper Plates Packer Shoes | | 0 | \$0.00 | \$ | - |
| 0 | Baffle and Flapper Plates Packer Shoes | | 0 | \$0.00 | \$ | - |
| 0 | Baffle and Flapper Plates Packer Shoes DV Tools | | 0 | \$0.00 | \$ | - |
| 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools | | 0 0 | \$0.00 \$0.00 \$0.00 | \$ \$ | |
| 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. | | 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 | \$ \$ \$ | |
| 0 0 0 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers | | 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 | \$ \$ \$ \$ \$ \$ | - |
| 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG | 1 | 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 | \$ \$ \$ \$ \$ | - |
| 0 0 0 0 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers | 1 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 | \$ \$ \$ \$ \$ | 47.25 |
| 0 0 0 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG | | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 | \$ \$ \$ \$ \$ | 47.25 |
| 0 0 0 0 0 0 0 0 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools | 1 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL | \$ \$ \$ \$ \$ | 47.25 |
| 0 0 0 0 0 0 0 4404 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME | 1 | 0 0 0 0 0 0 0 0 PER UNIT | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL | \$ \$ \$ \$ \$ \$ | - - - - 47.25 47.25 3,461.19 |
| 0 0 0 0 0 0 0 4404 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade | 1 | 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX | \$ \$ \$ \$ \$ \$ \$ | 47.25 47.25 3,461.19 90.60 |
| 0 0 0 0 0 0 0 4404 | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME | 1 | 0 0 0 0 0 0 0 0 PER UNIT | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL | \$ \$ \$ \$ \$ \$ | - - - - 47.25 47.25 3,461.19 |
| 0 0 0 0 0 0 0 4404 0 FRUCK# | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade James Ness | 1 | 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING E 6.30% | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT) | \$ \$ \$ \$ \$ \$ \$ \$ \$ | 47.25 47.25 3,461.19 90.60 3,551.79 355.18 |
| 0 0 0 0 0 0 0 4404 0 FRUCK# | Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade James Ness | 1 | 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING E 6.30% | \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL | \$ \$ \$ \$ \$ \$ \$ \$ \$ | 47.25 47.25 47.25 3,461.19 90.60 3,551.79 |

DATE FOREMAN SELLING.

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.



| Time: | Description | Rate (bpm) | Volume (bbl) | Pressure | Notes |
|---------|--|------------|--------------|----------|-----------------------|
| 3:20 AM | Hooked up to well | | | | 2000 - 1007 - 20 - 31 |
| | Established circulation with gel sweep | 4.5 | 15 | 200 | |
| | Ran 55 sack Thickset cement | 4.5 | 17.3 | 200 | |
| | Shut down washed pump and lines | | | | |
| | Droped plug and displaced plug | 3.5 | 8.2 | 600 | |
| | Landed plug | | 270740 | 1200 | |
| 4:10 AM | Plug Held | | | | |
| | | | | | |
| | | | | | |
| | | | 2 2 2 2 | | |

Hooked up to well and pumped 10 bbl water ahead of a 150# gel sweep. Than ran 55 sacks of thickset cement. Shut down and washed pump and lines. Droped plug and displaced 8.2 bbl to land plug at 1200 psi. Released press and plug held. Put 200 psi back on plug and shut plug container in per requet of customer. Cement to surface. Thank You.

| (2) (2) | | | -Vo 48 853 8 7 20 20 |
|-------------|---|---|----------------------|
| | | 0 | |
| | 20 20 1 1000000000000000000000000000000 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 2012/07 C 1,890 1999 | | |
| | | | |
| fore Notes: | 39 (2004) (2004) (2004) (2004) | | |
| | | | |