

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KC0	C Use:			
Effective	Date:			
District #	±			
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	h day year	Spot Description:
month	i day year	Sec Twp S. R E'
PERATOR: License#		feet from N / S Line of Section
		feet from E / W Line of Section
ddress 1:		Is SECTION: Regular Irregular?
		(Note: Locate well on the Section Plat on reverse side)
	State: Zip: +	County:
Contact Person:		Lease Name: Well #:
hone:		Field Name:
ONTRACTOR: License#		Is this a Prorated / Spaced Field?
ame:		Target Formation(s):
	#0/ T 5 : /	Nearest Lease or unit boundary line (in footage):
Well Drilled For: We	ell Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec	Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage	Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal	Wildcat Cable	Depth to bottom of fresh water:
Seismic ; # of Holes	Other	Depth to bottom of usable water:
Other:		Surface Pipe by Alternate: I III
If OWWO: old well information	n as follows:	
		Length of Surface Pipe Planned to be set:
•		Length of Conductor Pipe (if any):
	0::17:10:#	Projected Total Depth:
Original Completion Date:	Original Total Depth:	Formation at Total Depth:
irectional, Deviated or Horizontal we	ellbore? Yes No	Water Source for Drilling Operations:
		Well Farm Pond Other:
		DWR Permit #:(Note: Apply for Permit with DWR)
		Will Cores be taken?YesN If Yes, proposed zone:
		FIDAVIT
he undersigned hereby affirms that	at the drilling, completion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minim	um requirements will be met:	
1. Notify the appropriate district	office <i>prior</i> to spudding of well;	
1,7 1,1	e of intent to drill shall be posted on each	5 5 ,
The minimum amount of surfa		by circulating cement to the top; in all cases surface pipe shall be set
	naterials plus a minimum of 20 feet into the	e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i>
4. If the well is dry hole, an agre		
4. If the well is dry hole, an agree5. The appropriate district office	e will be notified before well is either plugg	ged or production casing is cemented in;
4. If the well is dry hole, an agree5. The appropriate district office6. If an ALTERNATE II COMPLE	e will be notified before well is either plugg ETION, production pipe shall be cemente	
 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" 	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Indicate the defendance of the defendance o
 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLIATE OF Pursuant to Appendix "B" 	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing
4. If the well is dry hole, an agree5. The appropriate district office6. If an ALTERNATE II COMPLEOr pursuant to Appendix "B"	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing
 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 ubmitted Electronically	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing
4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 about the complete within	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Ubmitted Electronically For KCC Use ONLY	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1	ged or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Ibmitted Electronically For KCC Use ONLY API # 15 -	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Independent of the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 IDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 IDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Independent of the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 UDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPLE Or pursuant to Appendix "B" must be completed within 30 Libmitted Electronically For KCC Use ONLY API # 15	e will be notified before well is either plugg ETION, production pipe shall be cemente - Eastern Kansas surface casing order #1 days of the spud date or the well shall be	ged or production casing is cemented in; Id from below any usable water to surface within 120 DAYS of spud date. I33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

660 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

1146966 Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
Distance to peacest water well within one mile of	of nit-	Donth to challe	west fresh waterfeet.	
Distance to nearest water well within one-mile of pit:		Source of inform	nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: xing pits to be utilized: procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



1146966

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name: When filing a Form T-1 involving multiple surface owners, attach		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
Select one of the following:		
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this	
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1	
Submitted Electronically	_	

TOPOGRAPHIC LAND SURVEYORS

6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. LS-99, Exp. Dec. 31, 2013

HARPER _ County, Kansas 660'FSL - 1980'FEL Section 4 Township 34S Range 6W P.M. Township Line-P 13 S-RGW 7345-R6W X= 2150473 Y= 166766 X= 2155768 Y= 166848 330' HARDLINE LOT 1 LOT 2 LOT 4 LOT 3 HARDLINE S/2-NW/4 S/2-NE/4 ROCK 1950 HARDLINE GRID NAD-27 KS SOUTH (1980') US Feet Note: 3.280833 Ft.=1 Meter Scale: 1"= 1000' (660') 1000' 500' -1980'-330' HARDLINE X= 2155851 Y= 161612 X= 2150549 Y= 161523 Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, those shown in [brackets] are based on GLD (General Land Office) distances and have NOT been measured on the ground. CORNER COORDINATES ARE TAKEN FROM POINTS SURVEYED IN THE FIELD. Operator: SANDRIDGE EXPLORATION & PRODUCTION, LLC **ELEVATION:** Lease Name: KATE 3406 Well No.: __1-4 1257' Gr. at Stake Topography & Vegetation Loc. fell in terraced wheat field Reference Stakes or Alternate Location Stakes Set None Good Drill Site? _____ From South off county road Best Accessibility to Location ____ Distance & Direction From Anthony, KS, go ±4.0 mi. East, then ±3.0 mi. South to from Hwy Jct or Town _ the SE Cor. of Sec. 4-T34S-R6W Date of Drawing: Jun. 06, 2013 DATUM: <u>NAD-27</u> LAT: <u>37'06'39.7"N</u> Invoice # 202054 Date Staked: Jun. 04, 2013 AC LONG: 97'58'20.6"W **CERTIFICATE:** LAT: <u>37.111033733</u> N I, <u>T. Wayne Fisch</u> a Kansas Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described LONG: 97.972396079° W STATE PLANE COORDINATES: (US Feet) well location was surveyed and staked on the ground ZONE: KS SOUTH as shown herein. X: 2153861 Y: 162238



Kate 3406 1-4


Lease Information Sheet

Lease Description:

S/2 SE/4 of Section 04-34S-06W Harper County, Kansas

Surface Owner:

Jana S Bollman 840 N. Lincoln Avenue Anthony, KS 67003



Lease Outline 3/2 5E/4 Section 4-345-06W

Proposed Electric Line



June 12, 2013

Jana S Bollman 840 N. Lincoln Avenue Anthony, Kansas 67003

Re: KSONA-1 NOTIFICATION

Please find attached a draft copy of the Permit to Drill currently pending with the KCC for approval. SandRidge Energy plans to drill the Kate 3406 1-4 located in Harper County, Kansas. You are listed as the contact for the current surface owner.

This notice is being provided pursuant to the Kansas Surface Owner Notice Ace (House Bill 2032). If you have any questions, please contact us.

Sincerely,

Wanda Ledbetter Regulatory Analyst

Wanda Ledletter

Attach.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

June 20, 2013

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Kate 3406 1-4 SE/4 Sec.04-34S-06W Harper County, Kansas

Dear Wanda Ledbetter:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.