# 

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day	<i>year</i> Sec Twp S. R E V
OPERATOR: License#	feet from N / S Line of Section
Name:	fact from   F /   W Line of Costio
Address 1:	1 0F0T10N
Address 2:	
City: State: Zip:	+
Contact Person:	County
Phone:	Lease Name: Weil #:
OONTD AOTOD. Lineare #	Field Name:
CONTRACTOR: License# Name:	le tille a richtage / epassa richt.
name:	Target Formation(s):
Well Drilled For: Well Class: Type Ed	quipment: Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mu	Ground Surface Elevation:feet MS
	r Rotary  Water well within one-quarter mile:  Yes N
	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : . IT.ID #
Original Completion Date: Original Total De	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	
KCC DKT #:	
	If Yes, proposed zone:
	If Yes, proposed zone:
	If Yes, proposed zone:  AFFIDAVIT
The undersigned hereby affirms that the drilling, completion	
The undersigned hereby affirms that the drilling, completic It is agreed that the following minimum requirements will be	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will b	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. one met:
	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. oe met: ng of well;
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin  2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. the met: the posted on each drilling rig; the posted on each drilling rig; the low shall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin  2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimum	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. oe met: ng of well; be posted on each drilling rig; below shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin  2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimur  4. If the well is dry hole, an agreement between the op	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. be met: ng of well; be posted on each drilling rig; below shall be set by circulating cement to the top; in all cases surface pipe shall be set m of 20 feet into the underlying formation. berator and the district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin 2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. the met: the posted on each drilling rig; the posted on each drilling rig; the low shall be set by circulating cement to the top; in all cases surface pipe shall be set the of 20 feet into the underlying formation. The present of the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in;
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin  2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the op  5. The appropriate district office will be notified before  6. If an ALTERNATE II COMPLETION, production pipe	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. be met: ng of well; be posted on each drilling rig; below shall be set by circulating cement to the top; in all cases surface pipe shall be set m of 20 feet into the underlying formation. berator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; e shall be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin  2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimur  4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. on emet: on gof well; be posted on each drilling rig; one low shall be set by circulating cement to the top; in all cases surface pipe shall be set on of 20 feet into the underlying formation. one rator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; one shall be cemented from below any usable water to surface within 120 DAYS of spud date. One casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin  2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimur  4. If the well is dry hole, an agreement between the op  5. The appropriate district office will be notified before  6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. be met: ng of well; be posted on each drilling rig; below shall be set by circulating cement to the top; in all cases surface pipe shall be set m of 20 feet into the underlying formation. berator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; e shall be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin  2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimur  4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. on emet: on gof well; be posted on each drilling rig; one low shall be set by circulating cement to the top; in all cases surface pipe shall be set on of 20 feet into the underlying formation. one rator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; one shall be cemented from below any usable water to surface within 120 DAYS of spud date. One casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin 2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimur 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa must be completed within 30 days of the spud date	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. on emet: on gof well; be posted on each drilling rig; one low shall be set by circulating cement to the top; in all cases surface pipe shall be set on of 20 feet into the underlying formation. one rator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; one shall be cemented from below any usable water to surface within 120 DAYS of spud date. One casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin 2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimur 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa must be completed within 30 days of the spud date	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. on emet: on gof well; be posted on each drilling rig; one low shall be set by circulating cement to the top; in all cases surface pipe shall be set on of 20 feet into the underlying formation. one rator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; one shall be cemented from below any usable water to surface within 120 DAYS of spud date. One casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin  2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum  4. If the well is dry hole, an agreement between the op  5. The appropriate district office will be notified before  6. If an ALTERNATE II COMPLETION, production pipe  Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date.  ubmitted Electronically	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. on emet: on gof well; be posted on each drilling rig; one low shall be set by circulating cement to the top; in all cases surface pipe shall be set on of 20 feet into the underlying formation. one rator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; one shall be cemented from below any usable water to surface within 120 DAYS of spud date. One casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin 2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimur 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa must be completed within 30 days of the spud date	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. be met: ng of well; be posted on each drilling rig; below shall be set by circulating cement to the top; in all cases surface pipe shall be set m of 20 feet into the underlying formation. berator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; e shall be cemented from below any usable water to surface within 120 DAYS of spud date. ace casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin 2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date.	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. on and eventual plugging of this well will comply with K.S.A. 55 et. seq. one met: one met: one of well; be posted on each drilling rig; one of 20 feet into the underlying formation. one of 20 feet into the underlying formation. one or and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; one shall be cemented from below any usable water to surface within 120 DAYS of spud date. one casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin 2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimur 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa must be completed within 30 days of the spud date of the complete of the complete of the spud date of the complete of the complete of the spud date of the complete of the complete of the complete of the spud date of the complete of	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. on and eventual plugging of this well will comply with K.S.A. 55 et. seq. one met: one gof well; be posted on each drilling rig; one of 20 feet into the underlying formation. one of 20 feet into the underlying formation. One or and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; one shall be cemented from below any usable water to surface within 120 DAYS of spud date. One or a shall be cemented from below any usable water to surface within 120 DAYS of spud date. One or a shall be plugged. In all cases, NOTIFY district office prior to any cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin 2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date of the spud da	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. one met: one of well; be posted on each drilling rig; below shall be set by circulating cement to the top; in all cases surface pipe shall be set of of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; one shall be cemented from below any usable water to surface within 120 DAYS of spud date. One casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin 2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified b through all unconsolidated materials plus a minimur 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfa must be completed within 30 days of the spud date  ubmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. be met: ing of well; be posted on each drilling rig; below shall be set by circulating cement to the top; in all cases surface pipe shall be set in of 20 feet into the underlying formation. berator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; e shall be cemented from below any usable water to surface within 120 DAYS of spud date. ace casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will b  1. Notify the appropriate district office <i>prior</i> to spuddin 2. A copy of the approved notice of intent to drill <i>shall</i> 3. The minimum amount of surface pipe as specified be through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the op 5. The appropriate district office will be notified before 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surfamust be completed within 30 days of the spud date.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	AFFIDAVIT on and eventual plugging of this well will comply with K.S.A. 55 et. seq. one met: one of well; be posted on each drilling rig; below shall be set by circulating cement to the top; in all cases surface pipe shall be set of of 20 feet into the underlying formation. operator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; one shall be cemented from below any usable water to surface within 120 DAYS of spud date. One casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

\_ Agent: \_

Spud date: \_

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

For KCC Use ONLY	
API # 15	_

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 3180 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1 Kansas Corporation Commission Oil & Gas Conservation Division

1147722 Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)		SecTwp R
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.  liner integrity, including any special monitoring.			
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inform	owest fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of material utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection:  Yes No

CORRECTION #1 KANSAS CORPORATION COMMISSION 1147722

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed

All blanks must be Filled

### **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:       \[     \] I certify that, pursuant to the Kansas Surface Owner Notice A	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form		
	being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

## **Summary of Changes**

Lease Name and Number: Monfort 1-DA

API/Permit #: 15-001-30624-00-00

Doc ID: 1147722

Correction Number: 1

Approved By: Rick Hestermann 06/14/2013

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 03/14/2013	Rick Hestermann 06/14/2013
KCC Only - Approved Date	03/14/2013	06/14/2013
KCC Only - Date Received	03/14/2013	06/13/2013
KCC Only - Lease Inspection	Yes	No
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 24377	//kcc/detail/operatorE ditDetail.cfm?docID=11 47722
Well Number	1-D	1-DA