

## Kansas Corporation Commission Oil & Gas Conservation Division

147824

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

TwpS. R
et from North / South Line of Section et from East / West Line of Section Nearest Outside Section Corner: SE SW Well #: Kelly Bushing: g Back Total Depth: t and Cemented at: Feet Collar Used? Yes No
et from
Nearest Outside Section Corner:  SE SW  Well #:  Kelly Bushing:  g Back Total Depth: t and Cemented at:  Feet  Collar Used? Yes No
Well #:  Well #:  Kelly Bushing:  g Back Total Depth: t and Cemented at:  Feet  Collar Used? Yes \( \) No
Well #: Kelly Bushing: g Back Total Depth: Feet and Cemented at: Feet Collar Used?
Well #: Kelly Bushing: g Back Total Depth: t and Cemented at: Feet Collar Used?
Kelly Bushing:  g Back Total Depth:  t and Cemented at:  Collar Used? Yes No
Kelly Bushing:  g Back Total Depth:  t and Cemented at:  Collar Used?  Yes No
Kelly Bushing:  g Back Total Depth:  t and Cemented at:  Collar Used?  Yes No
g Back Total Depth: Feet t and Cemented at: Feet Collar Used?
t and Cemented at: Feet Collar Used?
Collar Used? Yes No
ement circulated from: sx cmt.
nt Plan ne Reserve Pit)
ppm Fluid volume:bbls
hauled offsite:
License #:
TwpS. R
Permit #:
<i>r</i>

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I III Approved by: Date:					

Side Two



Operator Name:				_ Lease N	lame:			Well #:		
Sec Twp	S. R	East	West	County:						
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rate line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressures, st, along with f	whether sh inal chart(s	nut-in press	ure reach	ed static level,	hydrostatic pres	ssures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional S		Yes	No		Log	y Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	Yes	No		Name			Тор	I	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Copy	d Electronically	Yes Yes Yes	☐ No ☐ No ☐ No							
List All E. Logs Run:										
		Report all	CASING I		New	Used mediate, producti	on, etc.			
Purpose of String	Size Hole Drilled	Size Ca Set (In C	sing	Weigi Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used	, ,,	and Percent dditives
		AI	DDITIONAL	CEMENTIN	G / SQUE	EZE RECORD				
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Co	ement	# Sacks	Used		Type and	Percent Additives		
Shots Per Foot	oot PERFORATION RECORD - Bridge Plugs S Specify Footage of Each Interval Perforation			s Set/Type orated			cture, Shot, Cemei mount and Kind of N		d 	Depth
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
Date of First, Resumed	Production, SWD or EN		ducing Meth	od:		as Lift C	Yes No	0		
Estimated Production Per 24 Hours	Oil	Bbls.		Mcf	Water		ols.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		M	IETHOD OF	COMPLET	ION:		PRODUCTIO	ON INTER	VAL:
Vented Sold	Used on Lease	Open	Hole (Specify)	Perf.	Dually ( (Submit AC		nmingled mit ACO-4)			

Johnson County, KS **Town Oilfield Service, Inc.**Well: Mackey # 4 (913) 837-8400 Commenced Spudding: 4/5/2013
Lease Owner: DE Exploration

### WELL LOG

Thickness of Strata	Formation	Total Depth
0-13	Soil-Clay	13
14	Sandy Clay	27
12	Sandy Shale	39
20	Shale	59
7	Lime	66
5	Shale	71
15	Lime	86
8	Shale	94
9	Lime	103
8	Shale	111
17	Lime	128
18	Shale	146
17	Lime	163
9	Shale	172
57	Lime	229
21	Shale	250
8	Lime	258
19	Shale	277
, 7	Lime	284
4	Shale	288
9	Lime	297
33	Shale	330
1	Lime	331
11	Shale	342
26	Lime	368
7	Shale	375
23	Lime	398
5	Shale	403
3	Lime	406
5	Shale	411
7	Lime	418
64	Shale	482
46	Sandy Shale	528
6	Shale	534
6	Sand	540
51	Shale	591
4	Lime	595
2	Shale	597
5	Lime	602
5	Shale	607

# Johnson County, KS **Town Oilfield Service, Inc.**Well: Mackey # 4 (913) 837-8400 Commenced Spudding: 4/5/2013 Lease Owner: DE Exploration

6	Lime	613
17	Shale	630
3	Lime	633
8	Shale	641
3	Lime	644
4	Shale	648
2	Lime	650
103	Shale	753
10	Sand	763
10	Sandy Shale	773
87	Shale	860
2	Sand	862
12	Shale	874
1	Sand	875
0.5	Sand	875.5
18.5	Core	894
66	Sandy Shale	960-TD
,		
2002		

	The state of the s	The second secon			
Core					
		875.5			
2.5	Sand	878			
2	Sand	880			
4	Sand	884			
10	Sandy Shale	894			
		/ · · · · · · · · · · · · · · · · · · ·			

,

## **Short Cuts**

**TANK CAPACITY** 

BBLS. (42 gal.) equals D<sup>2</sup>x.14xh D equals diameter in feet. h equals height in feet.

BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004 BPH - barrels per hour PSI - pounds square inch

## TO FIGURE PUMP DRIVES

- \* D Diameter of Pump Sheave
- \* d Diameter of Engine Sheave
- SPM Strokes per minute
- **RPM** Engine Speed
- R Gear Box Ratio
- \*C Shaft Center Distance
- D RPMxd over SPMxR
- d SPMxRxD over RPM
- SPM RPMXD over RxD
- R RPMXD over SPMxD

BELT LENGTH - 2C + 1.57(D + d) +  $\frac{(D-d)^2}{4C}$ 

\* Need these to figure belt length

TO FIGURE AMPS:

WATTS = AMPS

746 WATTS equal 1 HP

# Log Book

Farm Mackey

(State)

(State)

(State)

(County)

(Section)

(Township)

(Range)

(Well Owner)

# Town Oilfield Services, Inc.

1207 N. 1st East Louisburg, KS 66053 913-710-5400

11 1- 11 7	CASING A	ND TUBING MEAS	UREMENTS	
Mackey Farm: Johnson County  KS State; Well No. 4	Feet In. <b>873.35</b>	Feet In.	Feet	ln.
Elevation 1048	77 7, 75	Seat,	rippl	٣_
Commenced Spuding April 5 20 13	905.25	Baff	1-	
Finished Drilling 20		1/4 3		
Driller's Name Westry Dellard	936.80	Float	2	71
Driller's Name			a	1
Driller's Name				K
Tool Dresser's Name C77tg Perry				
Tool Dresser's Name				
Tool Dresser's Name				
Contractor's Name 705	-			
(Section) (Township) (Range)				
Distance from E line, 4600 ft.				
3 sacks 1 core				
1 core				
16 hrs				
CASING AND TUBING				
RECORD				
•				
10" Set 10" Pulled				
8" Set 8" Pulled				
7 🗱 Set 6¼" Pulled				
4" Set 4" Pulled		-1-		
211 0-4				

Thickness of		Total	7
Strata	Formation	Depth	Remarks
0-13	soil-clay	1.3	
14	sandy cky	27	
12	sandy shale	39	
20	Shale	59	
7	Lime	lele	
5	Shale	71	
15	Lime	86	
8	3hale	94	-
ej	Lim-e	103	-
8	Shale	111	-
17	Lime	128	-
15	shall Enedbed	146	-
17	Lime	163	
9	Shalf	172	
57	Lime	229	
21	Shalt	250	
B	Lime	258	,
19	Shale	277	
~7	lime	284	
4	5halt	288	
9	Lime	247	
33	Shale	330	
/	Lime	331	
1/	shile	342	
26	Lime	368	
7	Shale	375	
23	Lime	398	
	-2-		

		_
	63	
->	-t.	1

		210	
Thickness of Strata	Formation	Total Depth	Remarks
5	Shala	403	
3	Lime	406	
3	Shalt	411	
7	Lime	415	Heithy
64	Shale	482	
46	sandy shalt	528	
le	shale & lime	534	
6	sand	540	grey - no Cil
51	shale	591	3 7
4	Lime	595	
2 5	Shale	597	
5	Lime	602	
5	shalt	607	
Le	Lime	613	
17	Shalt	630	
3,5	Lime	633	
ઇ	Shale	641	
3	Lime	644	
4	Shalt	64%	
2	Lime	650	
103	Shale	753	
10	sand	763	Greken dol slight show
ic	sandy shale	773	311,111
87	shale	860	
R	sanel	862	no Oil
12	shale	874	
	sand	875	white - ne oil
	-4-		

-5-

		13/7	
Thickness of Strata	Formation	Total Depth	Remarks
	savel.	875.5	- odor - slight stoul
18,5	- core	894	,
lele	sandy shale	960	TO
	,		Ţr
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	:		
		ζ.	
		1	
		ļ	
	-6-		-7-

	2012		
Thickness of Strata	Formation	Total	Remarks
Otrata		Depth	
2.5	sand	878	broken 10% 0:1
2.5	Sanc	880	solid
4	Sand	884	laminated 50-75% Dil
10	sandy shalt	884	no Cil
	(		
		<u> </u>	
		-	
		<u> </u>	
		<u> </u>	
		<del> </del>	
		<del>                                     </del>	
		-	
		i i	
H-1,			
		_	
	-8-		-9-

## CONSOLIDATED Oil Well Services, LLC

#### **REMIT TO**

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 Fax 620/431-0012

INVOICE

Invoice #

257985

Invoice Date:

04/10/2013

Terms: 0/0/30, n/30

Page

D.E. EXPLORATION

DOUG EVANS

P.O. BOX 128

WELLSVILLE KS 66092

(785)883-4057

MACKEY #4

41755

28-14-22

04-09-2013

KS

Part Number	Description	Oty	Unit Price	Total					
1124	50/50 POZ CEMENT MIX	131.00	10.9500	1434.45					
1118B	PREMIUM GEL / BENTONITE	320.00	.2100	67.20					
1111	SODIUM CHLORIDE (GRANULA	275.00		101.75					
1110A	KOL SEAL (50# BAG)								
		655.00	.4600	301.30					
4402	2 1/2" RUBBER PLUG	1.00	28.0000	28.00					
1401	HE 100 POLYMER	.50	47.2500	23.63					
Description		Hours	Unit Price	Total					
503 MIN. BULK DEL:	IVERY	1.00	350.00	350.00					
666 CEMENT PUMP		1.00	1030.00	1030.00					
666 EQUIPMENT MIL	EAGE (ONE WAY)	30.00	4.00	120.00					
666 CASING FOOTAGE	₹	936.00	.00	.00					
675 80 BBL VAÇUUM	TRUCK (CEMENT)	2.50	90.00	225.00					

Parts: 1956.33 Freight: .00 Tax: 147.22 AR 3828.55

.00 Misc: Labor: Sublt: .00 Supplies:

.00 Total: 3828.55

.00 Change: \_\_\_\_\_\_\_

Signed Date



257985

LOCATION Ottown KS
FOREMAN Casey Kennedy

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

# FIELD TICKET & TREATMENT REPORT CEMENT

DATE	CUSTOMER# WE	LL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4/9/13	2355 Macke	, # 4	NE 28	14	22	20
CUSTOMER	Exploration	/				
MAILING ADDRI			481	DRIVER	TRUCK#	DRIVER
PO I	30x 128	ļ,	6660	Casken	1 Saterly	Heeting
CITY	STATE	ZIP CODE	203	Garton		
Wellso:	ile KS	66092	675	Day Det Kei Dot		<del> </del>
JOB TYPE los					NEIGHT_27	10 1 Fix
CASING DEPTH			ina baffle - 905	- I	OTHER_	F C46
SLURRY WEIGH	ITSLURRY VOL	WA	TER gal/sk	CEMENT LEFT in	CASING 3	1
DISPLACEMENT	T. S. 2464'S DISPLACEME			RATE 4. 5		
REMARKS: Le	eld sold a modina	established c		1 tourse	14 4 4	el Polyma
mixed t		remium Gel	Clarged by	11/1 3/	ech water	mixed
+ pismper	d 131 sts 5%50	Poznix con	rent w/ 2/2 g	el . 5%	self +	# Kolsa
per Sky	concert to surface		uno dean , ou	supped 2	1/2 " respe	colur to
battle L	N 2.94 PAS 41	ech water,	pressured to	184 co3	released	pressure
shut in	casing.		1	$\triangle$		
					-1(1)	
					1	
					) ]/	
ACCOUNT		1				
CODE	QUANITY or UNITS	DESCRI	PTION of SERVICES or PRO	DUCT	UNIT PRICE	TOTAL
5401		PUMP CHARGE				103m 00
5406	30 mi	MILEAGE			-	120.00
5402	936'	casing to	tage			
5407	minimum	ton mile				350,00
5502C	2.5 hrs	80 Vac				32.€ ©
Ì						OCEN-
1124	131 sks	5950 POZA	nix councit			1434.45
111 <b>8</b> B	320 4	Premium	Gel			67,20
IIII	275 4	Salt				101.75
1110A	655 #	Kolseal				301.30
4402		2 1/2 " rubl	per plus			28,00
1401	/a gal	Polymer	' )			23.63
		'		and the second section of the	.0.2	
				E		alad '
				P 47		
			-	\display \ \frac{1}{2}		4
				<b>4</b>		
Ravin 3737				7.525%	SALES TAX ESTIMATED	144,21
	$\rho$ . $\hat{\mathcal{L}}_{a}M$				TOTAL	3828.53
AUTHORIZTION_	Dygen My	TITLE			DATE	
acknowledge t	that the payment terms, un	less specifically an	nended in writing on the	front of the fo	orm or in the c	ustomer's

account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.