

For KCC	Use:	
Effective	Date:	
District #	£	
SGA?	Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1149103

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

	e:		Spot Description:
	month day	year	Sec Twp S. R T W
OPERATOR: Licens	se#		(O/O/O/O) feet from N / S Line of Sectio
			feet from E / W Line of Section
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		,
Contact Person:			County: Well #:
Phone:			Field Name:
CONTRACTOR: Lic	cense#		Is this a Prorated / Spaced Field?
Name:			
			Target Formation(s):
Well Drilled	For: Well Class: Type	e Equipment:	Ground Surface Elevation:feet MSI
Oil	Enh Rec Infield	Mud Rotary	
Gas	Storage Pool Ext.	Air Rotary	Water well within one-quarter mile:  Yes No
	Disposal Wildcat	Cable	Public water supply well within one mile: Yes No
Seismic ;	# of Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OW/WO: o	old well information as follows:		Surface Pipe by Alternate: II III
	nd well illioithation as follows.		Length of Surface Pipe Planned to be set:
Operator:			
Well Name:			Projected Total Depth:
Original Complet	etion Date: Original Total	I Depth:	
		□ Va a □ Na	Water Source for Drilling Operations:
	d or Horizontal wellbore?	Yes No	Well Farm Pond Other:
	lepth: on:		DWR Permit #:
			(Note: Apply for Permit with DWR )
KCC DK1 #			VIII COTCS DC TAIRCIT:
			If Yes, proposed zone:
		AF	FIDAVIT
The undersigned h	ereby affirms that the drilling, comple	etion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
•	e following minimum requirements wi		
_	-		
	propriate district office <i>prior</i> to spude approved notice of intent to drill <i>sh</i>		h drilling rig:
1,	• •		t by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
<ol><li>The minimun</li></ol>			, , , , , , , , , , , , , , , , , , , ,
	nconsolidated materials plus a minir	num of 20 feet into the	ie didenying formation.
through all ur	•		strict office on plug length and placement is necessary <i>prior to plugging</i> ;
through all ur 4. If the well is of 5. The appropri	dry hole, an agreement between the iate district office will be notified before	e operator and the dis ore well is either plug	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production	e operator and the dis ore well is either plug oipe shall be cement	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date.
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production parts to Appendix "B" - Eastern Kansas su	e operator and the dis ore well is either plug oipe shall be cement urface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production parts to Appendix "B" - Eastern Kansas su	e operator and the dis ore well is either plug oipe shall be cement urface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date.
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant	dry hole, an agreement between the iate district office will be notified befor NATE II COMPLETION, production parts to Appendix "B" - Eastern Kansas su	e operator and the dis ore well is either plug oipe shall be cement urface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant if must be com	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas suppleted within 30 days of the spud days	e operator and the dis ore well is either plug oipe shall be cement urface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant if must be com	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas suppleted within 30 days of the spud days	e operator and the dis ore well is either plug oipe shall be cement urface casing order #	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of the spud date.	e operator and the dis ore well is either plug oipe shall be cement urface casing order #	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com  ubmitted Electors  For KCC Use ONL	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud days created within 30 days of the spud da	e operator and the dis ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of the spud date.	e operator and the dis ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant of must be com  ubmitted Elector  For KCC Use ONL  API # 15 -	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud days created within 30 days of the spud da	e operator and the dis ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com  ubmitted Elector  For KCC Use ONL  API # 15 Conductor pipe req	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date ctronically	e operator and the dis ore well is either plug pipe shall be cement urface casing order # ate or the well shall b	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com  ubmitted Elector  For KCC Use ONL  API # 15 -  Conductor pipe req Minimum surface p	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud days of	e operator and the discret well is either plugoipe shall be cementurface casing order # ate or the well shall be eet	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration roods response to the plant of the plant
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com  ubmitted Elector  For KCC Use ONL  API # 15 -  Conductor pipe required Minimum surface possible and approved by:  Approved by:	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud days of	e operator and the discret well is either plugoipe shall be cementurface casing order # ate or the well shall be eet	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com  ubmitted Elector  For KCC Use ONL  API # 15 -  Conductor pipe req Minimum surface p Approved by:  This authorization	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud date of	e operator and the dispre well is either plugpipe shall be cementurface casing order # ate or the well shall be set	Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is necessary prior to plugging; sed or production casing is cemented in; sed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
through all ur 4. If the well is of 5. The appropri 6. If an ALTERN Or pursuant to must be com  Ubmitted Elector  For KCC Use ONL  API # 15 -  Conductor pipe req Minimum surface p Approved by:  This authorization	dry hole, an agreement between the iate district office will be notified before NATE II COMPLETION, production put to Appendix "B" - Eastern Kansas sumpleted within 30 days of the spud days of	e operator and the dispre well is either plugpipe shall be cementurface casing order # ate or the well shall be set	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 📗 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	PLAT st lease or unit boundary line. Show the predicted locations of
lease roads, tank batteries, pipelines and electrical lines, as r	required by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired.
	:
	2499 ft. <b>LEGEND</b>
	O Well Location
	Tank Battery Location
	: Pipeline Location
	: Electric Line Location
	Lease Road Location
	·······
	EXAMPLE
26	
	1980' FSL
	:     : <u>                               </u>

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth from ground level to deep  If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe proce	dures for periodic maintenance and determining any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date.
	KCC	OFFICE USE O	NLY
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No



1149103

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	according to and in the real estate property toy records of the according traceurer		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			



260226bar

PLAT NO.


### Pro-Stake LLC

Oil Field & Construction Staking

#### P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499



Henningson-Kiser Unit #1-26 Norstar Petroleum, Inc. LEASE NAME OPERATOR 537' FNL - 2499' FEL Decatur County, KS 26 26w LOCATION SPOT COUNTY Rng. GR. ELEVATION: 2587.1° N 1" = 1000 SCALE: Directions: From the center of Norcatur Ks, at the intersection of June 11th, 2013 DATE STAKED: Olathe St. and Odessa St. - Now go 1.2 miles North on Odessa St. -Luke R. MEASURED BY: Now go 0.5 mile West on K Rd to the NE corner of section 26-2s-26w Drew H. - Now go 0.5 mile West on K Rd to ingress stake South into - Now go DRAWN BY: . 537' South through wheat into staked location. Brady P. AUTHORIZED BY: Final ingress must be verified with land owner or Operator. This drawing does not constitute a monumented survey or a land survey plat Access road & electricity This drawing is for construction purposes only ingress stake South into 259 terrace is 58.2' 26 NE of staked loc Henningson-Kiser Unit #1-26 537' FNL - 2499' FEL crop change is 113.7 West of staked loc. 2587.1' = gr. elev. at staked loc. NAD 83 Lat. = N39° 51' 17.926" Long. = W100° 12' 24.918" Mineral and surface owner: NAD 27 KS-N Benton Kiser X = 1380550260 (Y= 561757 703-819-8171 I staked location with 7' wood (painted orange and blue) and t-post Tenant contact info: Location falls in wheat Robert Henningson 785-470-7008 Whiles standing at staked location looking 150' in all directions loc. has 1' to 3' bumps 2594 2561 <sup>26</sup>595 2607 Rd L (gravel)

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

# **NOTICE**

## **Nearest Lease or Unit Boundary Line**

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns.