

For KCC	Use:
Effective	Date:
District #	=
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	year	Spot Description:	
	monur day	year	(0/0/0/0) Sec Twp S. R	
OPERATOR: License#			feet from N / S	Line of Section
Name:			feet from E / V	V Line of Section
Address 1:			Is SECTION: Regular Irregular?	
Address 2:			(Note: Locate well on the Section Plat on reverse side	de)
City:			County:	10)
Contact Person:			Lease Name: Well	#-
Phone:			Field Name:	<i>π</i>
CONTRACTOR: License#			Is this a Prorated / Spaced Field?	Yes No
Name:			Target Formation(s):	
Well Drilled For:	Well Class: 7	ype Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh Rec	Infield	Mud Rotary	Ground Surface Elevation:	
Gas Storage	Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes No
Disposal	Wildcat	Cable	Public water supply well within one mile:	Yes N
Seismic ;# of Hole	les Other		Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: III	
If OWWO: old well inform	mation as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
Well Name:			Projected Total Depth:	
Original Completion Date:	Original To	otal Depth:	Formation at Total Depth:	
			Water Source for Drilling Operations:	
Directional, Deviated or Horizont	tal wellbore?	Yes No	Well Farm Pond Other:	
If Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit with DWR)	
KCC DKT #:			Will Cores be taken?	Yes No
			If Yes, proposed zone:	
		Α.	FIDAVIT	
The undersigned hereby office	no that the drilling con			
- · · · · · · · · · · · · · · · · · · ·	=	npletion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following n	minimum requirements	npletion and eventual place will be met:		
It is agreed that the following n 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix	minimum requirements istrict office <i>prior</i> to sprotice of intent to drill of surface pipe as spected materials plus a magreement between office will be notified by MPLETION, production x "B" - Eastern Kansas	npletion and eventual place will be met: budding of well; shall be posted on each iffied below shall be se inimum of 20 feet into the operator and the dispersive well is either plug on pipe shall be cemented surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; by circulating cement to the top; in all cases surface pipe shall be	ugging; ad date. ementing
1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with	minimum requirements listrict office <i>prior</i> to sprotice of intent to drill of surface pipe as spected materials plus a magreement between office will be notified both MPLETION, production x "B" - Eastern Kansas in 30 days of the spud	npletion and eventual place will be met: budding of well; shall be posted on each iffied below shall be se inimum of 20 feet into the operator and the dispersive well is either plug on pipe shall be cemented surface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be underlying formation. trict office on plug length and placement is necessary prior to pluged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II completed. In all cases, NOTIFY district office prior to any ceme	ugging; ad date. ementing
1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with	minimum requirements listrict office <i>prior</i> to sprotice of intent to drill of surface pipe as spected materials plus a magreement between office will be notified both MPLETION, production x "B" - Eastern Kansas in 30 days of the spud	npletion and eventual place will be met: budding of well; shall be posted on each iffied below shall be se inimum of 20 feet into the operator and the dispersive well is either plug on pipe shall be cemented surface casing order #	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be underlying formation. It ict office on plug length and placement is necessary prior to pluged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II come plugged. In all cases, NOTIFY district office prior to any ceme	agging; ad date. ementing enting.
t is agreed that the following not a like the	minimum requirements listrict office <i>prior</i> to sprotice of intent to drill of surface pipe as spected materials plus a magreement between office will be notified both MPLETION, production x "B" - Eastern Kansas in 30 days of the spud	npletion and eventual place will be met: budding of well; shall be posted on each ified below shall be se inimum of 20 feet into the operator and the dispersor well is either plug on pipe shall be cement a surface casing order # I date or the well shall be	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be underlying formation. It ict office on plug length and placement is necessary prior to pluged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II come plugged. In all cases, NOTIFY district office prior to any ceme Remember to: - File Certification of Compliance with the Kansas Surface Owner II.	agging; ad date. ementing enting.
It is agreed that the following not say that the following not say the appropriate displayed and the approved and the minimum amount of the the say th	minimum requirements listrict office <i>prior</i> to sprotice of intent to drill of surface pipe as spected materials plus a man agreement between office will be notified by MPLETION, production x "B" - Eastern Kansas in 30 days of the spud	npletion and eventual place in will be met: budding of well; shall be posted on each ified below shall be se inimum of 20 feet into the operator and the dispersor well is either plug on pipe shall be cement as surface casing order # I date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be underlying formation. It ict office on plug length and placement is necessary prior to pluged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II come plugged. In all cases, NOTIFY district office prior to any ceme	agging; ad date. ementing enting.
It is agreed that the following not solve the appropriate of the approved of the appropriate of the appropr	minimum requirements listrict office <i>prior</i> to sprotice of intent to drill of surface pipe as spected materials plus a magreement between office will be notified by MPLETION, production x "B" - Eastern Kansas and 30 days of the spud	npletion and eventual place in will be met: budding of well; shall be posted on each iffied below shall be se inimum of 20 feet into the operator and the dispersion will be cemented be surface casing order # 1 date or the well shall be made in place in the well shall be in place in the well shall be in place in the well shall be in the well sh	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be underlying formation. It ict office on plug length and placement is necessary prior to pluged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II or a plugged. In all cases, NOTIFY district office prior to any cemented in the Kemember to: - File Certification of Compliance with the Kansas Surface Owner I Act (KSONA-1) with Intent to Drill;	agging; ad date. ementing enting.
It is agreed that the following not say that the following not say the appropriate displayed and the approved and the minimum amount of the the say th	minimum requirements listrict office <i>prior</i> to sprotice of intent to drill of surface pipe as spected materials plus a magreement between office will be notified by MPLETION, production x "B" - Eastern Kansas and 30 days of the spud	npletion and eventual place in will be met: budding of well; shall be posted on each iffied below shall be se inimum of 20 feet into the operator and the dispersion will be cemented be surface casing order # 1 date or the well shall be made in place in the well shall be in place in the well shall be in place in the well shall be in the well sh	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be the underlying formation. It ict office on plug length and placement is necessary prior to pluged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II or a plugged. In all cases, NOTIFY district office prior to any cemented in the Complete in the Complete in the Kansas Surface Owner is a city of the Complete in the Kansas Surface Owner is a city of the Completion of Compliance with the Kansas Surface Owner is a city of the Completion form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	d date. ementing enting.
It is agreed that the following n 1. Notify the appropriate di 2. A copy of the approved 3. The minimum amount o through all unconsolidat 4. If the well is dry hole, ar 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendix must be completed with ubmitted Electronica For KCC Use ONLY API # 15	minimum requirements listrict office <i>prior</i> to sprotice of intent to drill of surface pipe as spected materials plus a magreement between office will be notified by MPLETION, production of the spud ally	npletion and eventual place in the posted on each strain of the posted on each iffied below shall be set in the operator and the dispersion of the plug on pipe shall be cement as surface casing order # I date or the well shall be persented in the plug of the	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be the underlying formation. It ict office on plug length and placement is necessary prior to pluged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II or a plugged. In all cases, NOTIFY district office prior to any cemented in the Complete in the Kompanies of the Kompanies in t	agging; ad date. ementing enting. Notification

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

_ Agent: .

Spud date: _

- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Location of Well: County:	
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
If Section is Irregular, locate well from nearest corner be Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2000 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1149659

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date co Pit capacity:	Existing nstructed:	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.	
		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	be closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No	

CORRECTION #1 KANSAS CORPORATION COMMISSION 1149659

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed

All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

June 26, 2013

Al Ainsworth Ainsworth Operating Co. 4676 Commercial St., SE #412 SALEM, OR 97302

Re: Drilling Pit Application API 15-185-23810-00-00 Hammeke 5 SE/4 Sec.07-22S-11W Stafford County, Kansas

Dear Al Ainsworth:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

Summary of Changes

Lease Name and Number: Hammeke 5

API/Permit #: 15-185-23810-00-00

Doc ID: 1149659

Correction Number: 1

Approved By: Rick Hestermann 06/26/2013

Field Name	Previous Value	New Value
Abandonment Procedure		Allow pits to evaporate tehn backfill when
Artificial Liner?		conditions allow. No
Depth Of Water Well		75
Depth to Shallowest Fresh Water		15
Feet to Nearest Water Well Within One-Mile of Pit		1712
Fresh Water Information Source: KDWR	No	Yes
How Pit is Lined if Plastic Liner Not Used		Drilling mud and shale from well bore.
Is Bottom Below Ground Level?		Yes
Is Pit Proposed or Existing		Proposed
KCC Only - Approved By	Rick Hestermann 04/30/2013	Rick Hestermann 06/26/2013

Summary of changes for correction 1 continued

Field Name	eld Name Previous Value	
KCC Only - Approved Date	04/30/2013	06/26/2013
KCC Only - CDP1 Steel Pit	Yes	No
KCC Only - Date Received	04/29/2013	06/26/2013
KCC Only - Lease Inspection	No	Yes
Number of Working Pits to be Used		4
Pit Capacity BBLS		600
Pit Deepest Depth		4
Pit Length		100
Pit Type		Drilling
Pit Width		100
RFAS		Yes
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11	//kcc/detail/operatorE ditDetail.cfm?docID=11
Steel Pit	36813 Yes	49659 No

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Type of Material Used		fresh
in Drilling / Workover		

Summary of Attachments

Lease Name and Number: Hammeke 5

API: 15-185-23810-00-00

Doc ID: 1149659

Correction Number: 1

Approved By: Rick Hestermann 06/26/2013

Attachment Name

Bentonite Liner Fluids