

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # |        |  |
| SGA?       | Yes No |  |

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1150089

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

| Expected Spud Date:  | Spot Description:  |
|--|--|
| month day year   | Sec Twp S. R   |
| DPERATOR: License#   | (0/0/0/0) feet from N / S Line of Section  |
| Name:  | feet from E / W Line of Section  |
| ddress 1:  | Is SECTION: Regular Irregular?   |
| ddress 2:  | (Note: Locate well on the Section Plat on reverse side)  |
| State: Zip: +  | County:  |
| Contact Person:  | Lease Name: Well #:  |
| hone:  | Field Name:  |
| CONTRACTOR: License#   | Is this a Prorated / Spaced Field?   |
| lame:  | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):  |
| Oil Enh Rec Infield Mud Rotary   | Ground Surface Elevation:feet MS   |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:  |
| Disposal Wildcat Cable   | Public water supply well within one mile:  |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water:  |
| Other:   | Depth to bottom of usable water:   |
| If OWWO: old well information as follows:  | Surface Pipe by Alternate: I II  |
|  | Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  |
| Operator:  | Projected Total Depth:   |
| Well Name: Original Total Depth:   | Formation at Total Depth:  |
| Original Completion Date Original Total Deptil   | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore?  | Well Farm Pond Other:  |
| f Yes, true vertical depth:  | DWR Permit #:  |
| Bottom Hole Location:  | ( <b>Note:</b> Apply for Permit with DWR)  |
| CC DKT #·  |  |
| NOO DINT #   | Will Cores be taken? YesN  |
| OO DINI #  | Will Cores be taken?N  If Yes, proposed zone:  |
|  |  |
| AFF  | If Yes, proposed zone:   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu  | If Yes, proposed zone:   |
| The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:   | If Yes, proposed zone:   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu  | If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to   | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.  | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  | If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it of the  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist: 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1   | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it of the  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t |
| The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  | IDAVIT aging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. Indicate the provided in the complete of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  API # 15 - | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -   | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist;  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Libmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | IDAVIT Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 740 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |  | License Number:            |  |
|--|--|----------------------------|--|
| Operator Address:  |  |                            |  |
| Contact Person:  |  |                            | Phone Number:  |
| Lease Name & Well No.:   |  |                            | Pit Location (QQQQ):   |
| Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)              | Pit is:  Proposed  If Existing, date continued.  Pit capacity: | Existing nstructed: (bbls) | SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes   | No                         | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)                            |
| Is the bottom below ground level?  Yes No Artificial Liner?  Yes No  |  | No                         | How is the pit lined if a plastic liner is not used?   |
| Pit dimensions (all but working pits):   | Length (fee  | et)                        | Width (feet) N/A: Steel Pits   |
| Depth fro  | om ground level to dee   | epest point:               | (feet) No Pit  |
| Distance to peacest water well within one mile of  | of nit-  | Donth to challe            | west fresh waterfeet.  |
| Distance to nearest water well within one-mile of pit:   |  | Source of inform           | nation:  |
| feet Depth of water well   | feet   | measured                   | well owner electric log KDWR   |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily: |  | Type of materia            | ver and Haul-Off Pits ONLY:  I utilized in drilling/workover:  xing pits to be utilized:  procedure: |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No   |  | ·                          | e closed within 365 days of spud date.   |
| Submitted Electronically   |  |                            |  |
|  | KCC  | OFFICE USE O               | NLY Liner Steel Pit RFAC RFAS  |
| Date Received: Permit Numl   | ber:   | Permi                      | t Date: Lease Inspection: Yes No   |



1150089

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C   | Cathodic Protection Borehole Intent)  |
|---|---|
| OPERATOR: License #   | Well Location:  |
| Name:   | SecTwpS. R  |
| Address 1:  | County:   |
| Address 2:  | Lease Name: Well #:   |
| City: State: Zip:+  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of  |
| Contact Person:   | the lease below:  |
| Phone: ( ) Fax: ( )   |   |
| Email Address:  |   |
| Surface Owner Information:  |   |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.  |
| City: State: Zip:+  |   |
| the KCC with a plat showing the predicted locations of lease roads, tank  | dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  |
| I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are | ct (House Bill 2032), I have provided the following to the surface potential:  1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address.  1) cknowledge that, because I have not provided this information, the |
| KCC will be required to send this information to the surface ow   | ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.   |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1   | fee with this form. If the fee is not received with this form, the KSONA-1<br>1 will be returned.   |
| Submitted Electronically  |   |

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:  | Location of Well: County:   |
|--|---|
| Lease:   | ·   |
| Well Number:   | feet from E / W Line of Section   |
| Field:   |   |
| i lotu.  | . Осс түр С. Т Г. Т үү  |
| Number of Acres attributable to well:  | ls Section: Regular or Irregular  |
| QTR/QTR/QTR of acreage:  |   |
|  | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW                                    |
| Show location of the well. Show footage to the neares<br>lease roads, tank batteries, pipelines and electrical lines, as n | PLAT st lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). |
| i i i i i  | separate plat if desired.   |
|  | LEGEND  |
|  | O Well Location  Tank Battery Location  Pipeline Location   |
|  | Electric Line Location Lease Road Location  |
|  | EXAMPLE :   |
|  |   |
|  |   |
|  | 1980' FSL   |
|  |   |

NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

TO:

STATE CORPORATION COMMISSION **CONSERVATION DIVISION - PLUGGING** 

130 SOUTH MARKET, SUITE 2078

**WICHITA, KANSAS 67202** 

API Well Number: 15-163-20210-00-00

Spot: NESWSW

Sec/Twnshp/Rge: 8-9S-19W

990 feet from S Section Line,

990 feet from W Section Line

Lease Name: BAYARD

Well #: 2

County: ROOKS

Total Vertical Depth: 3553 feet

Operator License No.: 101

Op Name: KCC FEE FUND PLUG

Address: 130 S MARKET WICHITA, KS 67202

Depth (ft) Pulled (ft) Comments String Size PROD 5.5 3548 w/150 sxs cmt SURF 8.625 207 w/150 sxs cmt

Well Type: OIL

**UIC Docket No:** 

**Date/Time to Plug:** 02/01/2008 11:00 AM

Plug Co. License No.: 3152

Plug Co. Name: POE SERVICING INC

Proposal Revd. from: DALE POE

Company: POE SERVICING INC

Phone: (785) 475-3422

Proposed Ordered out 400 sxs 60/40 pozmix - 4% gel - 500# hulls - 11 sxs gel spacer.

Plugging Fluid at surface. No squeeze records. Method: Perforate at 1925' - 1525' - 825'.

Plugging Proposal Received By: HERB DEINES

WitnessType: COMPLETE (100%)

Date/Time Plugging Completed: 02/01/2008 3:30 PM

KCC Agent: RICHARD WILLIAMS

**Actual Plugging Report:** 

Perfs:

Perf Tech perforated two shots per foot at 1925' - 1525' - 825'. PBTD 3423'. Ran tubing to 3400' - pumped 11 sxs gel spacer - followed with 40 sxs cement with 200# hulls. Pulled to 1950' - pumped 200 sxs cement with 300# hulls cwc.

PTOH. Squeezed 5 1/2" casing with 30 sxs cement.

Max. P.S.I. 300#. S.I.P. 100#.

Hooked up to backside - pumped 20 sxs cement.

Max. P.S.I. 200#. S.I.P. 100#. Blew hole in 8 5/8" below head.

| Top  | Bot  | Thru | Comments |
|------|------|------|----------|
| 3423 | 3425 |      |          |
| 3406 |      |      |          |
| 3403 | 3406 |      |          |
|      |      |      |          |

RECEIVED KANSAS CORPORATION COMMISSION

Remarks:

ALLIED CEMENTING COMPANY.

FEB 0 8 2008

Plugged through: TBG

CONSERVATION DIVISION WICHITA, KS

District: 04

Signed Redz

(TECHNICIAN)

Form CP-2/3

8-9-19W #2 BAYARD NE SW SW KATHOL PETROLEUM, INC. WICHITA, KS. ROOKS CO. TOOLS Cty. Contr. MC CLELLAN FROSTY COX Pool Geol. IP PMP 41 BOPD + 7 BWPD/LANS 3403-06 Cp. 8/7/69 E. 2064 KB Cm.5/8/69 API 15-163-20,210 Csg. 8" 207/150 sx;  $5\frac{1}{2}$ " 3548/150 LOG Tops Depth Datum DST 3392-3420/1', 400' MUD, -1167PRESS NOT RECORDED 3231 DST 3417-35/2', 120' MUD, 120' 0&GCM, 20% OIL, 120' HO& TOR -1190 -1207LANS. 32,71 GCM. PRESS NOT RECORDED -1412BKC. 3476... DST 3390-3435/2', 120' GIP, -1464CONG 3528 185' 0&GCM, 60' HO&GCM, .-1481 .ARB .. 3545 120' FROGGY OIL, BHP 304-304#/30", FP 80-200# -1489 L T.D 3553 PF 3437-41, 500 MA, 2000 REG ACID, PF 3423-25, COMM, SET PLUG, /3403-06, 1500 ACID, SWB LD, FU 1100' FL/2 DAYS, SWB 13 BFPH, 10%W, PULLED PLUG, POP PMP 41 BO & 7 BW NO CORES INDEPENDENT OIL & GAS SERVICE

WICHITA, KANSAS

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

July 02, 2013

Greg Mitschke Continental Operating Co. 1221 MCKINNEY STE 3700 HOUSTON, TX 77010-2046

Re: Drilling Pit Application Stull "A" 1 SW/4 Sec.08-09S-19W Rooks County, Kansas

#### Dear Greg Mitschke:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.