

Mid-Continent Conductor, LLC

Invoice

| | |
|-----------|-----------|
| Date | Invoice # |
| 5/17/2013 | 1910 |

P.O. Box 1570
Woodward, OK 73802

Phone: (580)254-5400
Fax: (580)254-3242

| |
|--|
| Bill To |
| SandRidge Energy, Inc. Attn: Purchasing Mgr. 123 Robert S. Kerr Avenue Oklahoma City, OK. 73102 |

| Ordered By | Terms | Date of Service | Lease Name/Legal Desc. | Drilling Rig |
|-----------------|--------|-----------------|----------------------------------|--------------|
| Parker Waldrige | Net 45 | 5/17/2013 | Yazel 3510 2-3H, Barber Cnty, KS | Unit 9 |

| Item | Quantity | Description |
|-----------------------------|----------|---|
| Conductor Hole | 90 | Drilled 90 ft. conductor hole |
| 20" Pipe | 90 | Furnished 90 ft. of 20 inch conductor pipe |
| Mouse Hole | 80 | Drilled 80 ft. mouse hole |
| 16" Pipe | 80 | Furnished 80 ft. of 16 inch mouse hole pipe |
| Cellar Hole | 1 | Drilled 6' X 6' cellar hole |
| 6' X 6' Tinhorn | 1 | Furnished 6' X 6' tinhorn |
| Mud and Water | 1 | Furnished mud and water |
| Transport Truck - Conductor | 1 | Transport mud and water to location |
| Grout & Trucking | 10 | Furnished grout and trucking to location |
| Grout Pump | 1 | Furnished grout pump |
| Transport Truck - Conductor | 1 | Furnished transport truck and water to displace cement down center of conductor |
| Fence Panels | 4 | Furnished safety netting around conductor holes |
| Welder & Materials | 1 | Furnished welder and materials |
| Dirt Removal | 1 | Furnished labor and equipment for dirt removal |
| Cover Plate | 1 | Furnished cover plates |
| Permits | 1 | Permits |

| |
|--|
| AFE Number: <u>unknown @ this time</u> |
| Well Name: <u>Yazel 3510 2-3H</u> |
| Code: <u>850-010</u> |
| Amount: <u>19,730.00</u> |
| Co. Man: <u>Dwayne Burt</u> |
| Co. Man Sig.: <u>Dwayne Burt</u> |
| Notes: _____ |

| | |
|------------------|--------------------|
| Subtotal | \$19,340.00 |
| Sales Tax (6.5%) | \$390.00 |
| Total | \$19,730.00 |

JOB SUMMARY

| | | | | | |
|-----------------------------|--|----------|----------|----------------|---------------|
| COUNTY | | State | | PROJECT NUMBER | TICKET DATE |
| Barber | | Kansas | | SOK 2712 | 05/28/13 |
| COMPANY | | | | CUSTOMER REP | |
| Bridge Exploration & Produc | | | | Dewayne Burt | |
| LEASE NAME | | Well No. | JOB TYPE | | EMPLOYEE NAME |
| Yazel 3510 | | 2-3H | Surface | | John Hall |

| | | | | | |
|----------|---------------|---|--|--|--|
| EMP NAME | John Hall | 0 | | | |
| | Bryan Douglas | | | | |
| | Rocky Anthis | | | | |
| | Joseph Klemm | | | | |

Form. Name _____ Type: _____

Packer Type _____ Set At 0

Bottom Hole Temp. 80 Pressure _____

Retainer Depth _____ Total Depth 950

| Date | Called Out | On Location | Job Started | Job Completed |
|------|------------|-------------|-------------|---------------|
| | 5/27/2013 | 5/27/2013 | 5/27/2013 | 5/27/2013 |
| Time | 2030 | 2300 | 300 | 1200 |

| Type and Size | Qty | Make |
|--------------------------|-----|------|
| Auto Fill Tube | 0 | IR |
| Insert Float Val | 0 | IR |
| Centralizers | 0 | IR |
| Top Plug | 1 | IR |
| HEAD | 0 | IR |
| Limit clamp | 0 | IR |
| Weld-A | 0 | IR |
| Texas Pattern Guide Shoe | 0 | IR |
| Cement Basket | 0 | IR |

| Well Data | | | | | | |
|--------------|----------|--------|---------|-------|---------|-----------|
| | New/Used | Weight | Size | Grade | From | To |
| Casing | | 36# | 9 1/2" | | Surface | 924 |
| Liner | | | | | | 1,500 |
| Liner | | | | | | |
| Tubing | | | 0 | | | |
| Drill Pipe | | | | | | |
| Open Hole | | | 12 1/4" | | Surface | 919 |
| Perforations | | | | | | Shots/Ft. |
| Perforations | | | | | | |
| Perforations | | | | | | |

| Materials | | | |
|---------------|----------------|---------|--------|
| Mud Type | WBM | Density | Lb/Gal |
| Disp. Fluid | Fresh Water | 8.33 | |
| Spacer type | resh Wate BBL. | 10 | 8.33 |
| Spacer type | BBL. | | |
| Acid Type | Gal. | | % |
| Acid Type | Gal. | | % |
| Surfactant | Gal. | | In |
| NE Agent | Gal. | | In |
| Fluid Loss | Gal/Lb | | In |
| Gelling Agent | Gal/Lb | | In |
| Fric. Red. | Gal/Lb | | In |
| MISC. | Gal/Lb | | In |

| Hours On Location | | Operating Hours | | Description of Job |
|-------------------|-------|-----------------|-------|--------------------|
| Date | Hours | Date | Hours | |
| 5/27 | 1.0 | 5/27 | 8.0 | Surface |
| 5/28 | 12.0 | | | |
| Total 13.0 | | Total 8.0 | | |

Perpac Balls _____ Qty. _____

Other _____

Other _____

Other _____

Other _____

| Pressures | |
|----------------------|-------------------|
| MAX 1,500 PSI | AVG. _____ |
| Average Rates in BPM | |
| MAX 6 BPM | AVG. _____ |
| Cement Left in Pipe | |
| Feet 46 | Reason SHOE JOINT |

| Cement Data | | | | | | |
|-------------|-------|-------------------------|---|-------|-------|---------|
| Stage | Sacks | Cement | Additives | W/Rq. | Yield | Lbs/Gal |
| 1 | 300 | EX Lite Premium Plus 66 | (6% Gel) 2% Calcium Chloride - 1/4pps Cello-Flake - .5% C-41P | 10.88 | 1.84 | 12.70 |
| 2 | 170 | Premium Plus (Class C) | 2% Calcium Chloride - 1/4pps Cello-Flake | 6.32 | 1.32 | 14.80 |
| 3 | 0 | 0 | | 0 | 0.00 | 0.00 |

| Summary | | | | | |
|--------------------|----|------------------------|------------------------|---------|--------------------|
| Preflush Breakdown | 10 | Type: water | Preflush: BBI | 10.00 | Type: Fresh Water |
| | | MAXIMUM 1,500 PSI | Load & Bkdn: Gal - BBI | N/A | Pad:Bbl -Gal N/A |
| | | Lost Returns-N NO/FULL | Excess /Return BBI | 25 | Calc.Disp Bbl 68 |
| Average | | Actual TOC SURFACE | Calc. TOC: | SURFACE | Actual Disp. 67.80 |
| ISIF 5 Min. | | Bump Plug PSI: 900 | Final Circ. PSI: | | Disp:Bbl 67.80 |
| | | 10 Min _____ | Cement Slurry: BBI | 138.2 | |
| | | 15 Min _____ | Total Volume BBI | 216.00 | |

CUSTOMER REPRESENTATIVE Dewayne Burt SIGNATURE

| | | | | |
|---------------------------------|-------------------------|--|---------------------------------------|--------------------------------|
| JOB SUMMARY | | | PROJECT NUMBER SOK 2744 | TICKET DATE 06/13/13 |
| COUNTY Barber | State Kansas | COMPANY Sandridge Exploration & Production | CUSTOMER REP Dwayne Burt | |
| LEASE NAME Yazel 3510 | Well No. 2-3H | JOB TYPE Intermediate | EMPLOYEE NAME Arthur Setzer | |

| | | | | | |
|----------|---------------|---|--|--|--|
| EMP NAME | Arthur Setzer | 0 | | | |
| | Jared Green | | | | |
| | David Thomas | | | | |
| | Vontray | | | | |

Form. Name _____ Type: _____

Packer Type _____ Set At **4,037**

Bottom Hole Temp. **155** Pressure _____

Retainer Depth _____ Total Depth **5541**

| Date | Called Out | On Location | Job Started | Job Completed |
|------|------------------|------------------|------------------|------------------|
| | 6/12/2013 | 6/12/2013 | 6/13/2013 | 6/13/2013 |
| Time | 1500 | 2100 | 0345 | 0700 |

| Type and Size | Qty | Make |
|--------------------------|-----|------|
| Auto Fill Tube | 0 | IR |
| Insert Float Val | 0 | IR |
| Centralizers | 0 | IR |
| Top Plug | 0 | IR |
| HEAD | 0 | IR |
| Limit clamp | 0 | IR |
| Weld-A | 0 | IR |
| Texas Pattern Guide Shoe | 0 | IR |
| Cement Basket | 0 | IR |

| Well Data | | | | | | |
|--------------|----------|------------|---------------|-------|---------|--------------|
| | New/Used | Weight | Size | Grade | From | To |
| Casing | | 26# | 7" | | Surface | 5,546 |
| Liner | | | | | | 5,000 |
| Liner | | | | | | |
| Tubing | | | 0 | | | |
| Drill Pipe | | | | | | |
| Open Hole | | | 8 3/4" | | Surface | 5,541 |
| Perforations | | | | | | Shots/Ft. |
| Perforations | | | | | | |
| Perforations | | | | | | |

| Materials | | | |
|---------------|------------------|-------------|-------------|
| Mud Type | WBM | Density | Lb/Gal |
| Disp. Fluid | Fresh Water | 9 | |
| | | 8.33 | |
| Spacer type | Fresh Water BBL. | 20 | 8.33 |
| Spacer type | Caustic BBL. | 10 | 8.40 |
| Acid Type | Gal. | | % |
| Acid Type | Gal. | | % |
| Surfactant | Gal. | | In |
| NE Agent | Gal. | | In |
| Fluid Loss | Gal/Lb | | In |
| Gelling Agent | Gal/Lb | | In |
| Fric. Red. | Gal/Lb | | In |
| MISC. | Gal/Lb | | In |

| Hours On Location | | Operating Hours | | Description of Job |
|-------------------|-------------|-----------------|------------|--------------------|
| Date | Hours | Date | Hours | |
| 6/12 | 3.0 | 6/13 | 4.0 | Intermediate |
| 6/13 | 7.0 | | | |
| | | | | |
| Total | 10.0 | Total | 4.0 | |

Perfpac Balls _____ Qty. _____

Other _____

Other _____

Other _____

Other _____

| Pressures | |
|----------------------|--------------------------|
| MAX 5,000 PSI | AVG. 450 |
| Average Rates in BPM | |
| MAX 8 BPM | AVG 6 |
| Cement Left in Pipe | |
| Feet 86 | Reason SHOE JOINT |

| Cement Data | | | | | | |
|-------------|------------|--------------------------|---|-------------|-------------|--------------|
| Stage | Sacks | Cement | Additives | W/Rq. | Yield | Lbs/Gal |
| 1 | 195 | 50/50 POZ PREMIUM | 4% Gel - 0.4% FL-17 - 0.2% C-51 - 0.1% C-20 - 0.1% C-37 - 0.5% C-41P | 6.77 | 1.44 | 13.60 |
| 2 | 100 | Premium | 0.4% FL-17 - 0.1% C-51 - 0.1% C-20 - 0.4% C-41P | 5.20 | 1.18 | 15.60 |
| 3 | 0 | 0 | | 0 | 0.00 | 0.00 |

| Summary | | | |
|--------------------|-----------|-----------------------|-----------------------------------|
| Preflush Breakdown | 10 | Type: Caustic | Preflush: BBI 30.00 |
| | | MAXIMUM | Load & Bkdn: Gal - BBI N/A |
| | | Lost Returns-N | Excess /Return BBI N/A |
| | | Actual TOC | Calc. Disp Bbl 209 |
| Average | | Bump Plug PSI: | Calc. TOC: 3,650 |
| ISIF 5 Min. | | 10 Min | Final Circ. PSI: 450 |
| | | 15 Min | Cement Slurry: BBI 71.0 |
| | | | Total Volume BBI 310.00 |

CUSTOMER REPRESENTATIVE JOB SIGNATURE