



BASIN SERVICES, LLC
 P O BOX 4268
 ABILENE, TX 79608-4268
 Phone # (325)690-0053
 Fax # (325)698-0055

TICKET

TICKET NUMBER: WY-28-1
 TICKET DATE: 05/24/2013

SANDRIDGE ENERGY
 123 ROBERT S KERR AVE
 OKLAHOMA CITY, OK 73102-6406

YARD: WY WAYNOKA OK
 LEASE: Ariana
 WELL#: 3419 1-18H
 RIG #: Lariat 38
 Co/St: COMANCHE, KS

| DESCRIPTION | QUANTITY | RATE | AMOUNT |
|---|----------|------------------------------|---------------------|
| 5/23-24/2013 DRILLED 30" CONDUCTOR HOLE | | | |
| 5/23-24/2013 20" CONDUCTOR PIPE (.250 WALL) | | | |
| 5/23-24/2013 6' X 6' CELLAR TINHORN WITH PROTECTIVE RING | | | |
| 5/23-24/2013 DRILL & INSTALL 6' X 6' CELLAR TINHORN | | | |
| 5/23-24/2013 DRILLED 20" MOUSE HOLE (PER FOOT) | | | |
| 5/23-24/2013 16" CONDUCTOR PIPE (.250 WALL) | | | |
| 5/23-24/2013 MOBILIZATION OF EQUIPMENT & ROAD PERMITTING FEE | | | |
| 5/23-24/2013 WELDING SERVICES FOR PIPE & LIDS | | | |
| 5/23-24/2013 PROVIDED EQUIPMENT & LABOR TO ASSIST IN PUMPING CONCRETE | | | |
| 5/23-24/2013 PROVIDED METAL LIDS (1 FOR CONDUCTOR & 2 FOR MOUSEHOLE PIPE) | | | |
| 5/23-24/2013 10 SACK GROUT | | | |
| 5/23-24/2013 TAXABLE ITEMS | | | 6,405.00 |
| 5/23-24/2013 BID + TAXABLE ITEMS | | | 14,845.00 |
| | | Sub Total: | 21,250.00 |
| | | Tax COMANCHE COUNTY (6.3 %): | 403.52 |
| | | TICKET TOTAL: | <u>\$ 21,653.52</u> |

I, the undersigned, acknowledge the acceptance of the above listed goods and/or services.

Approved Signature _____

AFE Number: DC12956
 Well Name: Ariana 3419 1-18H
 Code: 850.010
 Amount: \$ 21,653.52
 Co. Man: John Fature
 Co. Man Sig.: John Fature 5/24/2013
 Notes: _____

| | | | | |
|----------------------------------|--------------------------|---|-------------------------------------|--------------------------------|
| JOB SUMMARY | | | PROJECT NUMBER SOK 2732 | TICKET DATE 06/01/13 |
| COUNTY Comanche | State Kansas | COMPANY Bridge Exploration & Produc | CUSTOMER REP Roger Barber | |
| LEASE NAME Ariana 3419 | Well No. 1-18H | JOB TYPE Surface | EMPLOYEE NAME LOUIS ARNEY | |

| | | | | | |
|--------------------|--|--|--|--|--|
| EMP NAME | | | | | |
| L. ARNEY | | | | | |
| M. QUINTANA | | | | | |
| R. STEVENS | | | | | |
| J. KLEMM | | | | | |

Form. Name _____ Type: _____

Packer Type _____ Set At 0

Bottom Hole Temp. 80 Pressure _____

Retainer Depth _____ Total Depth 750'

| | | | | |
|------|-------------------------------|--------------------------------|--------------------------------|----------------------------------|
| Date | Called Out 6/1/2013 | On Location 6/1/2013 | Job Started 6/1/2013 | Job Completed 6/1/2013 |
| Time | 0700 | 1300 | 1405 | 1530 |

| Type and Size | Qty | Make |
|--------------------------|-----|------|
| Auto Fill Tube | 0 | IR |
| Insert Float Val | 0 | IR |
| Centralizers | 0 | IR |
| Top Plug | 0 | IR |
| HEAD | 0 | IR |
| Limit clamp | 0 | IR |
| Weld-A | 0 | IR |
| Texas Pattern Guide Shoe | 0 | IR |
| Cement Basket | 0 | IR |

| | New/Used | Weight | Size | Grade | From | To | Max. Allow |
|--------------|----------|--------|---------|-------|---------|------|------------|
| Casing | | 36# | 9 1/2" | | Surface | 750' | 1,500 |
| Liner | | | | | | | |
| Liner | | | | | | | |
| Tubing | | | 0 | | | | |
| Drill Pipe | | | | | | | |
| Open Hole | | | 12 1/4" | | Surface | 750' | Shots/Ft. |
| Perforations | | | | | | | |
| Perforations | | | | | | | |
| Perforations | | | | | | | |

| Materials | | | |
|---------------|-------------|---------|-----------------------|
| Mud Type | WBM | Density | 9 Lb/Gal |
| Disp. Fluid | Fresh Water | Density | 8.33 Lb/Gal |
| Spacer type | resh Water | BBL. | 10 8.33 |
| Spacer type | | BBL. | |
| Acid Type | | Gal. | % |
| Acid Type | | Gal. | % |
| Surfactant | | Gal. | In |
| NE Agent | | Gal. | In |
| Fluid Loss | | Gal/Lb | In |
| Gelling Agent | | Gal/Lb | In |
| Fric. Red. | | Gal/Lb | In |
| MISC. | | Gal/Lb | In |

| Hours On Location | | Operating Hours | | Description of Job |
|-------------------|-------|-----------------|-------|--------------------|
| Date | Hours | Date | Hours | |
| 6/1 | 2.5 | 6/1 | 1.5 | Surface |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Total | 2.5 | Total | 1.5 | |

Perpac Balls _____ Qty. _____

Other _____

Other _____

Other _____

Other _____

| Pressures | | | |
|----------------------|-----------|--------|------------|
| MAX | 1,500 PSI | AVG. | 150 |
| Average Rates in BPM | | | |
| MAX | 6 BPM | AVG | 6 |
| Cement Left in Pipe | | | |
| Feet | 44 | Reason | SHOE JOINT |

| Stage | Sacks | Cement | Additives | W/Rq. | Yield | Lbs/Gal |
|-------|-------|--------------------------|---|-------|-------|---------|
| 1 | 290 | TEX Lite Premium Plus 68 | (6% Gel) 2% Calcium Chloride - 1/2pps Cello-Flake - .5% C-41P | 10.88 | 1.84 | 12.70 |
| 2 | 170 | Premium Plus (Class C) | 2% Calcium Chloride - 1/2pps Cello-Flake | 6.32 | 1.32 | 14.80 |
| 3 | *100 | Premium Plus (Class C) | *2% Calcium Chloride on side to use if necessary | *6.32 | *1.32 | *14.8 |

| Summary | | | | | |
|--------------------|----------------------|---------------|---------------|------------------------------|---------|
| Preflush Breakdown | Type: _____ | MAXIMUM _____ | 1,500 PSI | Preflush: BBI _____ | 10.00 |
| | Lost Returns-N _____ | NO/FULL _____ | | Load & Bkdn: Gal - BBI _____ | N/A |
| | Actual TOC _____ | SURFACE _____ | | Excess /Return BBI _____ | 51 |
| Average | Bump Plug PSI: _____ | 640 | | Calc. TOC: _____ | SURFACE |
| 151F | 5 Min. _____ | 10 Min. _____ | 15 Min. _____ | Final Circ. PSI: _____ | 200 |
| | | | | Cement Slurry: BBI _____ | 135.0 |
| | | | | Total Volume BBI _____ | 198.00 |

CUSTOMER REPRESENTATIVE _____ SIGNATURE _____

| | | | | |
|----------------------------------|--------------------------|--|---------------------------------------|--------------------------------|
| JOB SUMMARY | | | PROJECT NUMBER SOK 2760 | TICKET DATE 06/07/13 |
| COUNTY Comanche | State Kansas | COMPANY Sandridge Exploration & Production | CUSTOMER REP Roger Barber | |
| LEASE NAME Ariana 3419 | Well No. 1-18H | JOB TYPE Intermediate | EMPLOYEE NAME Johnny Breeze | |

| | | | | | |
|----------|----------------------|--------------------|--|--|--|
| EMP NAME | Johnny Breeze | Flo Helkena | | | |
| | Bryan Douglas | | | | |
| | Roy Morris | | | | |
| | Dustin Odom | | | | |

Form. Name _____ Type: _____

Packer Type _____ Set At _____

Bottom Hole Temp. **155** Pressure _____

Retainer Depth _____ Total Depth **5,748'**

| Date | Called Out | On Location | Job Started | Job Completed |
|------|-----------------|-----------------|-----------------|-----------------|
| | 6/7/2013 | 6/7/2013 | 6/7/2013 | 6/8/2013 |
| Time | 1000 | 1700 | 2303 | 0200 |

| Type and Size | Qty | Make |
|--------------------------|-----|------|
| Auto Fill Tube | 0 | IR |
| Insert Float Val | 0 | IR |
| Centralizers | 0 | IR |
| Top Plug | 1 | IR |
| HEAD | 1 | IR |
| Limit clamp | 0 | IR |
| Weld-A | 0 | IR |
| Texas Pattern Guide Shoe | 0 | IR |
| Cement Basket | 0 | IR |

| | New/Used | Weight | Size | Grade | From | To | Max. Allow |
|--------------|----------|------------|---------------|-------|---------|---------------|--------------|
| Casing | | 26# | 7" | | Surface | 5,748 | 5,000 |
| Liner | | | | | | | |
| Liner | | | | | | | |
| Tubing | | | 0 | | | | |
| Drill Pipe | | | | | | | |
| Open Hole | | | 8 3/4" | | Surface | 5,755' | Shots/Ft. |
| Perforations | | | | | | | |
| Perforations | | | | | | | |
| Perforations | | | | | | | |

| Materials | | | |
|---------------|-------------|---------|------------------------|
| Mud Type | WBM | Density | 9 Lb/Gal |
| Disp. Fluid | Fresh Water | Density | 8.33 Lb/Gal |
| Spacer type | Barite | BBL. | 15 10.00 |
| Spacer type | | BBL. | |
| Acid Type | | Gal. | % |
| Acid Type | | Gal. | % |
| Surfactant | | Gal. | In |
| NE Agent | | Gal. | In |
| Fluid Loss | | Gal/Lb | In |
| Gelling Agent | | Gal/Lb | In |
| Fric. Red. | | Gal/Lb | In |
| MISC. | | Gal/Lb | In |
| Perfpac Balls | | Qty. | |
| Other | | | |
| Other | | | |
| Other | | | |
| Other | | | |

| Hours On Location | | Operating Hours | | Description of Job |
|-------------------|------------|-----------------|------------|--------------------|
| Date | Hours | Date | Hours | |
| 6/7 | 7.0 | 6/8 | 3.0 | Intermediate |
| 6/8 | 2.0 | 6/8 | 1.0 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Total | 9.0 | Total | 4.0 | |

| Pressures | | | |
|----------------------|------------------|--------|-------------------|
| MAX | 5,000 PSI | AVG | 400 |
| Average Rates in BPM | | | |
| MAX | 8 BPM | AVG | 5 |
| Cement Left in Pipe | | | |
| Feet | 93 | Reason | SHOE JOINT |

| Cement Data | | | | W/Rq. | Yield | Lbs/Gal |
|-------------|------------|--------------------------|---|-------------|-------------|--------------|
| Stage | Sacks | Cement | Additives | | | |
| 1 | 145 | 50/50 POZ PREMIUM | 4% Gel - 0.4% FL-17 - 0.2% C-51 - 0.1% C-20 - 0.1% C-37 - 0.5% C-41P | 6.77 | 1.44 | 13.60 |
| 2 | 100 | Premium | 0.4% FL-17 - 0.1% C-51 - 0.1% C-20 - 0.4% C-41P | 5.20 | 1.18 | 15.60 |
| 3 | 0 | 0 | | 0 | 0.00 | 0.00 |

| Summary | | | | | | | |
|--------------------|--------|----------------------|---------------|-----------|------------------------------|--------|---------------------------|
| Preflush Breakdown | _____ | Type: _____ | MAXIMUM _____ | 5,000 PSI | Preflush: BBI _____ | 15.00 | Type: 10ppm Barite Spacer |
| | _____ | Lost Returns-N _____ | NO/FULL _____ | | Load & Bkdn: Gal - BBI _____ | N/A | Pad:Bbl -Gal _____ |
| | _____ | Actual TOC _____ | 4.195 | | Excess /Return BBI _____ | N/A | Calc. Disp Bbl _____ |
| Average | _____ | Bump Plug PSI: _____ | NA | | Calc. TOC: _____ | 4.195 | Actual Disp. _____ |
| is.p | 5 Min. | 10 Min. | 15 Min. | | Final Circ. PSI: _____ | 700 | Disp:Bbl _____ |
| | | | | | Cement Slurry: BBI _____ | 58.2 | |
| | | | | | Total Volume BBI _____ | 289.23 | |

CUSTOMER REPRESENTATIVE _____ SIGNATURE _____