



**BASIN SERVICES, LLC**  
 P O BOX 4268  
 ABILENE, TX 79608-4268  
 Phone # (325)690-0053  
 Fax # (325)698-0055

# INVOICE

INVOICE NO.: 206  
 INVOICE DATE: 06/24/2013

SANDRIDGE ENERGY  
 123 ROBERT S KERR AVE  
 OKLAHOMA CITY, OK 73102-6406

YARD: WY WAYNOKA OK  
 LEASE: Donna  
 WELL#: 3304 1-24H  
 RIG #: Lariat 45  
 Co/St: SUMNER, KS

Tkt # WY-31-1 (10401) 05/26/2013-05/27/2013

DESCRIPTION	FOOTAGE	QUANTITY	RATE	AMOUNT
5/26-27/2013 DRILLED 30" CONDUCTOR HOLE				
5/26-27/2013 20" CONDUCTOR PIPE (.250 WALL)				
5/26-27/2013 6' X 6' CELLAR TINHORN WITH PROTECTIVE RING				
5/26-27/2013 DRILL & INSTALL 6' X 6' CELLAR TINHORN				
5/26-27/2013 DRILLED 20" MOUSE HOLE (PER FOOT)				
5/26-27/2013 16" CONDUCTOR PIPE (.250 WALL)				
5/26-27/2013 MOBILIZATION OF EQUIPMENT & ROAD PERMITTING FEE				
5/26-27/2013 WELDING SERVICES FOR PIPE & LIDS				
5/26-27/2013 PROVIDED EQUIPMENT & LABOR TO ASSIST IN PUMPING CONCRETE				
5/26-27/2013 PROVIDED METAL LIDS (1 FOR CONDUCTOR & 2 FOR MOUSEHOLE PIPE)				
5/26-27/2013 10 SACK GROUT				
5/26-27/2013 TAXABLE ITEMS				
5/26-27/2013 BID + TAXABLE ITEMS				

Sub Total:  
 Tax SUMNER COUNTY (6.8 %):  
 PLEASE PAY THIS AMOUNT:

██████████  
 ██████████  
 ██████████  
 ██████████  
 ██████████  
 ██████████

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 2730</b>	TICKET DATE <b>06/01/13</b>
COUNTY <b>Sumner</b>	State <b>Kansas</b>	COMPANY <b>Bridge Exploration &amp; Produc</b>	CUSTOMER REP <b>Bill Torbett</b>	
LEASE NAME <b>Donna 3304</b>	Well No. <b>1-24H</b>	JOB TYPE <b>Surface</b>	EMPLOYEE NAME <b>Johnny Breeze</b>	

EMP NAME <b>Johnny Breeze</b>									
<b>Dustin Odom</b>									
<b>Flo Helkena</b>									
<b>Roy Morris</b>									

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_  
Packer Type \_\_\_\_\_ Set At **0**  
Bottom Hole Temp. **80** Pressure \_\_\_\_\_  
Retainer Depth \_\_\_\_\_ Total Depth **400'**

	Called Out	On Location	Job Started	Job Completed
Date	<b>6/1/2013</b>	<b>6/1/2013</b>	<b>6/1/2013</b>	<b>6/1/2013</b>
Time	<b>0300</b>	<b>0900</b>	<b>0955</b>	<b>1200</b>

Tools and Accessories

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	1	IR
HEAD	1	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data

	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing		54.5#	13 3/4"		Surface	396	1,500
Liner							
Liner							
Tubing			0				
Drill Pipe							
Open Hole			17 1/2"		Surface	400'	Shots/Ft.
Perforations							
Perforations							
Perforations							

Materials

Mud Type	WBM	Density	9	Lb/Gal
Disp. Fluid	Fresh Water	Density	8.33	Lb/Gal
Spacer type	Fresh Water	BBL.	10	8.33
Spacer type	BBL.			
Acid Type	Gal.	%		
Acid Type	Gal.	%		
Surfactant	Gal.	In		
NE Agent	Gal.	In		
Fluid Loss	Gal/Lb	In		
Gelling Agent	Gal/Lb	In		
Fric. Red.	Gal/Lb	In		
MISC.	Gal/Lb	In		

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
6/1	3.0	6/1	4.0	Surface
Total	3.0	Total	4.0	

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_  
Other \_\_\_\_\_  
Other \_\_\_\_\_  
Other \_\_\_\_\_  
Other \_\_\_\_\_

Pressures

MAX	1,500 PSI	AVG	200
Average Rates in BPM			
MAX	6 BPM	AVG	5
Cement Left in Pipe			
Feet	46	Reason	SHOE JOINT

Cement Data

Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	320	TEX Lite Premium Plus 65	(6% Gel) 2% Calcium Chloride - 1/2pps Cello-Flake - .5% C-41P	10.88	1.84	12.70
2	180	Premium Plus (Class C)	2% Calcium Chloride - 1/2pps Cello-Flake	6.32	1.32	14.80
3	0	0		0	0.00	0.00

Summary

Preflush Breakdown	Type: _____	MAXIMUM _____	1,500 PSI	Preflush: BBI _____	10.00	Type: Fresh Water
	Lost Returns-N _____	NO/FULL _____		Load & Bkdn: Gal - BBI _____	N/A	Pad:Bbl -Gal _____
	Actual TOC _____	SURFACE _____		Excess /Return BBI _____	60	Calc. Disp Bbl _____
Average	Bump Plug PSI: _____	1,000		Calc. TOC: _____	SURFACE	Actual Disp. _____
ISIP _____	5 Min. _____	10 Min. _____	15 Min. _____	Final Circ. PSI: _____	300	Disp:Bbl _____
				Cement Slurry: BBI _____	147.2	
				Total Volume BBI _____	211.32	

CUSTOMER REPRESENTATIVE Bill Torbett SIGNATURE

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 2754</b>	TICKET DATE <b>06/07/13</b>
COUNTY <b>Sumner</b>	State <b>Kansas</b>	COMPANY <b>Sandridge Exploration &amp; Production</b>	CUSTOMER REP <b>Bill Torbett</b>	
LEASE NAME <b>Donna 3304</b>	Well No. <b>1-24H</b>	JOB TYPE <b>Intermediate</b>	EMPLOYEE NAME <b>ROBERT BURRIS</b>	

EMP NAME	Robert Burris	0					
	Mike Hall						
	Cheryl Newton						
	David Settlemier						

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_  
Packer Type \_\_\_\_\_ Set At 0  
Bottom Hole Temp. 155 Pressure \_\_\_\_\_  
Retainer Depth \_\_\_\_\_ Total Depth 4840

	Called Out	On Location	Job Started	Job Completed
Date	<b>6/7/2013</b>	<b>6/7/2013</b>	<b>6/7/2013</b>	<b>6/7/2013</b>
Time	<b>24:00</b>	<b>03:15</b>	<b>09:43</b>	<b>11:40</b>

Tools and Accessories		
Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data						
	New/Used	Weight	Size	Grade	From	To
Casing		26#	7"		Surface	4,869
Liner						5,000
Liner						
Tubing			0			
Drill Pipe						
Open Hole			8 3/4"		Surface	4,976
Perforations						Shots/Ft.
Perforations						
Perforations						

Materials			
Mud Type	WBM	Density	9 Lb/Gal
Disp. Fluid	Fresh Water	Density	8.33 Lb/Gal
Spacer type	BARITE BBL.	15	10.00
Spacer type	BBL.		
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		In
NE Agent	Gal.		In
Fluid Loss	Gal/Lb		In
Gelling Agent	Gal/Lb		In
Fric. Red.	Gal/Lb		In
MISC.	Gal/Lb		In
Perfpac Balls	Qty.		
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
6/7	7.5	6/7	1.0	Intermediate
Total	7.5	Total	1.0	

Pressures			
MAX	5,000 PSI	AVG.	575
Average Rates in BPM			
MAX	8 BPM	AVG	5.5
Cement Left in Pipe			
Feet	46	Reason	SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	230	50/50 POZ PREMIUM	4% Gel - 0.4% FL-17 - 0.2% C-51 - 0.1% C-20 - 0.1% C-37 - 0.5% C-41P	6.77	1.44	13.60
2	100	Premium	0.4% FL-17 - 0.1% C-51 - 0.1% C-20 - 0.4% C-41P	5.20	1.18	16.60
3	0	0		0	0.00	0.00

Summary					
Preflush	_____	Type:	_____	Preflush:	BBI 15.00
Breakdown	_____	MAXIMUM	5,000 PSI	Load & Bkdn:	Gal - BBI N/A
	_____	Lost Returns-N	NO/FULL	Excess /Return	BBI N/A
	_____	Actual TOC	2.811	Calc. TOC:	2.811
Average	_____	Bump Plug PSI:	1.100	Final Circ.	PSI: 650
131P	5 Min.	10 Min.	15 Min.	Cement Slurry:	BBI 80.0
				Total Volume	BBI 277.00

CUSTOMER REPRESENTATIVE \_\_\_\_\_ SIGNATURE \_\_\_\_\_