













LEGEND

-  Anhydrite
-  Salt
-  Sandstone
-  Shale
-  Carb sh
-  Limestone
-  Ool.Lime
-  Chert
-  Dolomite

DRILLING TIME IN MINUTES PER FOOT Rate of Penetration Decreases	DEPTH	LITHOLOGY	SAMPLE DESCRIPTIONS	OIL SHOWS	REMARKS
	<p>2100</p> <p>50</p> <p>2200</p> <p>3300</p>	<p>Vertical line pattern</p>	<p>Empty</p>	<p>Empty</p>	<p>Empty</p>




50

3400

50

3500

50



50

	<p>DRILLING TIME Minutes/Foot</p> <p>Rate of Penetration Decreases</p>	<p>DEPTH</p>	<p>LITHOLOGY</p>	<p>SAMPLE DESCRIPTIONS</p>	<p>OIL SHOWS</p>	<p>REMARKS</p>
<p>CONTRACTOR <u>DISCOVERY DRILLING Rig #1</u> LOCATION <u>335 E34 S 2425' FUL</u></p> <p>LEASE <u>Wade in Herman #1-30</u> IP <u>LKC</u> SEC <u>30</u> TWP <u>9S</u> RNG <u>236</u></p> <p>ELEVATION <u>2492' UB</u> RTD <u>4110'</u> COUNTY <u>Greaton</u> STATE <u>Kansas</u></p>						