

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	h day year	Spot Description:
mona	n day year	Sec Twp S. R E \[ \buildrel{\substack} \varphi \]
DPERATOR: License#		feet from N / S Line of Section
ame:		feet from E / W Line of Section
ddress 1:		Is SECTION: Regular Irregular?
		(Note: Locate well on the Section Plat on reverse side)
	State:	County:
Contact Person:		Lease Name: Well #:
hone:		Field Name:
ONTRACTOR: License#		Is this a Prorated / Spaced Field?
lame:		Target Formation(s):
		Nearest Lease or unit boundary line (in footage):
Well Drilled For: We	ell Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec	Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage	Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal	Wildcat Cable	
Seismic ; # of Holes	Other	Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
If OWWO: old well informatio	on as follows:	Surface Pipe by Alternate: I I II
		Length of Surface Pipe Planned to be set:
		Length of Conductor Pipe (if any):
		Projected Total Depth:
Original Completion Date:	Original Total Depth:	Formation at Total Depth:
Aircational Daviated or Harizantal w	ellbore? Yes No	Water Source for Drilling Operations:
Directional, Deviated or Horizontal we feet, true vertical depth:		Well Farm Pond Other:
		DWR Permit #:
		(Note: Apply for Permit with DWR )
		Will Cores be taken?
		If Yes, proposed zone:
	AF	FIDAVIT
he undersigned hereby affirms that		ridavii gging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that is agreed that the following minim	at the drilling, completion and eventual pl	
t is agreed that the following minim	at the drilling, completion and eventual pl	
is agreed that the following minim  1. Notify the appropriate district	at the drilling, completion and eventual pl num requirements will be met:	ggging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minim  1. Notify the appropriate district  2. A copy of the approved notic  3. The minimum amount of surf	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be</i> set	agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>agreed that the following minim</li> <li>Notify the appropriate district</li> <li>A copy of the approved notic</li> <li>The minimum amount of surfathrough all unconsolidated m</li> </ol>	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> that the set of intents plus a minimum of 20 feet into the	agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
<ol> <li>agreed that the following minim</li> <li>Notify the appropriate district</li> <li>A copy of the approved notic</li> <li>The minimum amount of surfathrough all unconsolidated m</li> <li>If the well is dry hole, an agree</li> </ol>	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> to atterials plus a minimum of 20 feet into the eement between the operator and the dis	agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig;
<ol> <li>s agreed that the following minim</li> <li>Notify the appropriate district</li> <li>A copy of the approved notic</li> <li>The minimum amount of surfithrough all unconsolidated m</li> <li>If the well is dry hole, an agree</li> <li>The appropriate district office</li> </ol>	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> naterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug.	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation.  Brict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in;
<ol> <li>is agreed that the following minim</li> <li>Notify the appropriate district</li> <li>A copy of the approved notic</li> <li>The minimum amount of surfithrough all unconsolidated m</li> <li>If the well is dry hole, an agree</li> <li>The appropriate district office</li> <li>If an ALTERNATE II COMPL</li> </ol>	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> to atterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented.	agging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In crict office on plug length and placement is necessary prior to plugging;
<ol> <li>is agreed that the following minim</li> <li>Notify the appropriate district</li> <li>A copy of the approved notic</li> <li>The minimum amount of surfithrough all unconsolidated m</li> <li>If the well is dry hole, an agree</li> <li>The appropriate district office</li> <li>If an ALTERNATE II COMPL Or pursuant to Appendix "B"</li> </ol>	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation.  Brict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.
<ol> <li>s agreed that the following minim</li> <li>Notify the appropriate district</li> <li>A copy of the approved notic</li> <li>The minimum amount of surfithrough all unconsolidated m</li> <li>If the well is dry hole, an agree</li> <li>The appropriate district office</li> <li>If an ALTERNATE II COMPL Or pursuant to Appendix "B"</li> </ol>	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minim</li> <li>Notify the appropriate district</li> <li>A copy of the approved notic</li> <li>The minimum amount of surfithrough all unconsolidated m</li> <li>If the well is dry hole, an agree</li> <li>The appropriate district office</li> <li>If an ALTERNATE II COMPL Or pursuant to Appendix "B"</li> </ol>	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minim</li> <li>Notify the appropriate district</li> <li>A copy of the approved notice</li> <li>The minimum amount of sund through all unconsolidated m</li> <li>If the well is dry hole, an agree</li> <li>The appropriate district office</li> <li>If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30</li> </ol>	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	an drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. Brict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minim</li> <li>Notify the appropriate district</li> <li>A copy of the approved notice</li> <li>The minimum amount of sund through all unconsolidated m</li> <li>If the well is dry hole, an agree</li> <li>The appropriate district office</li> <li>If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30</li> </ol>	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	and drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> be underlying formation.  The production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing as plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30  ubmitted Electronically	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> inaterials plus a minimum of 20 feet into the ement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order #	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation.  The production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30  UDMitted Electronically  For KCC Use ONLY	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> materials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plugication, production pipe shall be cemented a days of the spud date or the well shall be	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation.  The production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30  IDMITTED Electronically  For KCC Use ONLY  API # 15 -	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well; It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> materials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plugue. ETION, production pipe shall be cemented adays of the spud date or the well shall be	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation.  The production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
is agreed that the following minim  1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfathrough all unconsolidated m 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> to atterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order # 10 days of the spud date or the well shall be completed.	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation.  The production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following minim  1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfathrough all unconsolidated m 4. If the well is dry hole, an agree 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well;  It office <i>prior</i> to spudding of well;  It of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> to atterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemented. Eastern Kansas surface casing order # 10 days of the spud date or the well shall be completed.	an drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In the set e underlying formation formation formation and formation formation.  In the set e underlying formation.  I
is agreed that the following minim  1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well; se of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> naterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemente. Eastern Kansas surface casing order # 0 days of the spud date or the well shall be determined by the spud date of the well shall be determined by the spud date.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the set of the set
1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30  UDMitted Electronically  For KCC Use ONLY  API # 15  Conductor pipe required	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well; se of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> naterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemente. Eastern Kansas surface casing order # 0 days of the spud date or the well shall be determined by the spud date of the well shall be determined by the spud date.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  In the set of plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  If all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minim  1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agre 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30  UDMITTED Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required  Approved by:  This authorization expires:	at the drilling, completion and eventual planum requirements will be met:  It office <i>prior</i> to spudding of well; se of intent to drill <i>shall be</i> posted on each face pipe as specified below <i>shall be set</i> naterials plus a minimum of 20 feet into the eement between the operator and the dise will be notified before well is either plug. ETION, production pipe shall be cemente. Eastern Kansas surface casing order # 0 days of the spud date or the well shall be determined by the spud date of the well shall be determined by the spud date.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. In the set of plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

erator:						_ Loc	cation of W	ell: Cour	nty:				
ase:									fe	et from	N /	S Line	of Section
II Number:									fe	et from	E /	W Line	of Section
d:				_ Se	SecTwpS. R E W						W		
mber of Acres attr						_ IS 3	Section:	Regu	ılar or	Irregular			
	Š					If S	Section is to ction corne	_	, locate we	ell from ne		rner boun	dary.
				d electrica	l lines, as	required b		as Surfac	Show the pose Owner N				
	:	: :			: : : :	040 II.	:	- 126	O ft.	LEGE			
	:			•••••					0	Tank E	ocation Sattery L le Locati	ion	
				•••••							c Line Lo Road Lo		
		<u>:</u> :	: : : :		: : :	<u>:</u> :	•		EXAMPL:	E :		: : :	
			3	5	:				: :			: :	
	:				:					·····			
		:		••••		:				9-7			1980' FSL
	:	: :	: :		: : :	:	: 						
	:	:	:		:	:	:		SEWARD CO.	3390' FEL		-	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:		Pit Location (QQQQ):					
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continue prit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.				
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No  Submitted Electronically		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Drill pits must be closed within 365 days of spud date.					
	KCC OFFICE USE ONLY						
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No				



1150241

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)							
OPERATOR: License #	Well Location:							
Name:	SecTwpS. R East							
Address 1:	County:							
Address 2:	Lease Name: Well #:							
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of							
Contact Person:	the lease below:							
Phone: ( ) Fax: ( )								
Email Address:								
Surface Owner Information:								
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona							
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.							
Address 2:								
City:								
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.							
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this							
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1							
Submitted Electronically								

Arnold Lease Injectors Sec. 35-235-14E

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

#### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.