For KCC Use:

ΕΠ	e	Ct	IV	е	Da	ite

District	#	

SGA?	Yes	No
SGA!	res	

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.	

Expected Spud Date:	Spot Description:
month day year OPERATOR: License#	(Q/Q/Q/Q) - - Sec. Twp. S. R. E E (Q/Q/Q/Q) - - feet from N / S Line of Sect
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License# Name:	Is this a Prorated / Spaced Field? Yes Yes Yes
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: I Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Bottom Hole Location:	Water Source for Drilling Operations: Well Farm Pond Other:
KCC DKT #:	(Note: Apply for Permit with DWR)
	Will Cores be taken?
	If Yes proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:



For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1150287

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Address: Contact Person: Lesse Name & Well No:: Type of Pit: Barry Bar	Operator Name: License Number:				
Lease Name & Well No:: Pit Location (QQQQ): Type of Pit: Pit is: Genergency Pit Burn Pit Genergency Pit Drilling Pit Workover Pit Haul-Off Pit Pit capacity:	Operator Address:				
Type of Pf:: Pit is: Pit is: </td <td colspan="3">Contact Person:</td> <td colspan="2">Phone Number:</td>	Contact Person:			Phone Number:	
Type of Pf:: Pit is: Pit is: </td <td colspan="3"></td> <td colspan="2">Pit Location (QQQQ):</td>				Pit Location (QQQQ):	
Open to the processed in the proposed in the proprecerise in the proposed in the proposed in th					
Setting Pit Drilling Pit H Existing, date constructed:					
 Workover Pit Haul-Off Pit Pit capacity: (bbls) Is the pit located in a Sensitive Ground Water Area? Yes No Is the pit located in a Sensitive Ground Water Area? Yes No Is the pit located in a Sensitive Ground Water Area? Yes No Is the pit located in a Sensitive Ground Water Area? Yes No Is the pit located in a Sensitive Ground Water Area? Yes No Pit dimensions (all but working pits): Length (feet) Width (feet) No Pit Pit dimensions (all but working pits): Length (feet) Width (feet) No Pit Pit dimensions (all but working pits): Length (feet) Width (feet) No Pit Pit dimensions (all but working pits): Length (feet) Width (feet) No Pit Pit dimensions (all but working pits): Length (feet) Work the pit is lined give a brief description of the liner Berth from ground level to deepest point: Geeth to shallowest fresh water Geeth contention: Geeth on shallowest fresh water Geeth contention: Geeth on water well Meter is goef on montoring. Distance to nearest water well within one-mile of pit: Source of information: Mumber of producing wells on lease: Number of working pits to be utilized: Abandonment procedure: Number of working pits to be utilized: Abandonment procedure: Dirill pits mus					
(If WP Supply AP No. or Year Dailed) Pit dapadaty:					
Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: mgrl Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Pit dimensions (all but working pits): Length (feet) Width (feet) No Pit dimensions (all but working pits): Length (feet) Width (feet) No No Pit dimensions (all but working pits): Length (feet) Width (feet) No No Pit dimensions (all but working pits): Length (feet) Width (feet) No No Pit dimensions (all but working pits): Length (feet) Width (feet) No No Pit dimensions (all but working pits): Length (feet) Width (feet) No No Pit dimensions (all but working pits): Length (feet) No No Pit dimensions (all but working pits) No Pit dimensions (feet) No Pit Pit dimensions (all but working pits) No Pit dimensions (feet) No Pit dimensions (feet) No Pit dimensions (feet) No No Pit dimensions (feet) No Pit dimension (feet) Pit dimension (find pits) Pit dimension (feet) <td>(If WP Supply API No. or Year Drilled)</td> <td>Pit capacity:</td> <td>(bblo)</td> <td colspan="2"></td>	(If WP Supply API No. or Year Drilled)	Pit capacity:	(bblo)		
Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Is the bottom below ground level? Yes No I'dimensions (all but working pits): Length (feet) N/A: Steel Pits Depth from ground level to deepest point: (feet) NO NO If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: getting and Burn Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Mumber of working pits to be utilized: Abandonment procedure: Does the stop from the tank battery allow all spilled fluids to flow into the pit? No Drill pits must be closed within 365 days of spud date. Submitted Electronically Drill pits CONLY: Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date.			~ /		
Yes No Pit dimensions (all but working pits): Length (feet) Width (feet) NA: Steel Pits Depth from ground level to deepest point: (feet) NO Pit If the pit is lined give a brief describen of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information:	Is the pit located in a Sensitive Ground Water A	rea? Yes	NO		
Depth from ground level to deepest point:			٩o	How is the pit lined if a plastic liner is not used?	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water wellfeet Depth of of measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically Liner Steel Pit REAS	Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)	N/A: Steel Pits
material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information:	Depth fro	om ground level to dee	epest point:	(feet)	No Pit
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. KCC OFFICE USE ONLY Liner Steel Pit RFAS	Source of information:				
Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit	-				
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. KCC OFFICE USE ONLY Liner Steel Pit					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Number of producing wells on lease:	Number of working pits to be utilized:			
flow into the pit? Yes Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Barrels of fluid produced daily:	Abandonment procedure:			
Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS		Drill pits must be closed within 365 days of spud date.			
Liner Steel Pit RFAC RFAS					
Date Received: Permit Number: Permit Date: Lease Inspection: Yes No					
	Date Received: Permit Num	ber:	Permi	t Date: Lease	Inspection: Yes No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

OIL & GAS CONS CERTIFICATION OF C	ATION COMMISSION 1150287 ERVATION DIVISION To DIVISION Form Must Be Typed Form must be Signed All blanks must be Filled
T-1 (Request for Change of Operator Transfer of Injection of	f Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); or Surface Pit Permit); and CP-1 (Well Plugging Application). mpanying Form KSONA-1 will be returned. Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Surface Owner Information: Name: Address 1: Address 2: City:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

I

Т



Grosdidier, Francis E 15-26, 27, 28, 29 15-28S-20E 1" = 1,000'



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

July 02, 2013

CLARK EDWARDS PostRock Midcontinent Production LLC Oklahoma Tower 210 Park Ave, Ste 2750 OKLAHOMA CITY, OK 73102

Re: Drilling Pit Application GROSDIDIER, FRANCIS E 15-26 SE/4 Sec.15-28S-20E Neosho County, Kansas

Dear CLARK EDWARDS:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.