

For KCC Use:		
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1150564

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	, Sec Twp S. R
OPERATOR: License#	(Q/Q/Q/Q) foot from N / S Line of Section
Vame:	feet from F / W Line of Section
ddress 1:	1 0F0T10N
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State: Zip: +	·
Contact Person:	County:
hone:	
ONTRACTOR: License#	Field Name:
ame:	is the arrelated, epassarrela.
uno.	14.get 1 ea.e(e).
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes f Yes, true vertical depth:	weii Tailii Folid Stilei.
ries, true vertical deptil.	
•	DVVR Permit #.
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes
Sottom Hole Location: CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes 1 If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes NefTiDAVIT
Sottom Hole Location:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes Nerrit with DWR Yes Nerri with DWR Yes Nerrit with DWR Yes Nerrit with DWR Yes Ne
Sottom Hole Location:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the prior of the approved notice of intent to drill <i>shall be</i> posted of the intent of the prior of the approved notice of intent to drill <i>shall be</i> posted of a specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent in the proved shall through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and its constant in the province of the prior to spudding the posted of the prior to spudding the posted of the prior to spudding the prior to	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and is 5. The appropriate district office will be notified before well is either	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the int	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging;
CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the intent in the properties of the intent in the properties of the intent in the properties of the intent intent in the properties of the intent intent intent in the properties of the intent intent intent in the properties of the intent in	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention o	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. In each drilling rig; The plugged or production casing is cemented in; The plugged o
inche undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface propriate district office will be notified before well is either in ALTERNATE II COMPLETION, production pipe shall be concerned by the surface casing of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. In each drilling rig; The plugged or production casing is cemented in; The plugged o
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date. The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The recommendation of the
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. The right of t
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the complete of the spund date or the well is a completed within 30 days of the spund date or the well is a completed Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; or mented from below any usable water to surface within 120 DAYS of spud date. The right of the kCC District 3 area, alternate II cementing thall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
ccc description of the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the intention of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet the well is dry hole, an agreement between the operator and the surface of the intention of the surface will be notified before well is either the appropriate district office will be notified before well is either the surface of the surface casing of the spud date or the well surface. In a ALTERNATE II COMPLETION, production pipe shall be concerned by the spud date or the well surface. It is the well is dry hole, an agreement between the operator and the surface casing of the spud date or the well surface. It is the well is dry hole, an agreement between the operator and the surface casing of the spud date or the well surface. It is the well is dry hole, an agreement between the operator and the surface casing of the spud date or the well surface. It is the well is dry hole, an agreement between the operator and the surface casing of the spud date or the well is dry hole, and agreement between the operator and the surface casing of the spud date or the well is dry hole, and the surface casing of the spud date or the well is dry hole, and the surface casing of the spud date or the well is dry hole, and the surface casing of the spud date or the well is dry hole, and the surface case of the spud date or the well is dry hole, and the surface case of the spud date or the well is dry hole, and the surface case of the spud date or the well is dry hole, and the surface case of the spud date or the well is dry hole, and the surface case of the spud date or the surface case of the surface case of the surface case of the surface case of the surfac	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq. In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; interest of the modern plugues and interest of the kCC District 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and its 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically For KCC Use ONLY	(Note: Apply for Permit with DWR) Will Cores be taken?
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the standard of the prior of the specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator and the specified before well is either the specified before the specified before the specified before the specified before the specified befo	(Note: Apply for Permit with DWR) Will Cores be taken? Yes 1 Yes If Yes, proposed zone: Yes 1 Will Cores be taken? Yes 1 Will Cores be taken? Yes 1 Will Yes, proposed zone: Yes 1 Will Yes 1 Will Yes 1 Wes 1 W
Bottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet if the well is dry hole, an agreement between the operator and it is. The appropriate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be concompleted within 30 days of the spud date or the well is submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	(Note: Apply for Permit with DWR) Will Cores be taken?

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

If well will not be drilled or permit has expired (See: authorized expiration date)
please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

740 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued. Pit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to nearest water well within one-mile of	of nit-	Donth to challe	west fresh waterfeet.
Distance to nearest water well within one-fille t	л рп.	Source of inform	nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: xing pits to be utilized: procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		·	e closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No



1150564

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

CIVIL ENGINEERS • SURVEYORS
901 N. 8th Street, Suite 100 Kansas City, KS 66101 * p. (913) 371-5300 * f. (913) 371-2677
BHC RHODES is a trademark of Brungardt Honomichl & Company, P.A. 740' FSL & 1980' FWL Section 19 Township 30S Range 20W 6th P.M. <u>KIOWA</u> County, Kansas V ROAD X:1693501 X:1698720 Y:277665 Y:277525 NW NE PROPOSED SERVICE ROAD 19 (1900') GRID Scale: SW = 1000' SF 1980' (660') X:1693460 740 Y:272385 PAD X:1698751 Y:272265 BOTTOM HOLE INFORMATION PROVIDED BY OPERATOR LISTED, NOT STAKED. SECTION COORDINATES ARE BASED ON OBSERVED POSSESSION EVIDENCE. DISTANCES SHOWN IN (PARENTHESIS) ARE CALCULATED BASED UPON THE QUARTER SECTION BEING 2640.00 FEET AND HAVE NOT BEEN MEASURED ON THE GROUND. PAD AND SERVICE ROAD LOCATIONS ARE SHOWN FOR GRAPHIC PURPOSES ONLY AND ARE NOT TO SCALE. SANDRIDGE EXPLORATION AND PRODUCTION. LLC. **ELEVATION:** LEASE NAME: MILLY 3020
TOPOGRAPHY & VEGETATION: WELL NO: AGRICULTURAL DRY LAND 2209 REFERENCE STAKES OR ALTERNATE LOCATION STAKES SET: GOOD DRILL SITE? BEST ACCESSIBILITY TO LOCATION: FROM NORTH AND WEST PAVED & GRAVELED ROADS AND EXISTING TRAILS
DISTANCE & DIRECTION FROM HWY JCT OR TOWN: FROM HWY, 54 IN THE CITY OF BUCKLIN, SOUTH ON HWY, 34 FOR ±6.7 MILES. THEN LEFT (EAST) ON ROAD B WHICH MEANDERS FOR ±4.5 MILES. THEN RIGHT (SOUTH) ON ROAD #1 FOR ±1.5 MILES. THEN LEFT (EAST) ON ROAD V FOR ±0.3 MILES. THEN RIGHT (SOUTH) FOLLOWING EXISTING TRAIL FOR ±0.8 MILES TO LS-778 SITE DATE STAKED: 2013/06/10 SURFACE WELL DATA TABLE 2013/06/12 DATE OF DRAWING: DATUM: NAD27 CERTIFICATE:

I, MICHAEL D. KLEIN A KANSAS LICENSED LAND
SURVEYOR AND A AUTHORIZED AGENT OF BHC RHODES,
DO HEREBY CERTIFY THAT THE SURFACE WELL LOCATION
DESCRIBED HEREON WAS STAKED AT THE COORDINATES
SHOWN IN THE DATA TABLE. 37.411948314 Job 16330.01. LAT: -99.548586807 LONG: _ N037° 24' 43.01" LAT: _ LONG: W099" 32" 54.91" STATE PLANE COORDINATES: (U.S. FEET) ZONE: KS SOUTH 1502

1695445.1820 273080.6190

BHC No.: Field:

Y:

Milly 3020 1-19

Kiowa County, KS

Lease/Unit Information Sheet

Unit Description:

All of Section 19-30S-20W less and except the NW/4 SW/4, Kiowa County, KS

Surface Owners:

Ronny R. Evans 1/2

211 W. Center Street

Bucklin, KS 67834

Ricky J. Evans ½

Route 1, Box 319

Bucklin, KS 67834

BHCRHODES

CIVIL ENGINEERS • SURVEYORS
901 N. 8th Street, Suite 100 Konsas City, KS 66101 * p. (913) 371-5300 * f. (913) 371-2677
BHC RHODES is a trademark of Brungardt Honomichl & Company, P.A.

FSL & 1980' FWL Section 19 Township 30S Range 20W 6th P.M. KIOWA County, Kansas ROAD X:1693501 X:1698720 Y:277665 Y:277525 XXX UNIT ALL of Sec 19 less the NW/4 SW/4, KIOWA NW NE County PROPOSED SERVICE ROAD 19 NW/4 SW/4 (1900') GRID Scale: = 1000' SF 1980' (660') X:1693460 Y:272385 X:1698751 PAD Y:272265 BOTTOM HOLE INFORMATION PROVIDED BY OPERATOR LISTED, NOT STAKED. SECTION COORDINATES ARE BASED ON OBSERVED POSSESSION EVIDENCE. DISTANCES SHOWN IN (PARENTHESIS) ARE CALCULATED BASED UPON THE QUARTER SECTION BEING 2640.00 FEET AND HAVE NOT BEEN MEASURED ON THE GROUND. PAD AND SERVICE ROAD LOCATIONS ARE SHOWN FOR GRAPHIC PURPOSES ONLY AND ARE NOT TO SCALE. OPERATOR: SANDRIDGE EXPLORATION AND PRODUCTION.


LEASE NAME: MILLY 3020 WELL N
TOPOGRAPHY & VEGETATION: AGRICULTURAL DRY LAN **ELEVATION:** WELL NO: AGRICULTURAL DRY LAND 2209 REFERENCE STAKES OR ALTERNATE LOCATION STAKES SET: GOOD DRILL SITE? BEST ACCESSIBILITY TO LOCATION: FROM NORTH AND WEST PAVED & GRAVELED ROADS AND EXISTING TRAILS
DISTANCE & DIRECTION FROM HWY JCT OR TOWN: FROM HWY, 54 IN THE CITY OF BUCKLIN, SOUTH ON HWY, 34 FOR ±6.7
MILES, THEN LEFT (FAST) ON ROAD B WHICH MEANDERS FOR ±4.5 MILES, THEN RIGHT (SOUTH) ON ROAD #1 FOR ±1.5 MILES. THEN LEFT (EAST) ON ROAD V FOR ±0.3 MILES. THEN RIGHT (SOUTH) FOLLOWING EXISTING TRAIL FOR ±0.8 MILES TO LS-778

LS-778

LS-778

LS-778

SURVE SITE 2013/06/10 DATE STAKED: SURFACE WELL DATA TABLE DATE OF DRAWING: 2013/06/12 DATUM: NAD27 37.411948314 -99.548586807 LAT: 5 CERTIFICATE: LONG: _ N037° 24' 43.01" LAT: _ MICHAEL D. KLEIN A KANSAS LICENSED LAND LONG: W099' 32' 54.91" STATE PLANE DO HEREBY CERTIFY THAT THE SURFACE WELL LOCATION DESCRIBED HEREON WAS STAKED AT THE COORDINATES COORDINATES: (U.S. FEET) ZONE: KS SOUTH 1502 SHOWN IN THE DATA TABLE. 1695445.1820 273080.6190 KANSAS LIC. NO. _____778 9.E





July 3, 2013

Ricky J Evans Route 1, Box 319 Bucklin, KS 67834

Re: KSONA-1 NOTIFICATION

Please find attached a draft copy of the Permit to Drill currently pending with the KCC for approval. SandRidge Energy plans to drill the Milly 3020 1-19 well located in Kiowa County, Kansas. You are listed as a contact for the current surface owner.

This notice is being provided pursuant to the Kansas Surface Owner Notice Ace (House Bill 2032). If you have any questions, please contact us.

Sincerely,

Wanda Ledbetter Regulatory Analyst

Attach.



July 3, 2013

Ronny R Evans 211 W Center Street Bucklin, KS 67834

Re: KSONA-1 NOTIFICATION

Please find attached a draft copy of the Permit to Drill currently pending with the KCC for approval. SandRidge Energy plans to drill the Milly 3020 1-19 well located in Kiowa County, Kansas. You are listed as a contact for the current surface owner.

This notice is being provided pursuant to the Kansas Surface Owner Notice Ace (House Bill 2032). If you have any questions, please contact us.

Sincerely,

Wanda Ledbetter Regulatory Analyst

Wanda Ledbette

Attach.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

July 08, 2013

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Milly 3020 1-19 SW/4 Sec.19-30S-20W Kiowa County, Kansas

Dear Wanda Ledbetter:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.