

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month	day year	_ Spot Description:
	monar	uay year	
OPERATOR: License#			feet from N / S Line of Se
Name:			feet from E / W Line of Se
Address 1:			s SECTION: Regular Irregular?
Address 2:			(Note: Locate well on the Section Plat on reverse side)
		_ Zip: +	
Contact Person:			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#			
lame:			Target Formation(s):
M-11 D-11 1 F	14/- 11 01	Torre Construences	Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet I
Oil Enh F		Mud Rotary	Water well within one-quarter mile:
Gas Stora	· =	Air Rotary	Public water supply well within one mile: Yes
Dispo		Cable	Depth to bottom of fresh water:
Seismic ;# o			Depth to bottom of resh water:
Other:			Surface Pipe by Alternate: II
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			
			_ Projected Total Depth:
Original Completion Da	ate: Orig	inal Total Depth:	
Directional, Deviated or Ho	rizontal wellbore?	Yes No	Water Source for Drilling Operations:
•			DWK Pellill #.
Bottom Hole Location:			(Note: Apply for Permit with DWR)
Bottom Hole Location:			(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:			(Note: Apply for Permit with DWR)
Bottom Hole Location:			(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location: CCC DKT #:		Al	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone:
Bottom Hole Location: CCC DKT #: The undersigned hereby	affirms that the drilling	Al g, completion and eventual p	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
Sottom Hole Location: CCC DKT #: The undersigned hereby	affirms that the drilling	ΑΙ g, completion and eventual p ments will be met:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone:
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria	affirms that the drilling ring minimum required ate district office <i>prio</i> ate district of intent to	Alg, completion and eventual prents will be met: r to spudding of well; odrill shall be posted on ea	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Olugging of this well will comply with K.S.A. 55 et. seq.
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo	affirms that the drilling ring minimum require ate district office prio coved notice of intent to unt of surface pipe as	Alg, completion and eventual prents will be met: r to spudding of well; o drill shall be posted on ea	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconsorted.	affirms that the drilling minimum required ate district office <i>prio</i> coved notice of intent to unt of surface pipe as blidated materials plus	Alg, completion and eventual presents will be met: r to spudding of well; of drill shall be posted on each specified below shall be set a minimum of 20 feet into the	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If yes proposed zone: Solution of this well will comply with K.S.A. 55 et. seq.
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho	affirms that the drilling ving minimum required ate district office <i>prior</i> oved notice of intent to unt of surface pipe as blidated materials plustle, an agreement betw	Alg, completion and eventual parents will be met: r to spudding of well; odrill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the design of the second second shall be so a minimum of 20 feet into eveen the operator and the design of the second seco	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; Output by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging;
the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho 5. The appropriate dis	affirms that the drilling ving minimum required ate district office <i>prio</i> ctoved notice of intent to unt of surface pipe as blidated materials plustle, an agreement betwestrict office will be not	g, completion and eventual pments will be met: r to spudding of well; o drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either plu	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yes proposed zone: If Yes
the undersigned hereby is agreed that the follow 1. Notify the appropriate A copy of the appropriate distance of the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I	affirms that the drilling ring minimum required ate district office <i>prio</i> oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement betweet office will be notice to the completion, produced in the completion of the	Alg, completion and eventual prents will be met: r to spudding of well; or drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instruction of the state of the state of the production casing is cemented in; Ited from below any usable water to surface within 120 DAYS of spud date.
CCC DKT #: The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	affirms that the drilling ring minimum required ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plusher, an agreement betweet ict office will be notice of the completion, properties of the completion	g, completion and eventual prents will be met: r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yes proposed zone: If Yes
CCC DKT #: The undersigned hereby this agreed that the follow 1. Notify the appropriation 2. A copy of the appropriation 3. The minimum amough all unconsess. If the well is dry how 5. The appropriate dis 6. If an ALTERNATE In Or pursuant to Approprisus and the control of the appropriation of the	affirms that the drilling ring minimum required ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plusher, an agreement betweet ict office will be notice of the completion, properties of the completion	g, completion and eventual prents will be met: r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; If yes If Y
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	affirms that the drilling ring minimum required ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plusher, an agreement betweet ict office will be notice of the completion, properties of the completion	g, completion and eventual prents will be met: r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; If yes If Y
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the appropria A copy of the appropria The minimum amo through all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App must be completed	affirms that the drilling ving minimum requirer ate district office <i>prio</i> oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement between the completion, proceeding the completion, proceeding the completion of the light within 30 days of the	g, completion and eventual prents will be met: r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; If yes If Y
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the appropria A copy of the appro The minimum amo through all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App must be completed	affirms that the drilling ving minimum requirer ate district office <i>prio</i> oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement between the completion, proceeding the completion, proceeding the completion of the light within 30 days of the	g, completion and eventual prents will be met: r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the appropria A copy of the appro The minimum amo through all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App must be completed	affirms that the drilling ving minimum requirer ate district office <i>prio</i> oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement between the completion, proceeding the completion, proceeding the completion of the light within 30 days of the	g, completion and eventual prents will be met: r to spudding of well; of drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken?
the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	affirms that the drilling ving minimum requirer ate district office <i>prio</i> oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement between the confice will be not it COMPLETION, provendix "B" - Eastern K. I within 30 days of the	g, completion and eventual prents will be met: r to spudding of well; or drill shall be posted on ear a specified below shall be set as a minimum of 20 feet into a see	(Note: Apply for Permit with DWR) Will Cores be taken?
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the approduction and through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 7. Or pursuant to Appropriate dis 8. If an ALTERNATE I OR pursuant to Appropriate dis 9. If an ALTERNATE I OR pursuant to Appropriate dis 9. If an ALTERNATE I OR pursuant to Appropriate dis 9. If an ALTERNATE I OR pursuant to Appropriate dispenses to Appropriate dispen	affirms that the drilling ving minimum requirer ate district office <i>prio</i> oved notice of intent to unt of surface pipe as olidated materials plusele, an agreement between the control of	g, completion and eventual prents will be met: It to spudding of well; or drill shall be posted on ears specified below shall be so a minimum of 20 feet into a see	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed ### 15 - Conductor pipe required -	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plusile, an agreement between the office will be not ill COMPLETION, propendix "B" - Eastern K within 30 days of the nically	g, completion and eventual prents will be met: r to spudding of well; or drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order a spud date or the well shall be spud date or the well shall	(Note: Apply for Permit with DWR) Will Cores be taken? Yes
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the appropria It is agreed that the appropria It is agreed that the follow It is agreed that the follow It is agreed that the follow It is appropria It is appropriate dis If the well is dry ho It is dry ho It is an ALTERNATE IT OR Pursuant to Appropriate dis It is an ALTERNATE IT OR Pursuant to Appropriate dis It is a Completed It is a Complet	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plusile, an agreement between the office will be not ill COMPLETION, propendix "B" - Eastern K within 30 days of the nically	g, completion and eventual prents will be met: r to spudding of well; or drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order a spud date or the well shall be spud date or the well shall	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Solugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; Ich by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this istrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the approduce and through all unconses. 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approduce and the completed. Ubmitted Electroic For KCC Use ONLY API # 15 - Conductor pipe required.	affirms that the drilling ring minimum required ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plustle, an agreement between the office will be noticed in COMPLETION, provendix "B" - Eastern K within 30 days of the nically	g, completion and eventual pments will be met: r to spudding of well; c drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order as spud date or the well shall in feet feet feet per ALT.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the approduce of the appropriate of the appropriate of the well is dry ho 5. The minimum amount through all unconstance of the well is dry ho 6. If an ALTERNATE I Or pursuant to Appropriate of the appropriate of the appropriate of the well is dry ho 7. The appropriate of the well is dry ho 8. If an ALTERNATE I Or pursuant to Appropriate of the appropriate of the well appropriate	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plustle, an agreement between the office will be noticed in COMPLETION, propendix "B" - Eastern K within 30 days of the control of the original of the original office in the orig	g, completion and eventual pments will be met: r to spudding of well; c drill shall be posted on ear specified below shall be so a minimum of 20 feet into eveen the operator and the diffied before well is either pluduction pipe shall be cemen ansas surface casing order as spud date or the well shall in feet feet feet per ALT.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 📗 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

165 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

1151209 Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.			ncluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	owest fresh water feet. mation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			pe closed within 365 days of spud date.
Submitted Electronically			
	ксс	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection:



1151209


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:			
Address 2:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address. 1) cknowledge that, because I have not provided this information, the		
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

July 10, 2013

Phil Frick Altavista Energy, Inc. 4595 K-33 Highway PO BOX 128 WELLSVILLE, KS 66092

Re: Drilling Pit Application API 15-031-23379-00-00 Settlemyer I-1B SE/4 Sec.14-22S-16E Coffey County, Kansas

Dear Phil Frick:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.