

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day	year Sec Twp S. R E
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	foot from \ \Bar \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Address 1:	
Address 2:	
City: State: Zip:	
Contact Person:	County.
Phone:	Lease Name: Well #:
	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equip	ment: Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation: feet MS
	Rotary Water well within one-quarter mile: Yes N
Gas Storage Pool Ext. Air Ro Disposal Wildcat Cable	Public water supply well within one mile:
	Depth to bottom of fresh water:
Seismic ; # of Holes Other Other:	Depth to bottom of usable water:
Outet	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Decision of Table Depths
Well Name:	
Original Completion Date: Original Total Depth	
Directional Deviated or Herizontal wellbore?	Water Source for Drilling Operations: Yes No Well Farm Pond Other:
Directional, Deviated or Horizontal wellbore? f Yes, true vertical depth:	
Bottom Hole Location:	DWK Peliliii #.
KCC DKT #:	(Hotel Apply Isi I simil min 2 m L
NOO BIXT #.	VVIII eeree se tanen:
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion a	and eventual plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be m	
1. Notify the appropriate district office <i>prior</i> to spudding o	
2. A copy of the approved notice of intent to drill shall be	posted on each drilling rig; w <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i>
3. THE IIIIIIIIIIIII AIIIOUIII OI SUIIACE DIDE AS SDECIIIEU DEIO	
• • • • • • • • • • • • • • • • • • • •	, , , , , , , , , , , , , , , , , , , ,
through all unconsolidated materials plus a minimum of	f 20 feet into the underlying formation.
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera	f 20 feet into the underlying formation. tor and the district office on plug length and placement is necessary <i>prior to plugging</i> ;
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well	f 20 feet into the underlying formation. Itor and the district office on plug length and placement is necessary <i>prior to plugging;</i> Il is either plugged or production casing is cemented in;
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe sh	f 20 feet into the underlying formation. tor and the district office on plug length and placement is necessary <i>prior to plugging</i> ;
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface	f 20 feet into the underlying formation. It or and the district office on plug length and placement is necessary <i>prior to plugging;</i> Il is either plugged or production casing is cemented in; It is either plugged from below any usable water to surface within 120 DAYS of spud date.
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface	f 20 feet into the underlying formation. It or and the district office on plug length and placement is necessary <i>prior to plugging;</i> Il is either plugged or production casing is cemented in; It is either plugged o
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface	f 20 feet into the underlying formation. It or and the district office on plug length and placement is necessary <i>prior to plugging;</i> Il is either plugged or production casing is cemented in; It is either plugged o
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the spud date or the spud date of the sp	f 20 feet into the underlying formation. It or and the district office on plug length and placement is necessary <i>prior to plugging;</i> Il is either plugged or production casing is cemented in; It is either plugged o
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the spud date or the spud date of the sp	f 20 feet into the underlying formation. It or and the district office on plug length and placement is necessary <i>prior to plugging;</i> Il is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically	f 20 feet into the underlying formation. Into and the district office on plug length and placement is necessary <i>prior to plugging;</i> Il is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in;
through all unconsolidated materials plus a minimum of a. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY	f 20 feet into the underlying formation. Into and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production as plugged in all cases, NOTIFY district of It is plugged. It is either plugged or production of It is necessary prior to plugging; It is either plugged or production in all cases, NOTIFY district of It is necessary prior to plugging; It is either plugged or production in all cases, NOTIFY district of It is necessary prior to plugging; It is either plugged or production in all cases, NOTIFY district of It is necessary prior to plugging; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is c
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	f 20 feet into the underlying formation. Into and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; Into all be cemented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of a. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY	f 20 feet into the underlying formation. Into and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; Into all be cemented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	f 20 feet into the underlying formation. Into and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production casing is cemented in; It is either plugged or production and usable water to surface within 120 DAYS of spud date. Casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing he well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to be under the complete of	## 120 feet into the underlying formation. Inter and the district office on plug length and placement is necessary prior to plugging; it is either plugged or production casing is cemented in; it is either plugged or production casing is cemented in; it is either plugged or production casing is cemented in; it is either plugged or production casing is cemented in; it is either plugged or production casing is cemented in; it is either plugged or production and the well shall be plugged. In all cases, NOTIFY district 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. ### IT I I I I I I I I I I I I I I I I I
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to be understood to be u	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration or ders; - Notify appropriate district office 48 hours prior to workover or re-entry;
through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe shor or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district Office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

820 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1151341

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Kansas Corporation Commission Oil & Gas Conservation Division

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A Is the bottom below ground level? Yes No Pit dimensions (all but working pits): Depth from If the pit is lined give a brief description of the limaterial, thickness and installation procedure.	Artificial Liner? Yes N Length (fee	(bbls) No lo epest point:	SecTwpRBast WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits	
Distance to nearest water well within one-mile of	of pit:		west fresh water feet.	
feet Depth of water wellfeet		Source of information measured	mation:	
Emergency, Settling and Burn Pits ONLY:	1001	Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection: Yes No	

CORRECTION #1 KANSAS CORPORATION COMMISSION 1151341

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	3		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an addition		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

Summary of Changes

Lease Name and Number: Durler 14D 1

API/Permit #: 15-057-20904-00-00

Doc ID: 1151341

Correction Number: 1

Approved By: Rick Hestermann 07/11/2013

Field Name	Previous Value	New Value
Contractor License Number	33575	5822
Contractor Name	WW Drilling, LLC	Val Energy, Inc.
KCC Only - Approved By	Rick Hestermann 07/10/2013	Rick Hestermann 07/11/2013
KCC Only - Approved Date	07/10/2013	07/11/2013
KCC Only - Date Received	07/08/2013	07/11/2013
KCC Only - Lease Inspection	Yes	No
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 49085	//kcc/detail/operatorE ditDetail.cfm?docID=11 51341