

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1152370

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	Sec TwpS. R East West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	
Phone: ()	
CONTRACTOR: License #	
Name:	
Wellsite Geologist:	
C C C C C C C C C C C C C C C C C C C	
Purchaser:	
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW	Amount of Surface Pipe Set and Cemented at: Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used?
□ OG □ GSW □ Temp. A	bd. If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cmt
If Workover/Re-entry: Old Well Info as follows:	
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to	Chloride content: ppm Fluid volume: bbls
	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	
Dual Completion Permit #:	Operator Name:
SWD Permit #:	License #:
ENHR Permit #:	Quarter Sec Two S R East West
GSW Permit #:	County: Permit #:
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

	Side Two	1152370
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		-	n (Top), Depth and		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nar	ne		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted B (If no, Submit Copy)	Electronically	 Yes No Yes No Yes No 					
List All E. Logs Run:							
		CASIN		lew Used			
		Report all strings se	et-conductor, surface, in	termediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			e			ement Squeeze Record I of Material Used)	Depth		
TUBING RECORD:	Siz	:e:	Set At:		Packer	r At:	Liner R	un:	No	
Date of First, Resumed P	Producti	on, SWD or ENHF	₹.	Producing N	1ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF G	BAS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
Vented Sold		Jsed on Lease		Open Hole	Perf.	Dually (Submit A	Comp. AC <i>O-5)</i>	Commingled (Submit ACO-4)		
(If vented, Subr	nit ACO	-18.)		Other (Specify)						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

DRILLERS LOG

Depth

Company:	MARK MORRISON
Farm:	KIMBERLIN
Well No:	K-12
API:	15-205-28154-00-00
Surface Pipe:	41.1'

Thickness Formation

Contractor: EK Energy LLC License# 33977 County: WILSON Sec: 3 TWP: 27 Range: 16E Location: 2635 FWL Location: 1352 FSL Spot: SE-SE-NE-SW

Remarks

SOIL & CLAY	8	Drilled 97/8 Hole Set 7"
LIME	44	Drilled 5 7/8 HOLE
SHALE	158	
LIME	181	
SHALE	220	Started 5/24/2013
LIME	250	Finished 5/28/2013
SHALE	322	
LIME	332	
SHALE	348	T.D. Hole 1020'
LIME	524	T.D. PIPE 1015.50'
SHALE	636	
LIME	650	OIL PATCH PIPE TALLEY
SHALE	658	
SAND/ODOR	662	
SHALE	722	
LIME	754	
SHALE	782	
LIME	798	
SHALE	803	
LIME	807	
SHALE	850	
SAND/SHALE	872	
SHALE	937	
OIL SAND	948	VERY GOOD BLEED
COAL	949	
SHALE	975	
OIL SAND	982	GOOD BLEED
SHALE	1020	
	-	
	SHALE LIME SHALE SHALE	LIME 44 SHALE 158 LIME 181 SHALE 220 LIME 322 LIME 322 LIME 332 SHALE 348 LIME 332 SHALE 348 LIME 524 SHALE 636 LIME 650 SHALE 658 SAND/ODOR 662 SHALE 722 LIME 754 SHALE 782 LIME 798 SHALE 803 LIME 798 SHALE 807 SHALE 850 SAND/SHALE 872 SHALE 937 OIL SAND 948 COAL 949 SHALE 975 OIL SAND 982

ndustrial Rd. sox 664 1. Kansas 66749 hone: (620) 365-5588

Payless Concrete Products, Inc.

DEL TO: 169 5 TO 39 HW W 9.5 M

TO RENO RD N 2 MI TO 2400 E 1/2 MI N SD KIMBERLAND K12

CONDITIONS Concrete to be delivered to the nearest accessible point over passab under truck's own power. Due to delivery at owner's or intermediary's d seller assumes no responsibility for damages in any manner to sic roadways, driverways, buildings, trees, shrubbery, etc., which are at cus risk. The maximum allotted time for unloading trucks is 5 minutes per charge will be made for holding trucks longer. This concrete contains water contents for strength or muc indicated. We do not assume responsi strength text when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or ser complete this contract can result in the filing of a mechanic's lien on the p which is the subject of this contract.

CHORIO .

KK-129

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	5 COL	DRIVER/TRUCK	V OIR	PLANT/TRANSAC
07:52:16a	WELL	13.00 yd	13.00 yd	0.00	34	0.00	WILCO
DATE	to Date	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUME
05-29-13	oday	1	13.00 yd	24194	G/yd 0.0	4.00 in	

WARNING

IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

QUANTITY

3,50

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INDE CURB LINE) Dar Customer-The driver of the truck in presenting this RELEASE to you for your signature is of the optimo that the set and weight of his truck may possibly cause damage to the premises and/or adjoent poperty if a lpaces the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving thim and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc. by the delivery of this material, and that you also agree to help thin remove mud from the wheels of his vehicle a out hat he will not this supplier for any and adjacent goody and this truck and this supplier for any and adjacent borgen of this truck and this supplier for any and adjacent by environe adjacent property which may be claimed by anyone to have arise out of delivery of this order. SIGNED

				and the second design of the s
Excessive	Water is	Detrimental	to Concrete	Performance

H₂0 Added By Request/Authorized By

WEIGHMASTER

GAL X

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WA NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE C WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

	d Loss of the Cash Discount will be colleg I @ \$50/HR.	cted on all Returned Checks.	X Jahn	CM2	are
γ	CODE	DESCRIPTION	States - 11- States	UNIT PRICE	EXTENDED PR
3	WELL	WELL (10 SACKS PER UNIT)	13.00	55.00	715.0
	MIX8HAUL	MIXING & HAULING	13.00	25.00	325.1
	TRUCKING	TRUCKING CHARGE	3.50	55.00	* - <u>198</u>
					and the second

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	bTotal # 1272
101.23	G'129		1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	T	$ax \neq 6.300$ $ax \neq 6.300$ $ax = 72^{-2}$
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE	rder 🛊 👘 🕂 🕂
-187.69	8:51		and the second strength of the second	Tender int	ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
1 2.25				-	GRAND TOTAL

Building Materials Farm & Ranch Supplies Structural Steel Products Hardware & Paint



RETURN POLICY - within 30 days only merchandise must be in saleable condition and accompanied by invoice.

No refunds on Special Order non-stock items

Account due 10th of month following purchase. 1 1/2% interest per month added for an annual percentage rate of 18%.

SHIP TO MORRISON CONSTRUCTION 1651 50TH RD

YATES CENTER, KS 66783

DEOFREDE

Shipment #: 1

ACCOUNT # CUSTOMER P.O.# TERMS INVOICE # **ORDER #** ORDER DATE SLSMN INVOICE DATE M1876 NET 10TH 1119367 04/19/13 BR 689531 04/19/13 BACK ORDERED ORDERED SHIPPED U/M DESCRIPTION PRICE AMOUNT 30 30 EA 0 CEMENT STANDARD TYPE 1 94LB 10.850 325.50* MONARCH STD PALLET ? PALLET BLOCKS & QUIK-CRETE 1 0 1 EA 15.000 15.00 PALLET -2 0 -2 EA PALLET BLOCKS & QUIK-CRETE 15.000 -30.00 + 2 EA Bags cement From John 32 Sacks to do K-9, K-10, K-11, K-12 8 Sacks Each Surface 120 Mark 61 PALLET April 19, 2013 09:27:56 BRUCE R. 0 / 1 MERCHANDISE 310.50 CHKD BY FILLED BY DRIVER SHIP VIA *********** 0.00 OTHER * INVOICE ******* TAX 8.550% 27.83 10 PAGE 1 OF 1 FREIGHT 0.00

SOLD TO MARK MORRISON MORRISON CONSTR 1651 50TH. RD. YATES CENTER, KS 66785-5141 620-537-6675