

Kansas Corporation Commission Oil & Gas Conservation Division

152425

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🔲 East 🗌 West
Address 2:	Feet from North / South Line of Section
City:	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	
Operator: Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Letter of Confidentiality Received				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

Side Two

1152425

Operator Name:			Lease Name: _			_ Well #:	
Sec Twp	S. R	East West	County:				
time tool open and clorecovery, and flow rat	osed, flowing and shu	d base of formations per t-in pressures, whether s st, along with final chart well site report.	shut-in pressure rea	ched static level,	hydrostatic pres	sures, bottom h	ole temperature, fluid
Drill Stem Tests Taker (Attach Additional		Yes No		og Formation	n (Top), Depth ar	nd Datum	Sample
Samples Sent to Geo	•	☐ Yes ☐ No	Nam	ne		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	ed Electronically	Yes No Yes No Yes No					
List All E. Logs Run:							
			RECORD N	ew Used ermediate, production	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONA	L CEMENTING / SQI	JEEZE RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used		Type and I	Percent Additives	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				cture, Shot, Cemen count and Kind of Ma		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or EN	HR. Producing Me		Gas Lift O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wa	ter Bb	ols.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF GAS:		METHOD OF COMPL	ETION:		PRODUCTIO	ON INTERVAL:
Vented Solo	d Used on Lease	Open Hole	Perf. Duall		nmingled nit ACO-4)		
(If vented, Su	bmit ACO-18.)	Othor (Specify)	(Summit	AUU-U) (SUDI	IIII ACO-4)		



259688

TIEKET NUMBER	41997
LOCATION Office	KS
FOREMAN Cose C	euned a

SALES TAX ESTIMATED

TOTAL

DATE


PO	Box	884.	Cha	nute,	KS	66720
						8676

Ravin 3737

PO Box 884, CI	hanute, KS 667	20	LD TICKE		TMENT REP	PORT		•
620-431 - 9210	or 800-467-8676	i	NAME & NUM	CEMEN	SECTION	TOWNSHIP	RANGE	COUNTY
DATE	CUSTOMER#				SW 29	14	ລວ	10
6/4/13	6370	Sawye	r#21.	<u> </u>	3027			
CUSTOMER	anna Taclas	robgics 1	46		TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE	ESS	005.02			48/	CasKen		
801	W. 47th	St. Ste	412		666	GarHoo		
CITY,		STATE	ZIP CODE	7	510	SetTuc		
Kansas	Cates	MO	64112		675	KeiDet	0.77	
JOB TYPE C	agstring	HOLE SIZE	55/8"	_ HOLE DEPT	H9171	CASING SIZE & W	VEIGHT OF THE	FUE
CASING DEPTH		DRILL PIPE		_TUBING			OTHER	
SLURRY WEIGH	HT	SLURRY VOL_		WATER gal/	sk	CEMENT LEFT in		
DISPLACEMEN	T 5,2645	DISPLACEMEN		MIX PSI		RATE 4,592		
REMARKS:	t () N	meeting,			lation, mi		200# F	remion
Gel follow	wed by 18	dols frest	water	, mixed	t purpod	121 500 130	SO POZIL	Le cemen
1 270	ael + 14	# Flosea	l per st	, cemos			& purp de	eau,
eversed 5	2/2" rubber	dua to	asing T	5 w/ 8	2 bds t	resh water		
PS . 420	Il held o	ressure to	v 36 M	in MIT	, released	pressure in	net in cas	ing.
						-		
						-	10	
							$\supset I \longrightarrow$	
							/ /	,
ACCOUNT	QUANIT	Y or UNITS		ESCRIPTION	of SERVICES or P	RODUCT	UNIT PRICE	TOTAL
CODE	+		PUMP CHAR	RGE				1085,00
540l	30 m		MILEAGE					126.00
5402	899		asing	Partage				
5407	mini		ton a	.1				368,00
	2/1	-	80 (lac.				180,00
5502C	+ QW	5	100	140				1,002
1124	121	Sles	50/50 7	PMIX	cement			1391.50
		#		in Gel		.,		88.66
11188	403		_	1				74,10
1107	30	#	Hosea	rubber D	1. ×		 	29.50
4402	11		0/2	1000	ncy			01.50

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

TITLE



Oil & Gas Well Drilling Water Wells **Geo-Loop Installation**

> Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG

Paola, KS 66071

Petroleum Technologies, Inc. Sawyer #21i API #15-091-24,145 June 13 - June 14, 2013

Thickness of Strata	Formation	Total
14	soil & clay	14
12	shale	26
4	lime	30
3	shale	33
15	lime	48
8	shale	56
10	lime	66
8	shale	74
22	lime	96
18	shale	114
24	lime	138
9	shale	147
11	lime	158
9	shale	167
33	lime	200
17	shale	217
9	lime	226
18	shale	244
7	lime	251
5	shale	256
8	lime	264
43	shale	307
6	lime	313
-5	shale	318
14	lime	332 oil show
15	shale	347
17	lime	364
4	shale	368
5	lime	373
4	shale	377
6	lime	383
30	shale	413
7	sand	420 grey & green (gassy)
138	shale	558
4	lime	562
3	shale	565
3	lime	568
7	shale	575
6	lime	581

Sawyer #21i		Page 2
22	shale	603
4	lime	607
6	shale	613
2	lime	615
22	shale	637 red
3	lime	640
3	shale	643
2	lime	645
10	shale	655
1	lime	656
59	shale	715
4	oil sand	719 brown sand, ok bleeding
7	broken sand	726 brown & grey, light bleeding
15	shale	741
1	coal	742
4	shale	746
1	lime	747
24	shale	771
1	coal	772
49	shale	821
5	sand	826 white, no oil
10	shale	836
1	broken sand	837 80% brown sand, 20% lime, ok bleeding
2	oil sand	839 hard brown sand, good bleeding, few thin lime seams
4	oil sand	843 soft brown friable sand, good bleeding
2	broken sand	845 85% hard brown sand, 15% limey, good bleeding
3	broken sand	848 40% hard brown sand, 60% limey shale, good bleeding
7	silty shale	855
62	shale	917 TD

Drilled a 9 7/8" hole to 23.3' Drilled a 5 5/8" hole to 917'

Set 23.3' of 7" casing threaded and coupled, cemented with 6 sacks cement.

Set 899' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, and 1 clamp.