

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:		-da.	Spot Description:
	month	day year	Sec Twp S. R
OPERATOR: License#			(Q/Q/Q/Q) foot from N / S Line of Section
			feet from E / W Line of Section
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
		Zip: +	(
Contact Person:		·	County: Well #:
Phone:			
CONTRACTOR: License#			Field Name:
Name:			Le tine a l'iolatea / epassa / leia
ivaille.			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh F	Rec Infield	Mud Rotary	Ground Surface Elevation:feet MSL
Gas Stora	ge Pool Ext.	. Air Rotary	Water well within one-quarter mile:
Dispo	osal Wildcat	Cable	Public water supply well within one mile: Yes No
Seismic ;# c	of Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
			Surface Pipe by Alternate: III
If OWWO: old well	information as follows	S:	Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
•			Projected Total Depth:
Original Completion Da	ate: Or	riginal Total Depth:	
			Water Source for Drilling Operations:
Directional, Deviated or Ho	rizontal wellbore?	Yes No	Well Farm Pond Other:
If Yes, true vertical depth: _			DWR Permit #:
Bottom Hole Location:			(Note : Apply for Permit with DWR)
KCC DKT #:			- Will Cores be taken?
			If Yes, proposed zone:
		Λ.Γ	FIDAVIT
The undersigned hereby	offirms that the drilli		
			lugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	ing minimum require	ements will be met:	
 Notify the appropria 			
. ,		to drill shall be posted on each	0 0
		•	et by circulating cement to the top; in all cases surface pipe shall be set
		lus a minimum of 20 feet into t	
		·	strict office on plug length and placement is necessary <i>prior to plugging;</i>
			red from below any usable water to surface within 120 DAYS of spud date.
			#133,891-C, which applies to the KCC District 3 area, alternate II cementing
			pe plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
'	,	·	, , , , , , , , , , , , , , , , , , , ,
submitted Electroi	nically		
			D. D. C.
For KCC Use ONLY			Remember to:
			- File Certification of Compliance with the Kansas Surface Owner Notification
ADI #45			Act (KSONA-1) with Intent to Drill;
API # 15			- File Drill Dit Application (form CDD-1) with Intent to Drill
API # 15		feet	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of sould date:
			- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required . Minimum surface pipe rec	quired	feet per ALTIII	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Conductor pipe required - Minimum surface pipe rec Approved by:	quired	feet per ALTIII	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required _ Minimum surface pipe rec Approved by: This authorization expires	quireds:	feet per ALT. I	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Conductor pipe required _ Minimum surface pipe rec Approved by: This authorization expires	quireds:	feet per ALTIII	 File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

3795 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A		Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?
	Length (fee		Width (feet)
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of world	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	be closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No



1152694

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

MN (2.5°E)

Data Zoom 15-0


1" = 300.0 ft

© DeLorme. Topo North America™ 9.

www.delorme.com



Scan of WWC5 Form



Kansas Geological Survey Comments to webadmin@kgs.ku.edu URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html Display Programs Updated July 29, 2004 Data added continuously. KGS Water Well Database Query

Scan of WWC5 Form

	TER WELL:	Fraction		Sect	ion Number	Township Nun	nhor	Range Number
County: DOUGLA		NE 14	SE 4 NW		14	т 15	s	B 20 EW
Distance and direction					44	1 12		H ZU (EW
Piolarico di la directioni				with the city				
		st, 14 south	or parawin					
WATER WELL OW			_					
RR#, St. Address, Bo				euer job		Board of Agr	iculture, Div	rision of Water Resour
City, State, ZIP Code	Baldwi	in, KS 66006	5			Application N	lumber:	
LOCATE WELL'S L	OCATION WITH	4 DEPTH OF COM	PLETED WELL	.100.'	. ft. ELEVA	TION:		
AN "X" IN SECTIO	N BOX:	Depth(s) Groundwat	ter Encountered 1.	.30-54			ft. 3	
								4-19-95
	1 1 11							ping
NW	NE							oing go
. x								o
w		WELL WATER TO		5 Public water		8 Air conditioning		ection well
-								
SW	58	1 Domestic				9 Dewatering		her (Specify below)
1	1	2 Irrigation						
			teriological sample s	ubmitted to De				o/day/yr sample was s
		mitted			Wal	ter Well Disinfected	Yes X	No
TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Concre	to tile	CASING JOIN	TS: Glued .	.XClamped
1 Steel	3 RMP (SR	8) 6	Asbestos-Cement	9 Other (specify below	0	Welded	
2 PVC	4 ABS	7	Fiberglass				Threade	ød
Slank casing diameter	5"	in. to 0-30	ft Dia 5".				in.	10
								258
TYPE OF SCREEN O			,g	7 PVC			tos-cement	
1 Steel	3 Stainless		Fiberglass		P (SR)			
2 Brass	4 Galvanize		Concrete tile	9 ABS				h . l . N
					>		used (open	
SCREEN OR PERFO				d wrapped		8 Saw cut	1	1 None (open hole)
1 Continuous sk		II slot	6 Wire v			9 Drilled holes		
2 Louvered shut		y punched	7 Torch					
SCREEN-PERFORAT	ED INTERVALS:	Erom 30						
		rioni Ju	ft. to	60	ft., Fror	n	ft. to.	
GRAVEL PA	CK INTERVALS:	From	ft. to		ft., Fron	n	ft. to.	
GRAVEL PA		From	ft. to	100	ft., From	n	ft. to.	
	CK INTERVALS:	From 24 From	ft. to ft. to ft. to	.100	ft., From	n	ft. to. ft. to. ft. to	
GROUT MATERIAL	CK INTERVALS:	From		.100	tt. From tt. From tt. From	n n Other	ft. to. ft. to. ft. to	
GROUT MATERIAL Grout Intervals: Fro	CK INTERVALS:	From		.100	ft. From tt. From tt. From tt. 6	n n Other tl., From	ft. to. ft. to. ft. to	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest so	CK INTERVALS:	From	t. to	.100	ft. From tt.	n Cther ti, From ck pens	ft. to. ft. to. ft. to	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank	CK INTERVALS: 1 Neat or 4 Latera 4 Latera	From	tt. to	3 Bentor	ft. From tt.	nn Cotherti., Fromock pens	ft. to. ft. to. ft. to	ft. tondoned water well well Gas well
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS: 1 Neat cr m	From	tt. to	3 Bentor	ft. From tt.	n	ft. to. ft. to. ft. to 14 Aba 15 Oil v	ft. tondoned water well well Gas well er (specify below)
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sew	CK INTERVALS: 1 Neat or 1 Neat or 1 Latera 2 Cess 3 Cess 4 Latera 5 Cess 4 Seepa	From	tt. to	3 Bentor	ft. From tt.	n	ft. to. ft. to. ft. to 14 Aba 15 Oil v	ft. tondoned water well well Gas well
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well?	CK INTERVALS: 1 Neat cr m	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic Lank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO	CK INTERVALS: 1 Neat or 1 Neat or 2 Latera 5 Cess ver lines 6 Seepa	From	ft. to	3 Bentor	ft. From tt.	n Other	ft. to. ft. to. ft. to 14 Aba 15 Oil v	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1	CK INTERVALS: 1 Neat or 1 Neat or 1 Latera 5 Cess 1 Neat or 4 Latera 5 Cess 1 NE 1 Top Soil	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3	CK INTERVALS: 1 Neat or 1 Latera 5 Cess 2 Ver lines 6 Seepa NE Top Soil Clay-Brow	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1	CK INTERVALS: 1 Neat or 1 Latera 5 Cess 2 Ver lines 6 Seepa NE Top Soil Clay-Brow	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3	CK INTERVALS: 1 Neat or 1 Latera 5 Cess 2 Ver lines 6 Seepa NE Top Soil Clay-Brow	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 1 1 3 3 47	CK INTERVALS: 1 Neat or 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Frout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 1 Latera 5 Cess 2 Ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Frout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Frout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 1 Vector of possible of 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Frout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 1 Vector of possible of 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Frout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 1 Vector of possible of 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest st 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55	CK INTERVALS: 1 Neat or 1 Vector of possible of 4 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone	From	ft. to	3 Bentor h. 1	ft. From tt.	n Other	ft. to. ft. to. ft. to. 14 Aba 15 Oil v 16 Othe	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well? FROM TO 0 1 1 3 3 47 47 55 55 100	CK INTERVALS: 1 Near or 1 Latera 5 Cess ver lines 6 Seepa NE Top Soil Clay-Brow Sandstone Sandstone Shale-Gre	From	ft. to	3 Bentor It. 1	ft, From tt,	n Other	fi. to. fi. to	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest se 1 Septic Lank 2 Sewer lines 3 Waterlight sew Direction from well? FROM TO 0 1 1 3 3 47 47 55 55 100	CK INTERVALS: 1 Near or 1 Near or 4 Latera 5 Cess NE Top Soil Clay-Brow Sandstone Sandstone Shale-Gre	From	ft. to ft.	3 Bentor t. 1 on FROM	ft. From tt.	n	fi. to. fi. to	tt. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well? FROM TO 0 1 1 3 3 47 47 55 55 100 CONTRACTOR'S completed on (molday)	CK INTERVALS: 1 Neat or 1 Vector of possible of the second of the seco	From	ft. to	3 Bentor 1 to 1	ft. From tt.	n Cother	fi. to. fi. to	ft. to
GROUT MATERIAL Frout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Wateright sew Direction from well? FROM TO 0 1 1 3 3 47 47 55 55 100 CONTRACTOR'S of completed on (molday) Vater Well Contractor	CK INTERVALS: 1 Neat or 1 Neat or 4 Latera 5 Cess over lines 6 Seepa NE Top Soil Clay-Brow Sandstone Shale-Gre Shale-Gre OR LANDOWNER Tyear) 1 Ucense No.	From	ft. to ft.	3 Bentor 1 to 1	ft. From tt.	n Cother	fi. to. fi. to	tt. to
GROUT MATERIAL Stout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sev Direction from well? FROM TO 0 1 1 3 3 47 47 55 55 100 CONTRACTOR'S completed on (molday	CK INTERVALS: 1 Neat or 1 Neat or 4 Latera 5 Cess over lines 6 Seepa NE Top Soil Clay-Brow Sandstone Shale-Gre Shale-Gre OR LANDOWNER Tyear) 1 Ucense No.	From	ft. to ft.	3 Bentor 1 to 1	ft. From tt.	n Cother	fi. to. fi. to	tt. to

Kansas Geological Survey Comments to webadmin@kgs.ku.edu URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html Display Programs Updated July 29, 2004 Data added continuously. Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

July 23, 2013

Phil Frick Altavista Energy, Inc. 4595 K-33 Highway PO BOX 128 WELLSVILLE, KS 66092

Re: Notice of Intent to Drill
API 15-045-22007-00-00
Neumer A-9
NE/4 Sec.14-15S-20E
Douglas County, Kansas

Dear Mr. Frick:

Records indicate that two domestic water wells are located less than 660 feet from this proposed location. Eastern Kansas Surface Casing Order #133,891-C for Area 3, paragraph 2 states, "No well shall be drilled closer than 660 feet of an existing domestic or municipal water well without written owner notification, a copy of which must be attached to the drilling intent form during filing. Special casing and cementing requirements may be imposed in those areas producing fresh and usable water."

Please provide us with a copy of the owner notification to further the processing of your notice of intent to drill. Copies of the water well records are attached.

I may be contacted at 316-337-6200 if you need additional information.

Rick Hestermann Production Department

ALTAVISTA ENERGY, INC OIL DEVELOPMENT, LEASING & OPERATING

P. O. Box 128 WELLSVILLE, KS 66092 (785) 883-4057

July 23, 2013

Ron and Brenda Neumer 1861 N 100th Rd Baldwin City, KS 66092

RE: Well Drilling by Altavista Energy, Inc.

To Whom It May Concern:

Altavista Energy, Inc. is the current owner of the Neumer Oil Lease, located on your property southeast of Baldwin City, Kansas. In the course of filing the required drilling intent forms with the Kansas Corporation Commission (KCC), it was brought to our attention that there is a domestic water well on your property that will be within 660 feet of several of our proposed well locations. This does not inherently pose any concern from an environmental or contamination standpoint, but we are required in cases such as this to notify the water well owner of our drilling activity. This letter serves as your notification.

If you have any questions or concerns, feel free to contact me and we can discuss. A copy of this letter has been filed with the KCC.

Regards,

Phil Frick Land and Compliance Altavista Energy, Inc. 785-883-4057 dephil@dpeweb.com

<u>AFFIDAVIT</u>

The undersigned, of lawful age, being first duly sworn, upon oath states:

1. Affiant is Lessor, for purposes of this affidavit, named in the following oil and gas lease:

Neumer Lease: Oil & gas lease dated May 15, 2013, by and between Ronald P. Neumer and Brenda L. Neumer, huband and wife, Lessor, and Altavista Energy, Inc., Lessee, covering the following land in Douglas County, Kansas:

A tract of land located in the North half of Section 14, Township 15 South, Range 20 East of the 6th P.M., Douglas County, Kansas, more particularly described as follows: Beginning at the Southwest corner of the East half of the East half of the Northwest Quarter; thence North 0° 17′ 15″ East 1753.22 feet, said point being on the West line of the East half of the East half of the Northwest Quarter; thence South 89° 58′ 28″ East 1228.50 feet; thence North 0° 17′ 15″ East 890.14 feet, said point being on the North line of the West half of the Northeast Quarter; thence continuing along said North line South 89° 59′ 18″ East 361.82 feet; thence South 5° 24′ 13″ West 751.59 feet; thence South 87° 59′ 35″ East 483.79 feet, said point being on the East line of the West half of the Northeast Quarter; thence South 0° 28′ 14″ West 1876.73 feet, said point being the Southeast corner of the West half of the Northeast Quarter; thence South 89° 59′ 21″ West 2000.88 feet to the point of beginning. (See attached Exhibit A for map)

- 2. Lessor agrees that Lessee is currently drilling for oil on the above-described Neumer Lease as of the date of this affidavit.
- 3. Lessee has brought to Lessor's attention that two water well records (see Exhibit B) on the Kansas Geological Survey website show water wells in the exact same location on Lessor's property (location shown on Exhibit A Map), and that these water well records have resulted in several drilling intent forms for the Neumer Lease to be placed on a 15 day hold.
- 4. Upon review of these facts, and subsequent exploration by Lessee, both Lessor and Lessee find the two water well records to be in error as to the location of any known water well on the property, there are no known water wells on the property other than the one drilled by Lessor that is located north of Lessor's house and is more than 660 feet from any proposed drilling location, and Lessor hereby states that they have no interest in disputing the proposed locations of any oil or injection well on the Neumer Lease based on the data in the water well records shown in Exhibit B.

Date: <u>1-26-2013</u>	Ronald P. Neumer	Decemen
Date: <u>7-26-30/3</u>	Sees A A Brenda L. Neumer	Lessor

STATE OF KANSAS)
)ss:
COUNTY OF DOUGLAS)


BE IT REMEMBERED that on this day of July, 2013 before me, the undersigned, a Notary Public, duly commissioned, in and for the county and state aforesaid, Ronald P. Neumer and Brenda L. Neumber, personally known to me to be the same persons who executed the foregoing instrument of writing, and they duly acknowledged the execution of the same for themselves and for the uses and purposes therein set forth.

IN WITNESS WHEREOF, I have hereunto set my hand and official seal on the day and year last above written.

PHILLIP FRICK
OFFICIAL MY COMMISSION EXPIRES
August 30, 2016

Appointment Expires:

Notary Public



KGS Water Well Database Query

Scan of WWC5 Form

EXHIBIT B

USE TYPEWRITER OR MALL POINT PEN-PRESS FIRMLY, PRINT CHARLY. 95. 15909 38. 14653	WATER WELL KSA 87a-120				Konses Department of He Environment-Did silon of I Water well Contractors Februa, Konses 86420	ومسمون
County	Irection	Sarala	a nymber			
1. Location of walls Douglas	NEWSEWHUM	(a T	4	1 15	Range number	
17. Distance and disasting from account to a series	- A- 100 - A				5 . 20	_Qw
Street address of well location if in city:	PRIVE MAN	.R. or street:	K :	ALDITIN	KA IVSA	5
N	×			Well deptil UU /1	. 4 × 20	20
BAR BAR	D house	PFic		7. Y Coble rool Ret Ifollow red Jet 8. Use: Y_ Dementic	tedBoredBer- fublic supply ' in	erse entery Mustry
W A P	v)`			Lown	Air conditioning Si Oil field water C Height: Above or i Surface 20	eler .
S I Allia				WC X	weight BOD It	2.16./il.
5. Type and color of material		From	To	010.02 in. to 1001.	desth sope No. SCO	lö"
8011		_	5	10. Screen: Monufacturer CPOS Type DVC	Dir6x	
lime		5	7	Set between 60	Langeth <u>20</u> 11, and <u>80</u>	
groy shald		77	45	Grevel pack? 200_ Sire		^n.
white sand		45	60	Static water level: 20_ft. below land	nuface Date	/62//11.
gray shald		60_	100	12. Purping level below !	ha. evening	g.p.m.
				Extinuted maximum yield		9.p.m. -9.p.m. /40 <u>//y</u> e.
				13. Water sample submittee Yes No 14. Well head completions		
				Fitlem adapter	20 Inches above	grade
				15. Well ground? V Wirk Nest copent DeptheFrom Off.	Sentonine C	ionerere 1
				16. Nearest source of possi 1s. LOC Direction _ Well distinected upon come	ble contamination: S Type S P pletion? Yes	PELC IV
				17, Puna: Manufacturer's none	No Initalled	- 10
				Model number Length of drap pipe Type:	P. especity	
				Submersible Jet	Turbine Recipro	resident
(Use a second shift Elevation: 19. Remarks:	set if needed)			Centifepal	Other	*;'
				20. Water well controctor's This well was drilled under it give to the best of my lens	my jurisdiction and this a	1
opoyaphy:				FDOAR SINA	NK DELLIN	5 15 E
Slepe Kupland Valley				Address Bu 07/A Signed Digret	work pool	2-16-18
ward the white, blue and pink copies to the Department o	Health and Environment			/ Authorized se	Form WWC	:
					18 - 18 - 18 - 18 - 18 - 18 - 18 - 18 -	3

Kansas Geological Survey Comments to webadmin@kgs.ku.edu URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html Display Programs Updated July 29, 2004 Data added continuously.

KGS Water Well Database Query

EXHIBIT B (CONTINUED)

Scan of WWC5 Form

UCCATION OF WA County: DOUGLA Distance and disection								
	IS.	Fraction NE 4	SE # NW		tion Number	Township I	0.00	Rango Number
	from nearest town o	or city street and	ness of well if locale	4 within city?	44	т 15	8	A 20 EW
			of Baldwin	o minus city?				
2 44200 451- 0	WER: Lloyd B	1 14 South	or pandwin					
			500	Service Service - Yardina				
RR#, St. Address, Bo	× # : P.O. B⊙	x 384	B	rever joi)	Board of	Agriculture,	Division of Water Resource
City, State, ZIP Code	: Baldwin,	KS 6600	6			Anathantia	a Blombas	
LOCATE WELL'S I	OCATION WITH 4	DEPTH OF COM	MPLETED WELL	100!	ft. ELEVATIO	N·		
AN "X" IN SECTIO	N BOX: De	pth(s) Groundwa	der Encountered 1	.30-54	# 2			3
7	I WE	ELL'S STATIC W	ATER LEVEL 2) h	olow land audao			4-19-95
1 1		Prime to	net data: Wall mote		A -A	a measured o	mo day yr	Imping gor
W	NE E	Viola 7	mare Mess	r was	п. апог		. hours pu	imping gol
	! Ex	L 14810	. gpm: weaward	rwas	fi. after		. hours pu	imping gpr
* w	1 00	o note Diamete	rO 3/.Ain. 10				in	. to
2	[ELL WATER TO		5 Public water		Ur conditioning	11	Injection well
SW	58	1 Domestic		6 Oil field wa		Downstoring	12	Other (Specify below)
1	1 T	2 Irrigation	4 Industrial	7 Lawn and	arden only 10	Monitoring we		
	I Wa	is a chemical bac	teriological sample o	ubmitted to D	ppartment? Yes.	No 3	-11 000	. moʻdayiyr sample was su
	mid	ted			Water	Well Disinfects	W7 Vag 3	No No
TYPE OF BLANK	CASING USED:	5	Wrought Iron	8 Coner				dXClamped
1 Stool	3 RMP (SR)		Asbestos-Coment	0.000000000000000000000000000000000000	(specify below)	CASING JU		
2 PVC	4 ABS		Fiberglass				200	led
			rayayasa				Tive	aded
Carlos baints above t	nad medana	00-30	IL, Da	In. 10	20-100	M., Dia		in to
DODE OF COORES	and sunace	-24	, weight 2.82		Nas./ft. V	Vall thickness	or gauge N	o
TYPE OF SCREEN O				7 PV		10 Asi	ostos-como	nf
1 Steel	3 Staintess ste		Fiberglass	8 AM	P (SA)	11 Oth	er (specify)	
2 Brass	4 Galvanized s		Concrete tile	9 AB	3		ne used (op	
SCREEN OR PERFO			5 Gauze	kd wrapped	9	Saw cut		11 None (open hole)
1 Continuous sid	t 3 Mill sk	at	6 Wre v	beggstv	9	Drilled holes		(-)
2 Louvered shut		unched	7 Torch	cut	10	Other Jenacik	A	
SCREEN-PERFORATI	ED INTERVALS:	From 30	t to	60	n Emm	Ower tabecut		0
	1	From	ft. to	. ,		••••••	R. D	0
GRAVEI PA	CK INTERVALS:	From 24		100			A. b	0
O. D. T. C.	OR MAILITANES.	rium 24.	IL to	.100	n From		ft. tı	0
		E						
GROUT MATERIAL		From	ft. to		ft., From		ft. te	o 11.
GROUT MATERIAL	: 1 Neat ceme	From 2 (Pt. to	2 Rento	ft., From		tt. ti) <u>11</u> .
Grout Intervals; From	: 1 Neat ceme	From 2 (o 24	Pt. to	2 Rento	ft, From nito 4 Oth	tt., From	# <u>, tı</u>	71.
Grout Intervals: From	. 1 Neat ceme n4ft. to	From ent 2 (o 24 tamination:	tt. to Cement grout . tt., From	2 Rento	ft., From	tt., From	# <u>, tı</u>) <u>11</u> .
Grout Intervals; From What is the nearest so 1 Septic tank	. 1 Neat come n4tr, to urce of possible cont 4 Lateral lin	From ent 2 (to 24 tamination; nes	ft. to Cement grout . ft., From	3 Bento ft.	ft, From nito 4 Oth	ft., From	R. L	71.
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines	1 Neat come 1	From ent 2 (o 24 tamination: nes	tt. to Cement grout . tt., From	3 Bento ft.	ft., From nito 4 Oth IO	tt., From pens	14 AL	th. to
Grout Intervals; From What is the nearest so 1 Septic tank 2 Sower lines 3 Waterlight sew	. 1 Neat come n4tr, to urce of possible cont 4 Lateral lin	From ent 2 (o 24 tamination: nes	ft. to Cement grout . ft., From	3 Bento ft.	ft, From nite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer	tt., From pens ige storage	14 At 15 Oc 16 Oc	ti. to
Grout Intervals; From What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well?	.: 1 Neat cerne n4	From ent 2 (o 24 tamination: nes	ft. to Cement grout ft., From	3 Bento ft.	ft., From ito 4 Other Livestock 11 Fuel store 12 Fertilizer 13 Insecticide	it., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the negrest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from wett? FROM TO	1 Neat cerns 1	From ent 2 (o 24 tamination: nes	ft. to Cament grout ft., From 7 Pit privy 6 Sewage lago 9 Feedyard	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	t. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Watertight sew Direction from well? FROM TO 0 1	1 Neat cerns 1	From Pit 2 (fi. to Cament grout . ft., From	3 Bento ft.	ft., From ito 4 Other Livestock 11 Fuel store 12 Fertilizer 13 Insecticide	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from wett? FROM TO	i 1 Neat come n 4	From 2 (o 24	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Watertight sew Direction from well? FROM TO 0 1	.: 1 Neat ceme m 4 1. to urce of possible cont 4 Lateral lin 5 Cess pool of lines 6 Seepage NE. U Top Soil Clay-Brown	From 2 (024 tamination; les i plt	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well? FROM 70 0 1 1 3 3 47	i 1 Neat ceme n	From Port 2 (0	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well? FROM 70 0 1 1 3 3 47	i 1 Neat ceme n	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines as 3 Waterlight sew Direction from well? FROM TO Q 1 1 3 3 47 47 55	i 1 Neat ceme in 4 in the urce of possible cont 4 Lateral lin 5 Cess poor or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-B Sandstone-G	From 2 (po 24 camination: less plt ITHOLOGIC LOC Sirown	fi. to Cament grout . ft., From	3 Bento	ft, From ite 4 Oth 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticid How many te	tt., From pens	14 At 15 Oc 16 Oc	th. to
Grout Intervals: From the regress and a state of the regress and the regress a	i 1 Neat ceme ii 4	From 2 (0 24 camination: les pit mHOLOGIC LOX	ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard 3	3 Bento fi.	fl., From fl. From 10 Livestock 11 Fuel stor 12 Ferilizer 13 Insecticid How many te	ti., From pens. ige storage storage storage pi storage	ft, to 14 At 15 Or 18 Or UGGING IF	th. to
Grout Intervals: From the repress so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well? FROM TO 0 1 3 3 47 47 55 55 100	: 1 Neat ceme 4	From ent 2 (ft. to Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard 3	3 Bento fi.	ft, From hito 4 Oth O. 10 Livestock 11 Fuel stora 12 Fertilizer 13 Insecticid How many te	ti., From pens. lige storage storage set? 210!	It, Id 14 AI 15 OI 16 OI UGGING IP	t. to
Grout Intervals: From the results of 1 Septic Lank 2 Sever lines 3 Waterlight sew Direction from well? FROM 70 0 1 1 3 3 47 47 55 55 100 CONTRACTORS Of CONTRACTORS Of CONTRACTORS of Controleted on (mol/day)	in 1 Neat ceme in 4	From ent 2 (0 24	h. to Cement grout h. From 7 Pit privy 8 Sewage lago 9 Feedyard 3	3 Bento II. On FROM (1) construct	ft, From nito 4 Oth 0. 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticel How many te	ti., From pens tige storage a storage pli pl	It, to 14 At 15 Or 16 Or UGGING IP	t. to
Grout Intervals: From the results of 1 Septic Lank 2 Sever lines 3 Waterlight sew Direction from well? FROM 70 0 1 1 3 3 47 47 55 55 100 CONTRACTORS Of CONTRACTORS Of CONTRACTORS of Controleted on (mol/day)	in 1 Neat ceme in 4	From ent 2 (0 24	h. to Cement grout h. From 7 Pit privy 8 Sewage lago 9 Feedyard 3	3 Bento II. On FROM (1) construct	ft, From nito 4 Oth 0. 10 Livestock 11 Fuel store 12 Fertilizer 13 Insecticel How many te	ti., From pens tige storage a storage pli pl	It, to 14 At 15 Or 16 Or UGGING IP	th. to
Grout Intervals: From the results of	in 1 Neat ceme in 4 it is urce of possible cont 4 Lateral lin 5 Cess pool or lines 6 Seepage NE U Top Soil Clay-Brown Sandstone-B Sandstone-G Shale-Grey A LANDOWNER'S C real	Front 2 (024 camination: les plt ITHOLOGIC LOC STOWN STERY P-95 182	h. to Cement grout h., From 7 Pit privy 8 Sewage lago 9 Feedyard 3	3 Bento II. On FROM (1) construct	ft, From nito 4 Oth 0. 10 Livestock 11 Fuel stors 12 Ferilizer 13 Insecticid How many te TO	ti., From pens. lige storage storage ent? 210! Pi	It. Is 14 Al 15 Oi 16 Oi 16 Oi UGGING In Ugged under tol my kno	t. to
Grout Intervals: From the regress of 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 1, 1 3 3 47 47 55 55 100 CONTRACTOR'S Completed on (moday) Water Well Contractor's noder the business name	I Neat ceme I A Lateral lin 5 Cess pool or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-G Shale-Grey A LANDOWNER'S C reau) License No. Book STRADER License No.	Front 2 (024 1 2 (024 1 2 (024 1 2 (024 1 3 (1 4 2 (1 4 2 (1 5 2 (1 4 2 (1 5 2 (fi. to Cement grout fi., From 7 Pit privy 8 Sewage lago 9 Feedyard 3 This water well wat This Water We O. J INC.	3 Bento II. On FROM (1) construct II Record was	ft, From hito 4 Oth hi	tt., From pens tige storage storage storage storage storage pi cted, or (3) pi true to the bes to (day(y))	It. to 14 At 15 Or 16 Or 16 Or UGGING IF	it. to
Grout Intervals: From the regress of 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 1, 1 3 3 47 47 55 55 100 CONTRACTOR'S Completed on (moday) Water Well Contractor's noder the business name	I Neat ceme I A Lateral lin 5 Cess pool or lines 6 Seepage NE Top Soil Clay-Brown Sandstone-G Shale-Grey A LANDOWNER'S C reau) License No. Book STRADER License No.	Front 2 (024 1 2 (024 1 2 (024 1 2 (024 1 3 (1 4 2 (1 4 2 (1 5 2 (1 4 2 (1 5 2 (fi. to Cement grout fi., From 7 Pit privy 8 Sewage lago 9 Feedyard 3 This water well wat This Water We O. J INC.	3 Bento II. On FROM (1) construct II Record was	ft, From hito 4 Oth hi	tt., From pens tige storage storage storage storage storage pi cted, or (3) pi true to the bes to (day(y))	It. to 14 At 15 Or 16 Or 16 Or UGGING IF	t. to

Kansas Geological Survey

Comments to webadmin@kgs.ku.edu

URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html

Display Programs Updated July 29, 2004

Data added continuously.