



**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Conv. to GSW
- Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date      Date Reached TD      Completion Date or Recompletion Date

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



1153269

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  Flowing  Pumping  Gas Lift  Other *(Explain)* \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____ <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: _____ _____
---	--	--

Douglas County, KS  
 Well: Baldwin West A-7  
 Lease Owner: AltaVista

**Town Oilfield Service, Inc.**  
 (913) 837-8400

Commenced Spudding:  
 June 18, 2013

WELL LOG

Thickness of Strata	Formation	Total Depth
0-33	Soil-Clay	33
16	Sandy Shale	49
3	Sandy Lime	52
139	Shale	191
5	Lime	196
3	Shale	199
2	Lime	201
3	Shale	204
13	Lime	217
8	Shale	225
7	Lime	232
6	Shale	238
22	Lime	260
30	Shale	290
16	Lime	306
14	Sand & Sandy Shale	320
59	Shale	379
21	Lime	400
20	Shale	420
6	Lime	426
15	Shale	441
8	Sand	449
18	Lime	467
17	Shale	484
6	Lime	490
4	Shale	494
14	Lime	508
5	Shale	513
24	Lime	537
5	Shale	542
4	Lime	546
3	Shale	549
8	Lime	557
170	Shale	727
5	Lime	732
6	Shale	738
4	Lime	742
10	Shale	752
4	Lime	756
18	Shale	774



# Short Cuts

## TANK CAPACITY

BBLs. (42 gal.) equals  $D^2 \times .14 \times h$

D equals diameter in feet.

h equals height in feet.

## BARRELS PER DAY

Multiply gals. per minute x 34.2

HP equals BPH x PSI x .0004

BPH - barrels per hour

PSI - pounds square inch

## TO FIGURE PUMP DRIVES

\* D - Diameter of Pump Sheave

\* d - Diameter of Engine Sheave

SPM - Strokes per minute

RPM - Engine Speed

R - Gear Box Ratio

\*C - Shaft Center Distance

D -  $RPM \times d$  over  $SPM \times R$

d -  $SPM \times R \times D$  over RPM

SPM -  $RPM \times D$  over  $R \times d$

R -  $RPM \times D$  over  $SPM \times d$

BELT LENGTH -  $2C + 1.57(D + d) + \frac{(D-d)^2}{4C}$

\* Need these to figure belt length

TO FIGURE AMPS:  $\frac{WATTS}{VOLTS} = AMPS$

746 WATTS equal 1 HP

# Log Book

Well No. A 7

Farm Baldwin West

KS Douglas  
(State) (County)

7 15 20  
(Section) (Township) (Range)

For Altavista Energy inc  
(Well Owner)

## Town Oilfield Services, Inc.

1207 N. 1st East

Louisburg, KS 66053

913-710-5400





Thickness of Strata	Formation	Total Depth	Remarks
0-33	Soil - clay	33	
16	Sandy shale	49	
3	sandy lime	52	
139	Shale	191	
5	Lime	196	
3	Shale	199	
2	Lime	201	
3	Shale	204	
13	Lime	217	
8	Shale	225	
7	Lime	232	
6	Shale	238	
22	Lime	260	
30	Shale	290	Shells
16	Lime	306	
14	Sand & sandy shale	320	No Oil
59	Shale	379	
21	Lime	400	
20	Shale	420	
6	Lime	426	
15	Shale	441	
8	Sand	449	No Oil
18	Lime	467	
17	Shale	484	
6	Lime	490	
4	Shale	494	
14	Lime	508	

50%

Thickness of Strata	Formation	Total Depth	Remarks
5	Shale	513	
24	Lime	537	
5	Shale	542	
4	Lime	546	
3	Shale	549	
8	Lime	557	
170	Shale	727	Heather
5	Lime	732	672-685 some sand - no Oil
6	Shale	738	
4	Lime	742	
10	Shale	752	
4	Lime	756	
18	Shale	774	
3	Lime	777	
40	Shale	817	
2	Lime	819	
3	Shale	822	
2	sandy shale	824	
3	sand	827	no Oil
15	sand	842	odor - broken pool show
17	sand	859	broken - 50-75% good show
18	sand	877	solid - good show
83	Shale	960	TD





**CONSOLIDATED**  
Oil Well Services, LLC

**REMIT TO**  
Consolidated Oil Well Services, LLC  
Dept. 970  
P.O. Box 4346  
Houston, TX 77210-4346

**MAIN OFFICE**  
P.O. Box 884  
Chanute, KS 66720  
620/431-9210 • 1-800/467-8676  
Fax 620/431-0012

INVOICE

Invoice # 259783

Invoice Date: 06/20/2013 Terms: 0/0/30,n/30

Page 1

ALTAVISTA ENERGY INC  
4595 K-33 HIGHWAY  
P.O. BOX 128  
WELLSVILLE KS 66092  
(785) 883-4057

BALDWIN WEST A-7  
42017  
2-15-20  
06-19-2013  
KS

Part Number	Description	Qty	Unit Price	Total
1124	50/50 POZ CEMENT MIX	120.00	11.5000	1380.00
1118B	PREMIUM GEL / BENTONITE	302.00	.2200	66.44
1111	SODIUM CHLORIDE (GRANULA	232.00	.3900	90.48
1110A	KOL SEAL (50# BAG)	600.00	.4600	276.00
4402	2 1/2" RUBBER PLUG	1.00	29.5000	29.50
1401	HE 100 POLYMER	.50	47.2500	23.63

Description	Hours	Unit Price	Total
370 80 BBL VACUUM TRUCK (CEMENT)	2.00	90.00	180.00
495 CEMENT PUMP	1.00	1085.00	1085.00
495 EQUIPMENT MILEAGE (ONE WAY)	25.00	4.20	105.00
495 CASING FOOTAGE	935.00	.00	.00
558 MIN. BULK DELIVERY	1.00	368.00	368.00

=====  
Parts: 1866.05 Freight: .00 Tax: 136.23 AR 3740.28  
Labor: .00 Misc: .00 Total: 3740.28  
Sublt: .00 Supplies: .00 Change: .00  
=====

Signed \_\_\_\_\_ Date \_\_\_\_\_

BARTLESVILLE, OK 918/338-0808    EL DORADO, KS 316/322-7022    EUREKA, KS 620/583-7664    PONCA CITY, OK 580/762-2303    OAKLEY, KS 785/672-8822    OTTAWA, KS 785/242-4044    THAYER, KS 620/839-5269    GILLETTE, WY 307/686-4914    CUSHING, OK 918/225-2650

