

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #	:	
SGA?	Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1153449

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
DPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State: Zip: +	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Depth:	Formation at Total Depth:
Original Completion Date Original Total Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)
CC DKT #·	
NOO DINT #	Will Cores be taken? YesN
OO DINI #	Will Cores be taken?N  If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it of the
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist: 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it of the
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t
The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY	IDAVIT aging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. Indicate the provided in the complete of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  API # 15 -	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist;  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Libmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 3465 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)		SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No Artificial Liner?  Yes No			How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
feet Depth of water wellfeet			over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date.		
	KCC	OFFICE USE O	NLY		
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No		



### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

MN (2.5°E)

Data Zoom 15-0

1" = 300.0 ft

© DeLorme. Topo North America™ 9.

www.delorme.com

### <u>AFFIDAVIT</u>

The undersigned, of lawful age, being first duly sworn, upon oath states:

1. Affiant is Lessor, for purposes of this affidavit, named in the following oil and gas lease:

**Neumer Lease**: Oil & gas lease dated May 15, 2013, by and between Ronald P. Neumer and Brenda L. Neumer, huband and wife, Lessor, and Altavista Energy, Inc., Lessee, covering the following land in Douglas County, Kansas:

A tract of land located in the North half of Section 14, Township 15 South, Range 20 East of the 6<sup>th</sup> P.M., Douglas County, Kansas, more particularly described as follows: Beginning at the Southwest corner of the East half of the East half of the Northwest Quarter; thence North 0° 17′ 15″ East 1753.22 feet, said point being on the West line of the East half of the East half of the Northwest Quarter; thence South 89° 58′ 28″ East 1228.50 feet; thence North 0° 17′ 15″ East 890.14 feet, said point being on the North line of the West half of the Northeast Quarter; thence continuing along said North line South 89° 59′ 18″ East 361.82 feet; thence South 5° 24′ 13″ West 751.59 feet; thence South 87° 59′ 35″ East 483.79 feet, said point being on the East line of the West half of the Northeast Quarter; thence South 0° 28′ 14″ West 1876.73 feet, said point being the Southeast corner of the West half of the Northeast Quarter; thence South 89° 59′ 21″ West 2000.88 feet to the point of beginning. (See attached Exhibit A for map)

- 2. Lessor agrees that Lessee is currently drilling for oil on the above-described Neumer Lease as of the date of this affidavit.
- 3. Lessee has brought to Lessor's attention that two water well records (see Exhibit B) on the Kansas Geological Survey website show water wells in the exact same location on Lessor's property (location shown on Exhibit A Map), and that these water well records have resulted in several drilling intent forms for the Neumer Lease to be placed on a 15 day hold.
- 4. Upon review of these facts, and subsequent exploration by Lessee, both Lessor and Lessee find the two water well records to be in error as to the location of any known water well on the property, there are no known water wells on the property other than the one drilled by Lessor that is located north of Lessor's house and is more than 660 feet from any proposed drilling location, and Lessor hereby states that they have no interest in disputing the proposed locations of any oil or injection well on the Neumer Lease based on the data in the water well records shown in Exhibit B.

Date: <u>1-26-2013</u>	Ronald P. Neumer	Doleumen
Date: <u>7-26-30/3</u>	Sunda Al d Brenda L. Neumer	Lessor

STATE OF KANSAS )
)ss:
COUNTY OF DOUGLAS )


BE IT REMEMBERED that on this day of July, 2013 before me, the undersigned, a Notary Public, duly commissioned, in and for the county and state aforesaid, Ronald P. Neumer and Brenda L. Neumber, personally known to me to be the same persons who executed the foregoing instrument of writing, and they duly acknowledged the execution of the same for themselves and for the uses and purposes therein set forth.

IN WITNESS WHEREOF, I have hereunto set my hand and official seal on the day and year last above written.

PHILLIP FRICK
OFFICIAL MY COMMISSION EXPIRES
August 30, 2016

Appointment Expires:

Notary Public



# KGS Water Well Database Query

Scan of WWC5 Form

### **EXHIBIT B**

USE TYPEWRITER OR MALL POINT PEN-PRESS FIRMLY, PRINT CHARLY.  95. 15909 38 34 553	WATER WELL B KSA 8Za-130				Konses Department of He Environment-Didilion of I Water well Contractors Foothy, Konson 86420	المناهم المناه
County	fraction .	Sarala	a nyates			
Douglas	NEWSEWHIN	.   ~~~	4	1 15	Range number	
17. Distance and disasting from a constant and a section					5 . 20	_Qw
Street address of well location if in city:	JAMES AND R.	R. or street:	K :	ALDITIN	KA IVSA	5
N	*			Well depril 00 (1	4 70	20
BAR A	Dhouse Se	PTIC		# Hollow red Jeri #. Uses X Domestic Irrigation	tedBoredRen _ Public supply ' In _ Air conditioning St	erse rotory stusky lock
				9. Caling: Morerial  1hreaded Welded	Oil Field water _ O Height: Above or Surface 20	inles
S I Alla					weight BOD It	2.16./il.
5. Type and color of marerial		From	To	Dioin. to it. e	desth sope No. SCO	Lö
801l		o	5	10. Screen: Monufacturer CMOS	Dir6x	
lime		5	7	Slot/gavze_3/8 Set between 60	Langeth <u>20</u> ft, and <u>80</u>	
groy shald		7	45	Grevel pack? 200_ Size		<u> </u>
white sand		45	60	20_ft. below land	nuface Date	/60//yr.
gray shald		60_	100	12. Purping level below I:	ha. evening	, g,p,m,
		_		Extinuted maximum yield		8.p.m.
		+		13. Water sample submittee Yes No		Mos/ye.
				14. Well head completion:	20 Inches above	grade
				15. Well ground?	Sentonine C	ionerate 1
				16. Nearest source of possility.  16. LOC Direction _  Well distincted upon come	ble contamination:  5 Type September 1 Yes	Pric 10
				17. Puna: Manufacturer's none	No Imtalled	- 0
		-		Model number Length of drap pipe Type:	P. especity	
		-		Submersible Jet	Turbine Recipro	calina
Use a second sha I. Elevation: 19. Remarks:	et if needed)			Centifugal	Other	
				20. Water well contractor's This well was drilled under it true to the best of my kno	my jurisdiction and this a	1001
opography: Hill				FDOAR SINA	NK DELLIN	C134 = 15
Slepe Lipland Valley				Address BU 07/A Signed Payment Signed Authorized se	Want Dotal	8-16-8 W
ward the white, blue and pink copies to the Department of	Health and Environment			Authorized se	Form WWC	======================================
					0.00000.000.000.000	12

Kansas Geological Survey Comments to webadmin@kgs.ku.edu URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html Display Programs Updated July 29, 2004 Data added continuously.

# KGS Water Well Database Query Sc

## **EXHIBIT B (CONTINUED)**

## Scan of WWC5 Form

1 LOCATION OF WA					5 KSA BZa			
County: DOUGLA		Fraction NE 14	CB 141		ction Number	Township N		Rango Number
	n from nearest town o	NE K	SE 4 NW	14	14	т 15	8	A 20 EW
Creaming and Calectics				od within city?				
	15 east,	14 south	of Baldwin					
	WHER: Lloyd Bi			- 100 m				
RR#, St. Address, Bo	x # : P.O. Box	c 384	F	Brever joi	b	Based All M	aula, Ja., a. P	Division of Water Resource
City, State, ZIP Code	: Baldwin.	KS 66006	•		<del>5</del> 4			AMBION OF WATER HESOURCE
	OCATION WITH					Application	Number:	
AN "X" IN SECTIO	N BOX:	DEPTH OF COM	IPLETED WELL	. 100	ft. ELEVAT	70N:		
	N Dep	pon(s) Groundwa	er Encountered	1 30-56			6 3	
Ī   ]		LL'S STATIC W	ATER LEVEL 2	2 h.	hue boal wold	ace measured on	modeute	4_10_05
	NIP	Pump to	st data: Well war	er was	ft .nh	D.	-	malaa aama
X	Est.	. Yield	. ppm: Well war	er was	6 00	ne	hours por	mping gpm
• 1 i i	1 1 180	a Hole Diameter	8 3/4 in se				nours pui	toti
* w	1 WE	LL WATER TO	. W. O/A W. 10	F 0 br	or supply (	ng		
- i	i       ''`	1 Domestic				Air conditioning		njection well
SW	9		3 Feedlot	6 Oil field wa		Dewatering	12 (	Other (Specify below)
1		2 Irrigation	4 Industrial	7 Lawn and	garden only 1	Monitoring well		
<u> </u>	Wa	s a chemical bac	teriological sample	submitted to D	legarment? You	NoX	: If vos.	mo'day.'yr sample was sul
•	mid	led			Wate	r Well Disinfector	17 Yes X	No.
5 TYPE OF BLANK	CASING USED:	5	Wrought Iron	8 Conce				XClamped
1 Steel	3 RMP (SR)		Asbestos-Coment		(specify below)	CHOING JUI	W12: U1000	aCiamped
2 PVC	4 ABS		Fiberglass					и
			-mergrass			******	Tivea	ded
Charle Cashing Chambles		10 D <del></del> JO	ft., Dia 5".		60-100.	tl., Dia	1	000
Casing neight above t	and surface	24" in	, weight 2 . 8	2	Nos./ft	Wall thickness of	r gauge No	258
THE OF SCHEEN O	r perforation m	ATERIAL:		7 PV	C		stos-come	
1 Steel	3 Staintess ste-	el 5	Fiberplass	8 RI	AP (SA)			 
2 Brass	4 Galvanized s		Concrete tile	9 AE			a used (ope	
SCREEN OR PERFO	RATION OPENINGS	ARF.		ed wrapped	-	8 Saw cut		
1 Continuous sig								11 None (open hole)
2 Louvered shuff		51		wrapped		9 Drilled holes		
		unched	7 Torci	cut		10 Other (specify)		
SCREEN-PERFORATI		From 30 .	ft. to .	60	ft. From		fr to	
		rom	ft. to .		t From		* **	
GRAVEL PA	CK INTERVALS: 6	E.m. 24						
			ft to	100	N From			
	ON INTERVALS.	From	fl. to .	100	from		ft. to	
		rom	ft. 10	100	・・・・・れ、From 机、From		ft. to	
GROUT MATERIAL	.: 1 Neat ceme	rom 2 C	ft. to	. 100	ft., From	fhor	tt. to	t. n
GROUT MATERIAL Grout Intervals: From	.: 1 Neat ceme	From 2 C	ft. to	. 100	ft., From tt., From mite 4 C	ther trom	tt. to	
GROUT MATERIAL Grout Intervals: From What is the nearest so	.: 1 Neat come m4ft, to	rit 2.0 o 24 amination:	tt. to cement grout . tt., From	. 100	ft., From	ther trom	ft. to	t. n
GROUT MATERIAL Grout Intervals; From What is the nearest so 1 Septic tank	.: 1 Neat come m4ti, to urce of possible conti	rit 2 C p 24 amination: es	ft. to	. 100	ft., From tt., From mite 4 C	therthe From	ft. to ft. to	
GROUT MATERIAL Grout Intervals; From What is the nearest so 1 Septic tank 2 Sewer lines	1 Neat ceme 14ft. to 1 Lateral lin 5 Cess pool	From  ont 2 C  o 24 amination: es	ft. to cament grout . ft., From 7 Pit privy	3 Bento	ft., From ft., From inito 4 0 10	therth., From	14 Ab.	. ft. to
GROUT MATERIAL Grout Intervals; From What is the nearest so 1 Septic tank 2 Sewer lines	1 Neat ceme 14ft. to 1 Lateral lin 5 Cess pool	From  ont 2 C  o 24 amination: es	h. to cament grout h., From 7 Pit privy 8 Sewage lag	3 Bento	ft, From tt, From tt, From tt, From tt, From to	therth, From ok pens orage or storage	14 Ab 15 Oil 16 Otr	it. to
GROUT MATERIAL Grout Intervals; Fror What is the nearest so  1 Septic tank 2 Sower lines 3 Waterlight sew	1 Neat come 1	From  ont 2 C  o 24 amination: es	ft. to cament grout . ft., From 7 Pit privy	3 Bento	tt., From tt., From tt., From tt., From tt. 4 0 to	ther	14 Ab 15 Oil 16 Otr	. ft. to
GROUT MATERIAL Grout Intervals; From What is the nearest so 1 Septic tank 2 Sewer lines	1 Neat cerne 1	rit 2.0 p24 amination: es	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
g GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Waterlight sew Direction from well? FROM TO	.: 1 Neat cerne to the control of possible control of possible control of Lateral IIn 5 Cess pool of IInes 6 Seepage   NE	From  ont 2 C  o 24 amination: es	h. to cament grout h., From	3 Bento	tt., From tt., From tt., From tt., From tt. 4 0 to	ther	14 Ab 15 Oil 16 Otr	ft. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Waterlight sow Direction from well? FROM TO Q 1	1 Neat cerne 1 Lateral lin 2 Cess pool 2 Ines 6 Seepage   NE U	rit 2.0 p24 amination: es	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well? FROM TO 0 1 1 3	.: 1 Neat certe .: 4	rom ent 2 C  o 24 amination: es i pit	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sower lines 3 Waterlight sew Direction from well? FROM TO 0 1 1 3 3 47	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
g GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sow Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well? FROM TO 0 1 1 3 3 47	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
g GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sow Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
g GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sow Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
g GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sow Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sew Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sew Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sew Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sew Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sew Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sew Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sower lines 3 Wateright sew Direction from well? FROM TO 0 1, 1 3 3 47, 47 55	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From the second sec	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
GROUT MATERIAL Grout Intervals: From the second sec	1 Neat ceme 1 4	rown	h. to cament grout h., From	3 Bento	ft., From tt., From tt., From tt., From tt. 4 Clo.  10 Livesto 11 Fuel st 12 Fertilize 13 Insection	ther	14 Ab 15 Oil 16 Oil	ft. to
grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well? FROM 70 0 1 1 3 3 47 47 55 55 100	1 Neat ceme 1. 4	mit 2 Control 2	Rt. to Rement grout Rt., From	3 Bentoh.	ft. From tt.	ther	14 Ab 15 Oil 16 Oil	it. to
GROUT MATERIAL Grout Intervals: From What is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sown Direction from well? FROM TO 0 1, 1 3 3 47 47 55 55 100	.: 1 Neat ceme  .: 1 Neat ceme  .: 4	rown  rey  FDT:EIGATION:	Rt. to Rement grout Rt., From	3 Bento fr.	fl. From ft.	ther	14 Ab 15 Oil 16 Ou	It. to
GROUT MATERIAL Grout Intervals: From the second sec	I Neat ceme  1. 4	rown  rey  ERT:FICATION:	Rt. to Rement grout Rt. From	J Bento Tr.  TROM  FROM  FROM  I Goodfree  I Goodfree	fl. From ft. From ft. From ft. From ft. From ft. From ft. From 10 Livesto 11 Fuel st 12 Fertist 13 Insection How many TO	ther	14 Ab 15 Oil 16 OU DGGING IN	It. to
GROUT MATERIAL Grout Intervals: From Martin Intervals: Interva	I Neat ceme  1 A	rom 2 Control 2	Rt. to Rement grout Rt. From	J Bento Tr.  TROM  FROM  FROM  I Goodfree  I Goodfree	fl. From ft. From ft. From ft. From ft. From ft. From ft. From 10 Livesto 11 Fuel st 12 Fertist 13 Insection How many TO	ther	14 Ab 15 Oil 16 OU DGGING IN	it. to
GROUT MATERIAL Grout Intervals: From the second sec	I Neat ceme  I Neat ceme  I Lateral lin  5 Cess pool  or lines 6 Seepage    NE L  Top Soil  Clay-Brown Sandstone-B Sandstone-G Shale-Grey  RE LANDOWNER'S C  rear) 4-15  License No.  Top or STRADER	ERTIFICATION: 2 O	Rt. to Rement grout Rt., From  7 Pit pitvy 8 Sewage lag 9 Feedyard 3  This water well with This water well with	3 Bento h.  TROM  FROM  Strict Construction of Record was	fl. From ft.	ther	14 Ab 15 Oil 16 Otl 16 Otl 16 Otl 16 Otl 17 Oil 18 Otl 18 Oil 18 Otl 18 Oil 18	ft. to
GROUT MATERIAL Grout Intervals: From the search of the sea	I Neat ceme  I Neat ceme  I Lateral lin  5 Cess pool  or lines 6 Seepage    NE L  Top Soil  Clay-Brown Sandstone-B Sandstone-G Shale-Grey  RE LANDOWNER'S C  rear) 4-15  License No.  Top or STRADER	ERTIFICATION: 2 O	Rt. to Rement grout Rt., From  7 Pit pitvy 8 Sewage lag 9 Feedyard 3  This water well with This water well with	3 Bento h.  TROM  FROM  Strict Construction of Record was	fl. From ft.	ther	14 Ab 15 Oil 16 Otl 16 Otl 16 Otl 17 Oil 18 Otl 18 Otl 18 Oil 18 Otl 18 Oil 18	ft. to
GROUT MATERIAL Grout Intervals: From the second sec	I Neat ceme  I Neat ceme  I Lateral lin  5 Cess pool  or lines 6 Seepage    NE L  Top Soil  Clay-Brown Sandstone-B Sandstone-G Shale-Grey  RE LANDOWNER'S C  rear) 4-15  License No.  Top or STRADER	ERTIFICATION: 2 O	Rt. to Rement grout Rt., From  7 Pit pitvy 8 Sewage lag 9 Feedyard 3  This water well with This water well with	3 Bento h.  TROM  FROM  Strict Construction of Record was	fl. From ft.	ther	14 Ab 15 Oil 16 Otl 16 Otl 16 Otl 17 Oil 18 Otl 18 Otl 18 Oil 18 Otl 18 Oil 18	ft. to
GROUT MATERIAL Grout Intervals: From Mat is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew Direction from well? FROM TO 0 1 1 3 3 47 55 55 100 CONTRACTOR'S Open Properties on (mortary) faiter Well Contractor's note the business named the business named the pusiness named the service of the contractor's note the business named the pusiness n	I Neat ceme  1 A	ERTIFICATION: 2 O	Rt. to Rement grout Rt., From  7 Pit pitvy 8 Sewage lag 9 Feedyard 3  This water well with This water well with	3 Bento h.  TROM  FROM  Strict Construction of Record was	fl. From ft.	ther	14 Ab 15 Oil 16 Otl 16 Otl 16 Otl 17 Oil 18 Otl 18 Otl 18 Oil 18 Otl 18 Oil 18	it. to

Kansas Geological Survey

Comments to webadmin@kgs.ku.edu

URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html

Display Programs Updated July 29, 2004

Data added continuously.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.