

For KCC	Use:		
Effective I	Date:		
District #			
SGA?	Yes	No	

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Section Per	Expected Spud Date:				Spot Description:	
Contact Person		month	day	year	Sec Twp	S. R
Variety Vari	ODEDATOR: License#					
Is SECTION: Regular Irregular?						/ W Line of Sectio
Motes Country					Is SECTION: Regular Irregular?	
County: County: Count						
Country Coun					•	*
Field Name: State Spaced Field? Spaced	•				,	
Is this a Prorated / Spaced Field? Yes	Phone:					
Name: Well Drilled For: Well Class: Type Equipment: Naerest Lease or unit boundary line (in footage): Search Class Storage Pool Ext. Air Rotary Wildcat Cable Storage Pool Ext. Air Rotary Wildcat Cable Depth to bottom of Iresh water: Depth to Depth: Depth: Depth to Depth: Depth to Depth: Depth to Depth:	CONTRACTOR: License#					
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): feet Nearest Lease or unit boundary line (in footage): fe					·	
Ground Surface Elevation:	varrie.					
Gas Storage Pool Ext. Architect Architect Gable Mid Rotary Water well within one-quarter mile: Yes Yes Disposal Wildcat Cable Disposal Wildcat Cable Disposal Wildcat Cable Depth to bottom of Iresh water:	Well Drilled For:	Well Class	: Ty	pe Equipment:		
Gas Slorage Pool Ext. Cable Disposal Wildcat Cable Disposal Wildcat Cable Depth to bottom of fresh water: Depth to bottom of usable water: U II Length of Surface Pipe Planned to be set: Depth to bottom of usable water: Depth to bottom of usable water Depth to bottom of usable value Depth to bottom of usable value Depth to bottom of usa	Oil Enh F	Rec Infield	ı	Mud Rotary		
Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Usaface Pipe ph Alternate: Usaface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Depth to bottom of usable water: Usaface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Depth to bottom of usable water: Depth to bottom of usable water: Usaface Pipe Planned to be set: Depth to bottom of usable water: Usaface Pipe Planned to be set: Depth of Surface Pipe Planned To Pipe Planned T	Gas Stora	ge Pool F	Ext.	Air Rotary	•	
Depth to bottom of usable water: Depth to bottom of usable water:	Dispo	sal Wildca	at	Cable	Public water supply well within one mile:	Yes N
Depth to bottom of usable water: Surface Pipe by Alternate:	Seismic ;# o	of Holes Other			·	
Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Progration of Total Depth: Progration at Total Depth: Progration at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations Water Source for Drilling Operations Water Source for Drilli	Other:				Depth to bottom of usable water:	
Operator: Well Name: Original Completion Date: Original Completion Da					Surface Pipe by Alternate: I II	
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source For Drilling Operatio	If OWWO: old well	information as follo	ows:		Length of Surface Pipe Planned to be set:	
Well Name: Original Completion Date: Original Total Depth: Projected Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-c, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Well Farm Pond Other: DWR Permit #: Will Cores be taken? If Yes DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes Open DWR Permit #: (Note: Apply for Permit with DWR DWR Permit #: (Note: Apply for Permit with DWR DWR Permit #:	Operator:				Length of Conductor Pipe (if any):	
Water Source for Drilling Operations: Water Source for Drilling Operation: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operation: Water Source for Prilling Drilling Operation: Water Source for Pri	•				Projected Total Depth:	
Water Source for Drilling Operations: Water Source for Drilling Operations Water Source for Prilling Drilling	Original Completion Da	ate:	Original To	tal Depth:	Formation at Total Depth:	
Yes, true vertical depth: DVIR Permit #: (Note: Apply for Permit with DWR)						
Bottom Hole Location:	Directional, Deviated or Ho	rizontal wellbore?		Yes No	Well Farm Pond Other:	
Note: Apply for Permit with DWR Yes	If Yes, true vertical depth: _					
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);)
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1 Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	KCC DKT #:				Will Cores be taken?	Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);					If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. While the complete to: File Conductor pipe required feet Minimum surface pipe required feet per ALT. I limit feet prior pipe required feet prior pipe requ				A E	EIDAVIT	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior</i> to <i>plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. While the complete of the very district office of the KCC District office of the completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; 5. File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; 6. File Completion Form ACO-1 within 120 days of spud date; 7. File Completion Form ACO-1 within 120 days of spud date; 8. File careage attribution plat according to field proration orders; 8. Notify appropriate district office 48 hours prior to workover or re-entry; 9. Submit plugging report (CP-4) after plugging is completed (within 60 days);	The undersigned bereby	offirms that the d	سناانم ممس			
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	-		_		ugging of this well will comply with K.S.A. 55 et. seq.	
 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Wemember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); 	It is agreed that the follow	ing minimum req	uirements	will be met:		
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);						
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	.,			•	0 0.	
 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. wbmitted Electronically For KCC Use ONLY API # 15					, , , , , , , , , , , , , , , , , , , ,	shall be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Were to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);						or to plugging:
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Which is a sufface of specific prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);						or to plugging,
wbmitted Electronically For KCC Use ONLY API # 15				1 0	9 1	'S of spud date.
### Conductor pipe required	Or pursuant to App	endix "B" - Easte	rn Kansas	surface casing order #	133,891-C, which applies to the KCC District 3 area, alter	nate II cementing
For KCC Use ONLY API # 15	must be completed	within 30 days of	f the spud	date or the well shall b	e plugged. In all cases, NOTIFY district office prior to a	ny cementing.
For KCC Use ONLY API # 15						
For KCC Use ONLY API # 15						
For KCC Use ONLY API # 15	ubmitted Electro	nically				
API # 15					Remember to:	
API # 15	For KCC Use ONLY				- File Certification of Compliance with the Kansas Surface	Owner Notification
Minimum surface pipe required feet per ALT. I I II Approved by:	API # 15				·	
Minimum surface pipe requiredfeet per ALTIIIII					*	
Approved by:						
This authorization expires: - Submit plugging report (CP-4) after plugging is completed (within 60 days);	Minimum surface pipe red	luired	fe	eet per ALT. []I []II		
Inis authorization expires:	Approved by:					
(This authorization yold if drilling not started within 12 months of approval data) - Obtain written approval before disposing or injecting salt water.	This authorization expire	2.			 Submit plugging report (CP-4) after plugging is complete 	ed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:					
Lease:	feet from N / S Line of Section					
Well Number:	feet from E / W Line of Section					
Field:	Sec Twp S. R					
Number of Acres attributable to well:	Is Section: Regular or Irregular					
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW					

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

660 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued. Pit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
Distance to nearest water well within one-mile of	of nit-	Donth to challe	west fresh waterfeet.		
Distance to nearest water well within one-fille t	л рп.	Source of inform	nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of working pits to be utilized: Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No		



1153605

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)					
OPERATOR: License #	Well Location:					
Name:	SecTwpS. R 🔲 East 🗌 West					
Address 1:	County:					
Address 2:	Lease Name: Well #:					
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of					
Contact Person:	the lease below:					
Phone: () Fax: ()						
Email Address:						
Surface Owner Information:						
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the					
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City:						
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.					
Select one of the following:						
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this					
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1					
Submitted Electronically						

MCCOY PETROLEUM CORPORATION CORBIN/REXFORD LEASE SW. 1/4, SECTION 5, T305, R30W MEADE COUNTY, KANSAS



· Controlling data is based woon the best maps and photographs evaliable to us and woon a regular section of land containing 640 ocros.

July 24, 2013

section of fond containing and obtaining the normal standard of core of diffeld surveyors procticing testion times were determined using the normal standard of core of diffeld surveyors procticing in the state of Konsas. The section corners, which establish the precise section lines, procticing in the state of the difficulties too that in the section is recognized. Therefore, the aperator securing into service and occepting his plot and all arresponding the processing of processing the section of the difficulties are processed. Therefore, the aperator securing into service and occepting his plot and all arresponding to the processing the section of the definition of the processing the section of the processing the section of the section of the processing of the section of the processing the processing the section of the processing the

KSONA - Potential Tank Battery Location and Lease Road PLOT OF THE INTENDED WELL

Operator		Мс	Coy F	Petro	oleum	ı Co	rpora	ation			oganinosene.			Loc	catio	n of	Well: County: E2 S	E SW Meade
Lease:																		
Well Nun	nber:	#1-	5														2310 fe	et from E / W Line of Section
Field:		Wil	dcat											Se	C	5	Twp. 30 S	Rng. 30
Number	of Acres	s attri	butab	le to	well:_				160					lo.	Sect		Regular or	
QTR/QTI	R/QTR/	QTR	of acr	eage	:				- T		S	W_		15	3601	UII	Negulai oi [inegulai
																	s Irregular, locate v ner used: NE	well from nearest corner boundary.
													PLA					
					Show		•										pipelines and electr Act (House Bill 2032)	
						a	s requ	uii eu	Dy life	e Nai	1303	Suria	Ce Oi	wiiei	IVOII	Le A	ici (Flouse Bill 2032)	<u>.</u>
0	330	660	990	1320	1650	1980	2310	2640	2970	3300	3630	3960	4290	4620	4950	5280		
21700																	5280	
330				i								İ					4950	
660						{			•••••		•••••		•••••				4620	LEGEND
990																	4290	Well LocationTank Battery Location
1320				$-\dot{\vdash}$		- -		-+		- 🕂 -		<u> </u>		- -	-05-	. —	3960	Pipeline Location
1650				-						1							3630	Electric Line Location
1980																	3300	Lease Road Location
2310																	2970	
2640		-		$\dot{+}$		+		5				-	11	-			2640	EXAMPLE
2970								1	•								2310	
3300				ļ													1980	
3630																	1650	19
3960				-		- -		+		+-		+-		+			1320	1980' FSL
4290				ĺ								İ					990	
4620					•••••		P					<u> </u>					660	
4950				ĺ								İ					330	rda

330

SEWARD CO.

NOTE: Spot of the proposed drilling location.

5280