

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1153611

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

			Spot Description:
	month da	ay year	Sec Twp S. R E
DPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Secti
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
		Zip: +	County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#	¥		Is this a Prorated / Spaced Field?
lame:			Target Formation(s):
W " D " " . T	14/ 11/01	.	Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Stora	• =	Air Rotary	Public water supply well within one mile:
Dispo		Cable	Depth to bottom of fresh water:
Seismic ;#			Depth to bottom of usable water:
Other:			Surface Pipe by Alternate:
If OWWO: old well	Il information as follows:		Length of Surface Pipe Planned to be set:
_			
•			Projected Total Depth:
	Origin	al Total Depth:	
Original Completion D	ate Origin	ai iotai Deptii	Water Source for Drilling Operations:
Directional, Deviated or Ho	orizontal wellbore?	Yes No	Well Farm Pond Other:
f Yes, true vertical depth:			DWR Permit #:
Bottom Hole Location:			(Note: Apply for Permit with DWR)
KCC DKT #:			
			If Yes, proposed zone:
The second and second be as been	- (C (b (b		FIDAVIT
	•		ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	wing minimum requireme	ents will be met:	
	iate district office <i>prior</i> to		
	roved notice of intent to a	•	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
A copy of the appr			
2. A copy of the appr3. The minimum amount	ount of surface pipe as s	•	, , , , , , , , , , , , , , , , , , , ,
 A copy of the appr The minimum amount through all uncons 	ount of surface pipe as s solidated materials plus a	a minimum of 20 feet into th	ne underlying formation.
 A copy of the appr The minimum amounthrough all uncons If the well is dry ho 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe	a minimum of 20 feet into the een the operator and the dis	, , , , , , , , , , , , , , , , , , , ,
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ	a minimum of 20 feet into the een the operator and the dis ed before well is either plug uction pipe shall be cemente	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Approve the completed ubmitted Electro For KCC Use ONLY	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically.	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appende to the complete of the c	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appendent be completed Ubmitted Electro For KCC Use ONLY API # 15 -	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically.	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by the completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order # spud date or the well shall be the manual of the well shall be	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appendix be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re 	count of surface pipe as so solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall befeetfeetfeet per ALT I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve be completed ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by:	count of surface pipe as so solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall befeetfeetfeet per ALT I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Careage attribution plat according to field proration orders;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	count of surface pipe as so solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be feet feet per ALT I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



EXAMPLE

132 **GEMARD CO.** 3390' FEL

1980' FSL

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:					ocation of W	Well: County:
Lease: Well Number:				 		feet from N / S Line of Section feet from E / W Line of Section Twp. S. R. E W
Field:				_	ec	IWP S. K [_] E [_] W
				10	Section:	Regular or Irregular
						s Irregular, locate well from nearest corner boundary. ner used: NE NW SE SW
lease			· ·	s required	by the Kans	ndary line. Show the predicted locations of asas Surface Owner Notice Act (House Bill 2032). sired.
			:			LEGEND
	···· :	:	 	:	<u> </u>	•

NOTE: In all cases locate the spot of the proposed drilling locaton.

26

200 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

1153611

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?
			Martin (foot)
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining
material, thickness and installation procedure.			cluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inforr	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill nite must h	e closed within 365 days of spud date.
ilow into the pit: res rvo			e diosed within 303 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY
			Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1153611

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).


Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface owner.	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. Acknowledge that, because I have not provided this information, the wher(s). To mitigate the additional cost of the KCC performing this I fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

BHCRHODES

OIVIL ENGINEERS • SURVEYORS
901 N. 8th Street, Suite 100 Kansas City, KS 66101 * p. (913) 371-5300 * f. (913) 371-2677
BHC RHODES is a trademark of Brungardt Honomichl & Company, P.A.

BARBER County, Kansas 200' FSL & 1320' FEL Section 26 Township 34S Range 10W 6th P.M.



BOTTOM HOLE INFORMATION PROVIDED BY OPERATOR LISTED, NOT STAKED. SECTION COORDINATES ARE BASED ON OBSERVED POSSESSION EVIDENCE. DISTANCES SHOWN IN (PARENTHESIS) ARE CALCULATED BASED UPON THE QUARTER SECTION BEING 2640.00 FEET AND HAVE NOT BEEN MEASURED ON THE GROUND. PAD AND SERVICE ROAD LOCATIONS ARE SHOWN FOR GRAPHIC PURPOSES ONLY AND ARE NOT TO SCALE.

OPERATOR:	SANDRIDGE EXPLORATION	AND PRODUCTION, LLC.		ELEVATION:
LEASE NAME:	LUKINS 3410	WELL NO:	1-26 H	ELEVATION:
TOPOGRAPHY	& VEGETATION:	AGRICULTURAL-DRYLAND CROPS		1321
		DEEEDENCE STAVES OF ALTERNAT	TE LOCATION	

GOOD DRILL SITE? _____ STAKES SET:

BEST ACCESSIBILITY TO LOCATION: FROM THE NORTH AND WEST ON PAVED AND GRAVELED ROADS

DISTANCE & DIRECTION FROM HWY JCT OR TOWN: FROM MAIN STREET IN THE CITY OF HAZELTON. SOUTH ON TRI—CITY ROAD

FOR ±2.8 MILES. THEN LEFT (EAST) ON RATTLESNAKE ROAD FOR ±1.7 MILES TO SITE ON THE LEFT (NORTH).

	SURFACE WELL DATA TABLE
었다	DATUM: NAD27
49	LAT: 37.051106548
30.01 30.01	LONG: -98.369897220
330 330 6:	LAT: N037° 03' 03.98"
200	LONG: W098° 22' 11.63"
8 연호	STATE PLANE
Rhodes 01 MJR Of	COORDINATES: (U.S. FEET) ZONE: <u>KS SOUTH 1502</u>
ğ 🔄	ZONE: KS SOUTH 1502
. H	X: 2037971,5790
는 이 등	Y: 140009.0370
mzi	

DATE	STAKED:	2013-06-27	
		2013-06-28	
_			

CERTIFICATE:

I, <u>MICHAEL D. KLEIN</u> A KANSAS LICENSED LAND SURVEYOR AND A AUTHORIZED AGENT OF BHC RHODES, DO HEREBY CERTIFY THAT THE SURFACE WELL LOCATION DESCRIBED HEREON WAS STAKED AT THE COORDINATES SHOWN IN THE DATA TABLE.

KANSAS LIC. NO. ______778



Proposed Electric Line

Lukins 3410 1-26H

Barber County, Kansas

Unit Description:

S/2 SE/4 23-34S-10W & E/2 26-34S-10W

Surface Owner:

Lukins, Inc.

Dan Lukins, President

12359 SE Hawkins

Hazleton, KS 67061

16	a.	15			14	13 X UEYGROFII	18
		XMISYS				XILEMORALI	
21 11	ezes	55 	Mara I		23	24	19
X _{resin} :	31	^{CA(∉RII)} 1					
	WOSFIELDS 1	+	OAICS I				
28	34S 10W	д ^{ысер} 1 27		, X _{00/0.8.1}	Luxins 3410 1-26H	25	348 9W 30
	:	Д ^{ицынан} н		XICCURE			
		+ DITE! N.O.D.	- housewares	62H 6CH	40CK 311835 3HSCHEECK 3110351		
33		34		CIRCLE 3410 1-35H CIRCLE 3410	z-35H 5	36	31
Legend Sunday Compellor W X ABUTOM GREYNELL GREYNELL						† 111CX	3510 1-111
* OLIVEUL X MELLSIVA SENSON	n e	3		2 35S 10W		I	35S 9W



July 30, 2013

Lukins, Inc. Dan Lukins, President 12359 SE Hawkins Hazleton, KS 67061

Re: KSONA-1 NOTIFICATION

Please find attached an amended draft copy of Intent to Drill currently pending with the KCC for approval. The bottom hole location has changed. We plan to drill Lukins 3410 1-26H well located in Barber County, Kansas, and you are listed as the current surface owner. This notice is being provided pursuant to the Kansas Surface Owner Notice Act (House Bill 2032). If you have any questions, please contact us.

Sincerely,

Tiffany Golay

Regulatory Technician
SandRidge Energy
123 Robert S Kerr Aven

123 Robert S Kerr Avenue Oklahoma City, OK 73102

T: 405.429.6543

E: tgolay@sandridgeenergy.com

/file Attach. Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

August 26, 2013

Tiffany Golay SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Lukins 3410 1-26H SE/4 Sec.26-34S-10W Barber County, Kansas

Dear Tiffany Golay:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.