Confidentiality Requested: Yes No

## KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1152263

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Duilling Fluid Management Dian
Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West

County:

**Recompletion Date** 

Date Reached ID

Completion Date or **Recompletion Date** 

> **KCC Office Use ONLY** Confidentiality Requested Date: Confidential Release Date: \_ Wireline Log Received Geologist Report Received UIC Distribution ALT I II II Approved by: \_ Date:

\_ Permit #: \_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

	Page Two	
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth ar		Sample
Samples Sent to Geolog	jical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c			ion etc		
		Report all strings set-o	interview of the surface of the	innediate, product	ion, eic.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	IEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Protect Casing							

Did you perform a hydraulic	fracturing treatment	on this well?	Yes	No	(If No, skip questions 2 and 3)	
Plug Off Zone						
Protect Casing						
Perforate	Top Bottom					

Yes

Yes

No

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

	(11100,	экір	<i>questions</i> 2
No	(If No,	skip	question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For		RD - Bridge F Each Interval		e			ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Siz	re:	Set At:		Packer	r At:	Liner R		No	
Date of First, Resumed	l Producti	on, SWD or ENHF	<b>?</b> .	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ION OF G	AS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	TERVAL:
Vented Solo	d 🗆 u	Jsed on Lease		Open Hole	Perf.	Dually		Commingled		
(If vented, Su				Other (Specify,	)	(Submit )	,	(Submit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

July 19, 2013

Amy McFadden Enerjex Kansas, Inc. 2038 S. PRINCETON ST., STE B OTTAWA, KS 66067

Re: ACO1 API 15-059-26380-00-00 THOELE SOUTH BSP-TS39 NW/4 Sec.29-18S-21E Franklin County, Kansas

**Dear Production Department:** 

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Amy McFadden Operator License # \_\_\_\_\_\_ 33741 \_\_\_\_\_ API # \_\_\_\_\_ 15-059-26380-00-00 Operator <u>Eneriex Kansas</u> Lease Name Thoele South Address \_\_\_\_ 2038 S. Princeton St., Ste B Well # BSP – TS39 <u>Ottawa, KS 66067</u> Contractor JTC Oil, Inc. Spud Date 6/28/13 Cement 7/05/13 Contractor License 32834 Location \_\_\_\_\_ of \_\_\_\_\_ T.D. 800 T.D. of Pipe 790 \_\_\_\_\_ feet from \_\_\_\_\_ Surf. Pipe Size <u>7"</u> Depth 20' \_\_\_\_\_feet from \_\_\_\_\_ Kind of Well <u>Production</u> County Franklin

<b>Thicknes</b>	<u>s Strata</u>	From	Ĩo	Thickness	Strata	From	To
2	Soil	0	2	3	Shale	213	216
4	Clav	2	6	5	Red Bed	216	221
18	Lime	6	24	37	Shale	221	258
4	Shale	24	28	12	Lime	258	270
2	Red Bed	28	30	9	Shale	270	279
28	Shale	30	58	29	Lime	279	308
28	Lime	58	86	8	Black Shale	308	316
77	Shale	86	163	24	Lime	316	340
<u>25</u>	Lime	163	188	5	Coal	340	345
20	Shale	188	208	15	Lime	345	360
5	Lime	208	213	150	Shale	360	510

ann a bha a bha ann an ann an ann an ann an ann an ann	3	Lime	510	<u>513</u>	
	11	Shale	513	<u>524</u>	
	16	Lime	524	540	
	8	Shale	540	<u>548</u>	
	8	Sand	548	<u>556</u>	
	24	Shale	556	580	
	3	Coal	580	583	
••••••••••••••••••••••••••••••••••••••	3	Shale	583	<u>586</u>	
	8	Lime	586	594	
	12	Shale	594	606	
	2	Lime	606	608	
	14	Black Shale	608	622	
	12	Lime	622	634	
	16	Shale	634	650	
TT TO THE ADD ADD ADD ADD ADD ADD ADD ADD ADD AD	2	Lime	650	652	
	3	Coal	652	655	
	5	Lime	655	660	
	3	Lime Oil	660	663	Good
4	3	Lime Oil	663	666	Good
	2	Lime Oil	666	668	OK
	2	Shale	668	670	
••••••••••••••••••••••••••••••••••••••	3	Coal	670	673	
	13	Sand	673	686	
	22	Shale	686	708	

	28	Black Shale	708	736
	2	Oil Sand	736	738 V-Good
· · · · · · · · · · · · · · · · · · ·	2	Oil Sand	738	740 V-Good
	2	Oil Sand	740	742 V-Good
	2	Oil Sand	742	744 Broken
	16	Shale	744	760
	2	Coal	760	762
annan an an an anna an an an an an an an	7	Shale	762	769
	. 1	Lime	769	770
	6	Shale	770	776
	12	Sand	776	788
	12	Shale	788	800

		2100291	TICKET NUM	ber 42	100
A CONTRACTOR	Oli Well Berulaes, LLC	AUUS II	LOCATION	Ort-que	
			FOREMAN	Alan	Mady.
PO Box 884 620-431-92	l, Chanute, KS 66720 F l0 or 800-467-8676	IELD TICKET & TREATMENT R	EPORT	dare in the second second second	
DATE			10/2010/00/2010/00/2010/00/2010/00/2010/2010/2010/2010/2010/2010/2010/2010/2010/2010/2010/2010/2010/2010/2010/		
7-5-1	7 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		(omonin	RANGE	COUNTY
CUSTOMER		ele FBP TS 39 NW 20		31	FR
Ener		25 TRUCK #	DRIVER		The standard states of the states
MÁILING AD	DRESS	51/2		TRUCK #	DRIVER
27 00	sperate Wooks	10475 Corandrias 368	Ala had		
CITY	STATE	ZIP CODE - 673	Var Dot		
Over a	nd Park 165	66210 548	Ko. Ca	-	
JOB TYPE	Bug STAM HOLE SIZE	378 HOLE DEPTH 800	CASING SIZE & V	1 27	
CASING DEP	TH 787 DRILL PIPE	TUBING	WONTO SIZE G U		
SLURRY WE	IGHT SLURRY VO		CEMENT LEFT In	OTHER	at and attended to the second data and the second second data and the second data and
DISPLACEM	ENT 416 DISPLACEN		RATE 5/6	Man 1	125
REMARKS:		sing. Established	rate	N: 1 A	Stansonan ang add Samon and an ang add Samon and an ang add Samon ang add Samon ang add Samon ang add Samon ang
Anno	red 100 # gel	tollowed by IDR.c	K 701.30	1 xecy	
plus	270 cel. 570 5	alt 1/2 Phenoseal	A JOINT	Cene	at
Cent	At. Flushod	pamp. Pumped D	Ex Ouch	- Cile	culated
Wel	Lheid 800	PST. Set Float	AL TO	Casing	<u> </u>
			Lasen	VEIUE	
				Λ	
	₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩₩			Arter	
			Jant	100	
			JA		
ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or	PRODUCT	6.65.147ml on the arr	
5401		PUMP CHARGE	213	UNIT PRICE	TOTAL
5406	20	MILEAGE	368		108500
5402	787		368		
L					8400
5407	16		368		Contraction of the second seco
5407	12 min	Ton Miles	368 548		18400
5407 5502C	12 min 2	ton N:145 80 Vac	368 548 675		18400
prover all the second and the second the second	12 min	Ton Miles	548		Contraction of the second seco
prover all the second and the second the second	12 min 2	80 Val	548		18400
55020	108 108	Ton Miles	548		18400
prover all the second and the second the second	108 290#	80 Val	548		18400
55020	108 290# 215#	Ton Miles 80 Vac 70130 cement gel salt	548		18400
55020	108 290# 210# 210# 54#	Ton Miles 80 Vac 70130 cement gel salt	548		18400
55020	108 290# 215#	Ton Miles 80 Vac 70130 cement 3el	548		18400
55020	108 290# 215#	Ton Miles 80 Vac 70130 cement gel salt	548		18400
55020	108 290# 215#	Ton Miles 80 Vac 70130 cement gel salt	600		18400 18000 18000 18000 18000 1800 1800
55020	108 290# 215#	Ton Miles 80 Vac 70130 cement gel salt	600		18400 18000 18000 1441.80 63.80 5.85.41 72.90 29.50
55020	108 290# 215#	Ton Miles 80 Vac 70130 cement gel salt	548		18400 18000
55020	108 290# 215#	Ton Miles 80 Vac 70130 cement gel salt	600		18400 18000 18000 1441.80 63.80 485.41 72.90 29.50
55020	108 290# 215#	Ton Miles 80 Vac 70130 cement gel salt	600		18400 18000 18000 1441.80 63.80 485.41 72.90 29.50
5502C	108 290# 215#	Ton Miles 80 Vac 70130 cement gel salt	600		18400 18000 18000 1441.80 63.80 485.41 72.90 29.50
55020	108 290# 215#	Ton Miles 80 Vac 70130 cement gel salt	600	SALES TAX ESTIMATED TOTAL	18400 18000 18000 1441.80 63.80 485.41 72.90 29.50

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form