



PostRock
Energy Corporation

211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

TICKET NUMBER **7471**
FIELD TICKET REF# _____
FORMAN Nathan Bahman
AFE D13039
SSI _____
API 15-133-27636-00-00

**TREATMENT REPORT
& FIELD TICKET CEMENT**

DATE	WELL NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY	
3-12-13	Stich, William 20-10		20	28S	19E	Neosho	
FORMAN/ OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILR #	TRUCK HOURS	EMPLOYEE SIGNATURE
Nathan Bahman	6:00	11:00		905575		5	Nat G
Chris Kincaid	6:30	11:00		931400	932900	4.5	[Signature]
Greg Blackmore	6:30	11:00		903605	933235	4.5	[Signature]

JOB TYPE Long String HOLE SIZE 7 7/8 HOLE DEPTH 770 CASING SIZE & WEIGHT 5 1/2, 14#
 CASING DEPTH 766.72 DRILL PIPE _____ TUBING _____ OTHER Bus Jones rig crew
 SLURRY WEIGHT 13.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 18.7 DISPLACEMENT PSI 500 MIX PSI _____ RATE 4.0

REMARKS:
On location at 7:30. Rig crew on location at 8:30. Spotted trucks with dozer. Ready to run casing at 9:00. Washed in last 40'. Ready to cement at 10:00. See COWS ticket for cement job details. Trace oil show. No topoff needed

ACCOUNT CODE	QUANTITY OR UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
905575	1	Forman Pickup	
		Cement Pump Truck	
		Bulk Truck	
		Transport Truck <u>Haul truck</u>	
		Transport Trailer <u>low boy trailer</u>	
		80 Vac	
931400	1	Casing Truck	
	766.72	Casing	
	4	Centralizers	
	1	Float Shoe	
	1	Wiper Plug	
	—	Frac Baffles	
		Portland Cement	
		Gilsonite	
		Flo-Seal	
	5 sks	Premium Gel	
		Cal Chloride	
		City Water	
		KCL	
		KOL Seal	
	1 sk	Cotton Seed Hulls	
932900	1	Casing trailer	
931610	1	Dozer	



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

ATE# 013039

AP# 15-133-27636

TICKET NUMBER 41340

LOCATION Fire

FOREMAN Rick Ledford

FIELD TICKET & TREATMENT REPORT

CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
3-12-13		Stich Wilton 20-10				Neosho
CUSTOMER			TRUCK #	DRIVER	TRUCK #	DRIVER
Past Rock Energy Corp			520	John		
MAILING ADDRESS			611	Joey		
4402 Johnson Rd			83	Alan G. (McCoy TRK)		
CITY	STATE	ZIP CODE	619/791	George Taylor (Thayer)		
Chanute	KS					

JOB TYPE L/S 0 HOLE SIZE 7 7/8" HOLE DEPTH 770 CASING SIZE & WEIGHT 5 1/2" 14"
 CASING DEPTH 766.22 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.5" SLURRY VOL 36 Bbl WATER gal/sk 9.0 CEMENT LEFT in CASING 0
 DISPLACEMENT 18.6 Bbl DISPLACEMENT PSI 500 MIX PSI 900 Bsp plug RATE 4 Bpm

REMARKS: Safety meeting: Rig up to 5 1/2" casing w/ wash head. Washdown 40' to PBTD. Pump 500# gel-flush w/ bulls 10 Bbl water spacer, 9 Bbl dye water. Mixed 100 lbs thickset cement w/ 5" Rot-seal/3K, 1" phenaseal/3K + 14% C-SL-115 @ 13.5"/gal. Washout pump & lines release plug. Displace w/ 18.6 Bbl fresh water. Final pump pressure 500 PSI. Plug to 900 PSI release pressure. Fluid & plug held. Good cement returns to surface. 5 Bbl slurry to pit. Job complete. Rig down.

Thank You

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1030.00	1030.00
5406	70	MILEAGE 1st well of 3	4.00	280.00
1126A	100 SKS	thickset cement	19.20	1920.00
1116A	500#	5" Rot-seal/3K	.46	230.00
1107A	100#	1" phenaseal/3K	1.29	129.00
1135A	25#	14% C-SL-115	10.55	263.75
5400A	5.5	tan mileage bulk TRK	1.34	515.90
5501C	3 hrs	water transport	112.00	336.00
5502C	3 hrs	80 Bbl WAC-TRK	90.00	270.00
1123	9000 gals	city water	16.50/1000	148.50
		Subtotal		5123.15
		SALES TAX 7.3%		196.46
		ESTIMATED TOTAL		5319.61

AVIN 3737 AUTHORIZATION [Signature] TITLE _____ DATE _____

acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

Stich, William 20-10

Pipe #	Joint Length	Running Total - NO threads	Baffle Location	PostRock Energy- Casing Tally Sheet
1	43.35	43.1		Date:3/8/13
2	43.32	86.17		Well Name & #:William Stich 20-10
3	43.37	129.29		Township & Range: 28S - 19E
4	43.35	172.39		County/State: Neosho/Kansas
5	43.4	215.54		AFE#:D13039
6	43.41	258.7		API# 15-133-27636-00-00
7	43.37	301.82		Comments: Projected TD-770'
8	43.4	344.97		
9	43.36	388.08		
10	43.37	431.2		Joints are numbered in White
11	43.4	474.35		Subs are in orange
12	43.33	517.43		
13	43.3	563.48		Added these subs for flexibility to adjust to actual TD
14	43.37	603.6		
15	43.34	646.69		
16	43.33	689.77		
17	43.37	732.89		Trailer# 932900
18	14.93	747.57		
19	14.89	762.21		
20	9.94	771.9		Actual TD - 770 Log Bottom - 771 Casing Tally - 766.72 No Baffles Centralizers per SOP
21	5.01	766.72		
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				

PostRock Energy Corp.