

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KC	Use:	
Effective	Date:	
District #	<u> </u>	
SGA?	Yes No	

SGA?

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
DPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Vame:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OMMAND, and well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
virectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	ID AVIIT
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	APPEN AS A
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>	0 0.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be</li> </ol>	y circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction</li> </ol>	y circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distr</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distr</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distr</li> <li>The appropriate district office will be notified before well is either plugged</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation.  ict office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; from below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distr</li> <li>The appropriate district office will be notified before well is either plugged</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.  Remember to:
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol> Ibmitted Electronically For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.  ict office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  ### Ibmitted Electronically  For KCC Use ONLY  API # 15	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	ry circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	ry circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  ### **IDMMITTED COMPLETION**  #### **IDMMITTED COMPLETION**  #### **IDMMITTED COMPLETION**  ##################################	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  ### **IDMMITTED COMPLETION**  #### **IDMMITTED COMPLETION**  ##### **IDMMITTED COMPLETION**  ##### **IDMMITTED COMPLETION**  ##### **IDMMITTED COMPLETION**  ##### **IDMMITTED COMPLETION**  ######### **IDMMITTED COMPLETION**  ##################################	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  **Dubmitted Electronically**  For KCC Use ONLY  API # 15	ry circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 Side Two



For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2310 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

1154195 Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continued.  Pit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
Distance to peacest water well within one mile of	of nit-	Donth to challe	west fresh waterfeet.	
Distance to nearest water well within one-mile of pit:		Source of inform	nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Producing Formation:		Type of materia	ver and Haul-Off Pits ONLY:  I utilized in drilling/workover:  xing pits to be utilized:  procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No	



1154195

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	


## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Edward E Birk	Location of Well: County: Wo	podson
Lease: Allison	2,310	feet from N / N S Line of Section
Well Number: 2	990	feet from X E / W Line of Section
Field: Yates Center	Sec. 27 Twp. 25	feet from N / S Line of Section feet from E / W Line of Section S. R. 15 E W
Number of Acres attributable to well:	Is Section: Regular or	
QTR/QTR/QTR of acreage: NW _ NE SE		
	If Section is Irregular, locate Section corner used: N	e well from nearest corner boundary. E NW SE SW

### PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

TO: STATE CORPORATION COMMISSION **CONSERVATION DIVISION - PLUGGING** 130 SOUTH MARKET, SUITE 2078 **WICHITA, KANSAS 67202** 

Spot: NWNESE Sec/Twnshp/Rge: 27-25S-15E 2310 feet from S Section Line, 990 feet from E Section Line Lease/Unit Name: ALLISON ALFRED E Well Number: 2

County: WOODSON

API Well Number: 15-207-21939-00-00

Total Vertical Depth: 1487 feet

Operator License No.: 31306

Op Name: SLATER, STEVE DBA SES OIL

Address: 1427 100TH ROAD

YATES CENTER, KS 66783

Conductor Pipe: Size

Surface Casing: Size 7

**Production: Size 4.5** 

feet: 60 feet: 1290

feet:

Liner: Size feet:

**Date/Time to Plug:** 05/23/2002 10:00 AM

Plug Co. License No.: 31306

Plug Co. Name: SLATER, STEVE DBA SES OIL

Proposal Rcvd. from: STEVE SLATER

Company: SLATER, STEVE DBA SES OIL

Phone: (620) 625-2983

Well Type: OIL

Proposed THIS WELL CONSISTED OF 4 1/2" CASING TO 1290' THAT HAD BEEN CEMENTED IN FROM BOTTOM TO Plugging TOP. THE PLUGGING PROPOSAL WAS TO PLACE A 50' CEMENT PLUG AT TD, A 50' CEMENT PLUG AT 700',

Method: AND A CONTINUOUS CEMENT PLUG FROM 200' TO SURFACE.

**UIC Docket No:** 

Plugging Proposal Received By: TOM BILYEU

WitnessType: Plugging Operations 100% Witnessed (Complete)

Date/Time Plugging Completed: 05/23/2002 3:00 PM

KCC Agent: TOM BILYEU

### **Actual Plugging Report:**

1" PIPE WAS RUN INTO THE 4 1/2" CASING TO 1100'. THE WELL WAS GELLED FOR BRIDGING PURPOSES. 5 SACKS OF CEMENT WERE RUN THROUGH THE 1" PIPE TO 1100'. THE 1" PIPE WAS PULLED TO 700' AND 5 SACKS OF CEMENT WERE RUN THROUGH THE 1" PIPE TO 700'. THE 1" PIPE WAS PULLED TO 200'. CEMENT WAS POURED INTO THE 1" PIPE UNTIL CEMENT CIRCULATED FROM THE 4 1/2" CASING AT SURFACE. THE 1" PIPE WAS REMOVED. DISPLACEMENT WAS FILLED FROM SURFACE. 28 SACKS OF CEMENT WERE USED TO PLUG THIS WELL.

RECEIVED . JUN 17 246 KCC WICHITA

JUN 1 3 2002 AL

Chanute (S

Remarks:

Plugged through:

District: 03

Signed Jam Bilyen by Bl (TECHNICIAN)

INVOICED

Form CP-2/3

6-18-02 WV. NO 2002061980 Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

August 06, 2013

Edward E Birk Birk, Edward E. 302 S 16TH ST BURLINGTON, KS 66839-2329

Re: Drilling Pit Application Allison 2 SE/4 Sec.27-25S-15E Woodson County, Kansas

## Dear Edward E Birk:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.