

Kansas Corporation Commission Oil & Gas Conservation Division

1154327

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 -
Name:	Spot Description:
Address 1:	SecTwpS. R 🔲 East 🗌 West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□ NE □ NW □ SE □ SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Amount of Surface Pipe Set and Cemented at: Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from:
Cathodic Other (Core, Expl., etc.):	feet depth to:w/sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used:
Conv. to GSW	Location of fluid disposal if hauled offsite:
Plug Back: Plug Back Total Depth Commingled Permit #:	Location of fluid disposal if fladied offsite.
Commingled Permit #: Dual Completion Permit #:	Operator Name:
SWD Permit #:	Lease Name: License #:
ENHR Permit #:	Quarter Sec TwpS. R
GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

Side Two

1154327

Operator Name:				Lease N	lame:			Well #:		
Sec Twp	S. R	East] West	County:						
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rat line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressures st, along with	s, whether s final chart(s	hut-in press	ure reach	ed static level,	hydrostatic pres	ssures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional		Yes	No		Log	g Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	Yes	No		Name			Тор		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	d Electronically	☐ Yes ☐ Yes ☐ Yes	No No No							
List All E. Logs Run:										
		Report a		RECORD	New	Used	on, etc.			
Purpose of String	Size Hole Drilled	Size C Set (In	asing	Weig Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used	, ,,	and Percent additives
		<u> </u> 	DDITIONAL	CEMENTIN	IG / SQUE	EZE RECORD				
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of 0	Cement	# Sacks	Used		Type and	Percent Additives		
Shots Per Foot	PERFORATI Specify	ON RECORD - Footage of Each	Bridge Plug n Interval Peri	s Set/Type forated			cture, Shot, Ceme mount and Kind of N	nt Squeeze Record Material Used)	d 	Depth
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
							Yes N	0		
Date of First, Resumed	Production, SWD or EN	IHR. Pr	oducing Meth	nod:	g 🗌 G	as Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	BI	ols.	Gas-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:		N	METHOD OF	COMPLET	TION:		PRODUCTIO	ON INTER	VAL:
Vented Solo	Used on Lease		n Hole	Perf.	Dually (nmingled mit ACO-4)			
(11 verneu, 3u	10./	Othe	r (Specify)				I —			

McPherson Drilling LLC Drillers Log

15R. E T. 34 17 S. Rig Number: 2 MG County: 15- 125-32303 API No. W2 NW NE SW 819 Location: Elev.

YUKON PROPERTIES Operator:

9910 Birchdale Ave. Address:

Downey, CA 90240

Well No: N1-27 Footage Location:

McConnel Lease Name:

SOUTH Line 2310 ft. from the 3680 ft. from the

EAST Line

Drilling Contractor:

McPherson Drilling LLC

Spud date:

1/14/2013

Geologist:

Tom Bruce

Date Completed:

1/16/2013

Total Depth:

1665'

Casing Record			Rig Time:
	Surface	Production	HRS. GAS TEST
Size Hole:	11"	6 3/4"	
Size Casing:	8 5/8"		DAY BOOSTER
Weight:	20#		
Setting Depth:	22'	MCPHERSON	
Type Cement:	Portland		DRILLER: Mac McPherson
Sacks:	4	MCPHERSON	1

	7
	1
1	
	,
	1
The second second	
The state of the s	A STATE OF THE PARTY OF THE PAR
	A ch .
	- 1
	480
	A CONTRACTOR
	The same
	7.
Comments:	10
Comments:	4 40
Start injecting @	880'
1100	45
A STATE OF THE PARTY OF T	74
The state of the s	4 10 10

Gas Tests:

	Well Log							
Formation	Тор	Btm.	Formation	Тор	Btm.	Formation	Тор	Btm.
soil	0	2	shale	828	838			
shale	2	5	lime	838	863			
lime	5	12	shale	863	870			1.
shale	12	18	lime (oil)	870	887			
sand	18	40	shale	887	914			
sand shale	40	64	coal	914	916			
shale	64	93	shale	916	1055			
coal	93	94	coal	1055	1057			
shale	94	175	shale	1057	1129			
sand wet	175	187	sand	1129	1219			
lime	187	208	shale	1219	1331			
shale	208	325	coal	1331	1332			
lime	325	329	shale	1332	1339			
shale	329	458	Mississippi	1339	1624			
lime	458	472	shale	1624	1665 TD			
shale	472	492						
sand (odor)	492	498						
shale	498	547						
lime (oil)	547	568						
shale	568	687						
lime	687	709						
blk shale	709	711						
shale	711	802						
oswego lime	802	828	i					

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer		1 1 × 7×0 - New 20	The same of the same of	THE PROPERTY OF THE PARTY OF TH	
The second secon	Yukon Properties	State, County	Montgomery , Kansas	Cement Type	
Job Type	longstring	Section	17		30
Customer Acct #		TWP	34s	Density	13.5 14.5
Well No.	McConnell N1-27	RGE	15e	Water Required	
Mailing Address		Formation /	X	Yeild	1.73 1.51
City & State		Hole Size	6 3/4	Slurry Weight	REPORT OF THE
Zip Code		Hole Depth		Slurry Volume	
Contact		Casing Size	4 1/2INCH,	Displacement	26.4
Email		Casing Depth		Displacement PSI	
Cell		Drill Pipe		MIX PSI	小, 本 、 中 、 社 教
Dispatch Location	BARTLESVILLE	Tubing	A CALL STATE OF THE STATE OF TH	Rate	1 1
Code	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	TORK A THE
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,030.00	\$ 1,030.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	50	PER MILE	\$4.00	\$ 200.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$350.00	\$ 350.00
0		and the state of	0	\$0.00	\$
0		A TORK	0	\$0.00	\$
0		The state of	0	\$0.00	\$
0	《大大人》之文化的"特"的 B. 图》 / 图》	a) in	0	\$0.00	\$
0		- Van	0	\$0.00	\$
5402	FOOTAGE	1,664	PER FOOT	0.22	\$ 366.08
		Mary Control		QUIPMENT TOTAL	\$ 1,946.08
	Cement, Chemicals and Water	BYENS /	KAN HELD THE	A LANGE	1,010.00
1104S	CLASS "A" CEMENT (SALES) BLEND(SK)	120	* 0	\$14.95	\$ 1,794.00
1118B	PREMIUM GEL/BENTONITE (50#)	850	0	\$0.21	\$ 178.50
	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL CLORIDE 2% GE	60	0	\$18.80	\$ 1,128.00
1107A	PHENOSEAL	80	0	\$1.29	\$ 103.20
1123	CITY WATER (PER 1000 GAL)	8,400	0	\$0.02	\$ 168.00
0			0	\$0.00	\$ -
0			0	\$0.00	\$
0			0 -	\$0.00	\$
0			0	\$0.00	\$
0		ACT TO THE REAL PROPERTY.	0/	\$0.00	\$
0			0	\$0.00	\$
A. J. B. 13 L. B. T. S.	Proceedings of the Control of the Co	ALCOHOLD STREET	- 31 DF	CHEMICAL TOTAL	
	Water Transport	10 1 CON . 1	The second second	OTIENTO TE TOTAL	5,571.70
5501C	WATER TRANSPORT (CEMENT)	4 . 4	TER TRANSPORT (CEME	\$112.00	\$ 448.00
5501A	WATER TRANSPORT (ACID)		VATER TRANSPORT (ACIE		\$ 448.00
0	AND THE PARTY OF T		0	\$0.00	\$ -
ALB ARVES	W. C.	The base of the same of	The state of the s	RANSPORT TOTAL	
The state of the s	Cement Floating Equipment (TAXABLE)			VANOI OILI TOTAL	Φ 090.00
	Cement Basket				
0	Comone Basket	(X)	0	\$0.00	\$ -
	Centralizer			ψ0.00	Ψ -
7 0			0	\$0.00	\$ -
0	A STATE OF THE STA		0		Ψ -
				\$0.00	\$
	Float Shoe	Control of the		\$0.00	\$ -
0	Float Shoe		10-10-10-10-10-10-10-10-10-10-10-10-10-1		
0	Float Collars		0	\$0.00	\$ -
0	Float Collars		10-10-10-10-10-10-10-10-10-10-10-10-10-1		
0			0	\$0.00	\$ -
0 0	Float Collars Guide Shoes	15	0	\$0.00	\$ -
0	Float Collars		0	\$0.00	\$ -
0 0	Float Collars Guide Shoes Baffle and Flapper Plates		0	\$0.00	\$ -
0 0	Float Collars Guide Shoes		0 0	\$0.00 \$0.00 \$0.00	\$ - \$ - \$ -
0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ -
0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ -
0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ -
0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes		0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ -
0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools		0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ -
0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ -
0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ -
0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.		0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4'1/2" RUBBER PLUG	1	0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 4404	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4'1/2" RUBBER PLUG	1	0 0 0 0 0 0 0 0 0 PER UNIT 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$45.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 4404	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4*1/2* RUBBER PLUG Downhole Tools	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ 45.00
0 0 0 0 0 0 0 0 4404 TRUCK#	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4'1/2" RUBBER PLUG Downhole Tools DRIVER NAME	1	0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 4404 TRUCK#	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4*1/2* RUBBER PLUG Downhole Tools	1	0 0 0 0 0 0 0 0 0 PER UNIT 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME jake	1	0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 4404 TRUCK#	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME jake	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC	\$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME jake	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME jake	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC	\$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.

FOREMAN

DATE

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Yukon Properties	State, County	Montgomery , Kansas	Cement Type	
Customer Acct #	longstring	Section	17	Excess (%)	30
Well No.	0	TWP	34s	Density	13.5 14.5
Mailing Address	McConnell N1-27	RGE	15e	Water Required	0
City & State	0	Formation	0	Yeild	1.73 1.51
Zip Code	0	Hole Size	6 3/4	Slurry Weight	0
Contact	0	Hole Depth	0	Slurry Volume	0
Email	. 0	Casing Size	4 1/2INCH,	Displacement	26.4
Cell	0	Casing Depth	0	Displacement PSI	0
Office	0	Drill Pipe	0	MIX PSI	0
Dispatch Location	BARTLESVILLE	Tubing	0	Rate	0
REMARKS	A STATE OF THE STA	*			