

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
DPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Vame:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
Phone:	Lease Name: Well #:
CONTRACTOR: License#	Field Name:
lame:	Is this a Prorated / Spaced Field?
dallic.	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of HolesOther	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OVVVO. Old Well Information as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
S	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Rottom Hole Location:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Sottom Hole Location: CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N
	(Note: Apply for Permit with DWR)
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes N
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual pl	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual pl	(Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
AF The undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dise. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	(Note: Apply for Permit with DWR) Will Cores be taken?
AF The undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the disentation of the set of	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to eunderlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing as plugged. In all cases, NOTIFY district office prior to any cementing.
AF he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY	(Note: Apply for Permit with DWR) Will Cores be taken?
AF he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the disc. 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be sibmitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to eunderlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
AF he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AF The undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through a minimum of 20 feet into the set through a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AF The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through	Will Cores be taken? If Yes, proposed zone: FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number: Field:	Sec. Twp. S. R. E W
Number of Acres attributable to well: QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

900 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date con		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of work	king pits to be utilized:
Barrels of fluid produced daily: Abandonn		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	pe closed within 365 days of spud date.
Submitted Electronically			
	ксс	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No



1154548

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			



Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499 11057

003237

Cell: (620) 272-1499 burt@pro-stakellc.kscox.mail.com

 Palmer Oil, Inc.
 UPC #23-4

 OPERATOR
 LEASE NAME

 Stevens County, KS
 23 32s 37w
 900'FSL - 2120'FWL

 COUNTY
 Sec. Twp. Rng.
 LOCATION SPOT

 Willis Shoot

SCALE: 1" = 1000'

DATE STAKED: July 29th, 2013

MEASURED BY: Luke R.

DRAWN BY: Drew H.

AUTHORIZED BY: Cecil O.


This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

CR FLEVATION: 3114.3'

Directions: From the NE side of Hugoton Ks, at the intersection of Hwy 56 & Hwy 25 – Now go 4 miles North on Hwy 27/270 – Now go 1 mile East on Rd U to the NW corner of section 23-32s-37w – Now go 0.5 mile East on Rd U – Now go 0.8 mile South on lease rd to ingress stake West into - Now go approx. 500' West through weeds into staked location.

Final ingress must be verified with land owner or Operator.



R. Evan Noll

P.O. Box 1351 Hays, KS 67601 Office: 785.628.8774

Cell - 785.623.0698 Fax - 785.628.8478

August 7, 2013

United Pentecostal Church c/o Brollier, Wolf & Kuharic P.O. Box 998 Hugoton, KS 67951

RE: UPC #23-4 Well

900' from South Line & 2120' from West Line Section 23-32S-37W, Stevens County, Kansas

Dear Property Owner:

Prior to issuing a permit to drill, the Kansas Corporation Commission is requiring the property owner be notified. The operator of the captioned wells is:

Palmer Oil, Inc. P.O. Box 399

Garden City, KS 67846


Contact Man: Kevin Wiles - (620) 271-4407 - kwiles@awioil.com

I'm enclosing a copy of the intent to drill filed with the KCC, a plat showing the well, lease road, pipeline, electric line & tank battery locations. This is all preliminary and non-binding, being shown simply to satisfy State requirement. The actual locations will be determined after the dirt contractor is on location.

Dan Hauser with W & L Dirt (620) 793-2817 will be building the location, if you want to be involved, contact him and reference the captioned well name and coordinate with them.

R. Evan Noll

Contract Landman for Palmer Oil, Inc.



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

August 12, 2013

Cecil O'Brate Palmer Oil, Inc. 3118 N. Cummings Rd. PO BOX 399 GARDEN CITY, KS 67846

Re: Drilling Pit Application UPC 23-4 SW/4 Sec.23-32S-37W Stevens County, Kansas

Dear Cecil O'Brate:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.