

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1154593

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM

## WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15	
Name:		Spot Description:	
Address 1:		Sec	TwpS. R East Wes
Address 2:		Fe	eet from North / South Line of Section
City: State: Zip	):+	Fe	eet from East / West Line of Sectio
Contact Person:			Nearest Outside Section Corner:
Phone: ( )		, , , , , , , , , , , , , , , , , , ,	V SE SW
CONTRACTOR: License #			
Name:		-	Well #:
Wellsite Geologist:			vven #
5			
Purchaser:			Kalla Dashira
Designate Type of Completion:			Kelly Bushing:
New Well Re-Entry	Workover		ug Back Total Depth:
Oil WSW SWD	SIOW	Amount of Surface Pipe Se	et and Cemented at: Fee
Gas D&A ENHR	SIGW	Multiple Stage Cementing	Collar Used? 🗌 Yes 🗌 No
☐ OG	Temp. Abd.	If yes, show depth set:	Fee
CM (Coal Bed Methane)		If Alternate II completion, c	cement circulated from:
Cathodic Other (Core, Expl., etc.):		feet depth to:	w/sx cm
If Workover/Re-entry: Old Well Info as follows:			
Operator:			
Well Name:		Drilling Fluid Managemen (Data must be collected from t	
Original Comp. Date: Original To	tal Depth:		
	ENHR Conv. to SWD	Chloride content:	ppm Fluid volume:bb
Conv. to	GSW	Dewatering method used:	
Plug Back: Plug		Location of fluid disposal if	hauled offsite:
Commingled Permit #:		Operator Name:	
Dual Completion Permit #:			
SWD Permit #:			License #:
ENHR Permit #:		Quarter Sec	TwpS. R 🗌 East 🗌 Wes
GSW Permit #:		County:	Permit #:
Spud Date or Date Reached TD Recompletion Date	Completion Date or Recompletion Date		

### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

	Side Two	1154593
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	n (Top), Depth an		Sample
Samples Sent to Geolog	ical Survey	Yes No	Nan	ie		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted E (If no, Submit Copy)	Electronically	<pre>Yes □ No Yes □ No Yes □ No</pre>					
List All E. Logs Run:							
		CASIN	G RECORD	ew Used			
		Report all strings se	et-conductor, surface, int	ermediate, product	ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

#### ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot		PERFORATION Specify For	RECOF	RD - Bridge P Each Interval F	lugs Set/Typ Perforated	e			ement Squeeze Record of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packe	r At:	Liner R	un:	No	
Date of First, Resumed	Product	ion, SWD or ENHF	ł.	Producing M	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	s.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF (	BAS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
Vented Sold		Jsed on Lease		Open Hole	Perf.	Uually (Submit )	Comp. ACO-5)	Commingled (Submit ACO-4)		
(If vented, Sul	bmit ACC	)-18.)		Other (Specify)						<u></u>

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

CONDITIONS Concrete to be under truck's ow seller assume delivered to the nearest automotion of the nearest and an age in any no responsibility for damages in any individings, trees, shrubber, etc. validings, trees, shrubber, etc. This of the true to the state of the true to the state of the sta truck's own power. Due to assumes no responsibilit ays, driveways, buildings, dire ner to sidew are at custor roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO CONNER Failure of this contractor to pay those persons supplying material or services to complete this contractor nessult in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TE				the second second	and in the ender		SHIPTO
X Shands	Million 1000	a want and and	and share the second second	1 LID IDYD	Land States of the	The second secon	Protostation 1
CADU	SUCTONED			WR/STR	CAR INCOMENTATION AND ADDRESS OF A CAR	CONTRACTOR - CONTRACTOR	
	AD TUNCKS	Contraction of the second	No. Martine	the second secon	& RON WRESTL		A CONTRACTOR AND
*	The second	1.1.1			EORGIA RD., H		and the state of t
	Salar Car				TANKFARM E T		
Land Land				- IU HKI	ZONA CONT. S	IACMI WSD	19-1-1-19-19-1-1-1-1-1-1-1-1-1-1-1-1-1-
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	and the second second	DRIVER/TRUCK	and the second sec	PLANT/TRANSACTION #
	and the second second			% CAL	DM	% AIR	
A2:04:17p	UFI 1	9.50 yd	9.50 yd	0.00	34	0.00	ALLCO
DATE	Contraction of the	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	-2	20.00 yd	7		×.	9
04-15-13	Today	1	9.50 yd	23877	G/yd 0.0	4.00 in >	33967
The second second	WARNING			MAGE RELEASE TO BE MADE INSIDE CURB LINE)		is Detrimental to Concr Ided By Request/Authori	
Contains Portland Ceme	TING TO THE SKIN A nt. Wear Rubber Boots and Gloves. P	ROLONGED CONTACT MAY	you for your signature is of the op	truck in presenting this RELEASE to inion that the size and weight of his			
Contact With Skin or Ey	Contact With Eyes and Prolonged Co es, Flush Thoroughly With Water, If I	ontact With Skin. In Case of ritation Persists, Get Medical	truck may possibly cause damag property if it places the material in	e to the premises and/or adjacent o this load where you desire it. It is	GAL X	The states	
Attention. KEEP CHILDA			our wish to help you in every way the driver is requesting that you s	that we can, but in order to do this sign this RELEASE relieving him and by from any damage that may occur	WEIGHMASTER	上井	ut .
CONCRETE is a PERISHABI LEAVING the PLANT. ANY	LE COMMODITY and BECOMES the PROP CHANGES OR CANCELLATION of ORIG	ERTY of the PURCHASER UPON INAL INSTRUCTIONS MUST be	to the premises and/or adjace driveways curbs etc. by the del	int property, buildings, sidewalks, livery of this material, and that you	STro	1ch 1	
Strength Constraint Constraint Constraint	E BEFORE LOADING STARTS. to pay all costs, including reasonable atto	meys' fees, incurred in collecting	also agree to help him remove mu that he will not litter the public stra	ud from the wheels of his vehicle so get. Fonther, as additional considera- demnity and hold harmless the driver	NOTICE MY SIGNATURE REI	LOW INDICATES THAT I HAVE R	EAD THE HEALTH WARNING
any sums owed.	0 days of delivery will bear interest at the rate				NOTICE AND SUPPLIER W WHEN DELIVERING INSIDE C	LL NOT BE RESPONSIBLE FO	OR ANY DAMAGE CAUSED
Not Responsible for Reacti	ve Aggregate or Color Quality. No Claim		and/or adjacent property which m arisin out of delivery of this order. SIGNED	hay be claimed by anyone to have	LOAD RECEIVED BY:	A A	
Material is Delivered. A \$25 Service Charge and	Loss of the Cash Discount will be collect	ted on all Returned Checks.			6 - ( (	1 ~ 7	
Excess Delay Time Charged		A CONTRACTOR OF THE OWNER	X		X		Andrew Aller and Andrew
QUANTITY	CODE	DESCRIPTION		A CONTRACT OF	deather of the state	UNIT PRICE	EXTENDED PRICE
9.50	WELL		ACKS PER UNI	T)	9,50	55.00	522.50
17時の タ	O TRUCKING		HARGE	6.2. 8	1.50	50.00 1	0.00 70.00
9.50	MIX8HAUL	MIXING & H	AULING	Later Later Tree	9.50	25.00	237.50
· · · · · · · · · · · · · · · · · · ·	Stand Street		i di seria da seria d	A Carlot and a company	State of the	and the second second	and the second s
- Distance	A set of a set of			A Part of the second	E.		
Mana and	A STATE AND AND A	HARLE START	Contraction of the particular	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	THEALLOWER		OT ON
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	TUNDER TEST TAKEN	TIME ALLOWED	ubTotal \$	00.00
41,13	5,44		1. JOB NOT READY 2. SLOW POUR OR PUMP	6. TRUCK BROKE DOWN 7. ACCIDENT	12. 2	W V 7 550	65 (9)
			3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	8. CITATION	TIME DUE	otal \$	898.04
LEFT PLANT	ARRIVED JOB	START UNLOADING	5. ADDED WATER	1 per		rder \$	898.04
12,10	2.50				U	ADDITIONAL CHARGE 1	and a second
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	al
ALK					1.25	ELLER STREET, LANS OF MAN	\$ 92519
and some	A CONTRACTOR OF THE OWNER	-		-Hill		GRAND TOTAL	102.6

Payless Concrete Products, Inc.

## **D**ВІГГЕВЗ ГОС

. It cement with 6 sacks	53	:9	giq əsətruð
	76905-	T00-ST	:I9A
	14		:oN ll9W
		Strack	Farm:
	09TZ		#əsuəɔiJ
18	110	D&W C	:YneqmoJ

bədziniƏ

Started

9 81 :9 0912 # Contractor: David Wrestler

211

		:tod2
		:noiteool
		:noiteool
gnsЯ	TWP:26	Sec:35
12116	ucent	:Vinuo)
. (	)9TZ	# əsuəɔiJ

	J}75	
	33£	i i
	1721	
	អូរ	7
ЪЯ	Depth	
	:toq2	
	s Location:	yses 9 i
	-0000007	

		*	
9lod .D.T 238			
9diq.b.1488			
	· · · ·		
	əjeys ybnes	.D.T <del>1</del> 7288	
	leo2	174758 174758	
	bns2 liO	4614t	Very good Bleed
	Brk Sand	+9638	mous
	the second se	+016 19858	good bleed
972	bne2 liO bne2 liO	+928 1978	odor and show
1)001 1001	əleda	+918 1018	mods pac sobo
11001 11001	emil	+10fg	
		and the second	
<u> </u>	əlale	1J802	
<del>الا</del>	Lime	924£	and and a second and a second s
	Shale	1J029	
<del>1</del> ]81	Lime	972ff	
÷25£	əlehs	- <del>1</del> ]†65	
13£1	əledə	1J272	
491	əmil Əlane	1J655	
1J07	-1-4-	19243ff	
	- Lime	1723ft	3
1)98	əledə	¥767	
1)TS	əmiz	1J8S7	
19281	əlale	HZ24	
17041	Pinia	11545	
, <del>1</del> ]59	əlehs	1JSOT	
<del>]]</del> /	Fime	454	
<del>IJ</del> t	əleds ybnes	<del>1</del> 785	
<u>.                                    </u>	əmiJ	34ft	
Ĥ11	əledz ybnez	33£	
<del>]]</del> {	Lime	172ff	
)-4년 <b>Thickness</b>	lios qot	4ft Depth	