



WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other (Explain) _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	---	--

ALLIED OIL & GAS SERVICES, LLC 059819

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 93999
SOUTHLAKE, TEXAS 76092

SERVICE POINT:
Medicine Lodge KS

DATE <u>5-01-13</u>	SEC <u>16</u>	TWP <u>35</u>	RANGE <u>12</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>7/20/13</u>
LEASE <u>Nusser</u>		WELL # <u>3-14</u>	LOCATION <u>Hardmer Ks 1s 1E N/into</u>			COUNTY <u>Barber</u>	STATE <u>KS</u>
OLD OR <u>(NEW)</u> (Circle one)							

CONTRACTOR Mendenhall
 TYPE OF JOB Surface
 HOLE SIZE 12 1/4 T.D. 360
 CASING SIZE 8 5/8 DEPTH 357
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX 400# MINIMUM —
 MEAS. LINE SHOE JOINT 70' 42"
 CEMENT LEFT IN CSG. 2x 42'
 PERFS.
 DISPLACEMENT 20 Bbls Fresh H₂O
 EQUIPMENT

OWNER Vaughn Good
 CEMENT
 AMOUNT ORDERED 135 SX 65:35:10% Gel + 3% CC + 1/4# floreal 100 SX A + 3% CC + 2% Gel
 COMMON A 100 SX @ 17.90 1790.00
 POZMIX @
 GEL 2 @ 23.40 46.80
 CHLORIDE 8 @ 64.00 512.00
 ASC @
 ALW 135 SX @ 16.50 2227.50
 floreal 33.75 @ 2.97 100.23
 HANDLING 263.36 @ 2.48 653.13
 MILEAGE 25 @ 2.60 / 6.41 162.50
 TOTAL 5746.31

PUMP TRUCK CEMENTER David Felio
 # 471/265 HELPER JAKE HEND
 BULK TRUCK
 # 356/290 DRIVER Justin Bower
 BULK TRUCK
 # DRIVER

REMARKS:
See Job Log
Sx light weight Sx tail Cement
Bump plug shut in
Cement Did Ciph.

CHARGE TO: Vaughn Good Oil Co.
 STREET _____
 CITY _____ STATE _____ ZIP _____

To: Allied Oil & Gas Services, LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____
 SIGNATURE John D. [Signature]

SERVICE
 DEPTH OF JOB 357
 PUMP TRUCK CHARGE 1512.50
 EXTRA FOOTAGE @
 MILEAGE 25 @ 7.70 192.50
 MANIFOLD Hend Rental @ 275.00
 Light Veh. 25 @ 4.40 110.00
 TOTAL 2082.50

PLUG & FLOAT EQUIPMENT
1 Fiber Baffle Plate @ 127.75
3 Centralizers @ 74.88 224.64
~~1 Basket @~~
1 Guide Shoe @ 460.98 460.98
1 TRP @ 151.04
 TOTAL 964.41

SALES TAX (If Any) _____
 TOTAL CHARGES 8800.47
 DISCOUNT _____ IF PAID IN 30 DAYS
(Net) 7040.37

8 5/8

ALLIED OIL & GAS SERVICES, LLC 059775

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 93999
SOUTHLAKE, TEXAS 76092

SERVICE POINT:
Met. K. K. K. K. K.

DATE <u>5-8-2013</u>	SEC. <u>16</u>	TWP. <u>35S</u>	RANGE <u>12W</u>	CALLED OUT	ON LOCATION	JOB START <u>3:00 AM</u>	JOB FINISH <u>4:00 AM</u>
LEASE <u>Nussor</u>		WELL # <u>3-16</u>		LOCATION <u>Hershey, KS 1 South</u>		COUNTY <u>Osage</u>	STATE <u>Ks</u>
OLD OR NEW (Circle one) <u>NEW</u>				<u>1 ess, N/into</u>			

CONTRACTOR Mendenhall
 TYPE OF JOB Production
 HOLE SIZE 7 7/8 T.D. 5600'
 CASING SIZE 5 1/2 18.5# DEPTH 5499'
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 421
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT 131 1/2 bbls fresh water

OWNER Vaughn Good
 CEMENT Pat House 60 sk 60:40:47.6cl
 AMOUNT ORDERED 226 sk Class H + 10% Gyp + 10% SSlt + 6# KOSM + 1.8% FL-160 + 100# Sopp + 2 1/2 Gsk Sosp

EQUIPMENT
 PUMP TRUCK CEMENTER Darin F
 # 558-555 HELPER Scott P.
 BULK TRUCK # 381-252 DRIVER Ryan R.
 BULK TRUCK # _____ DRIVER _____

COMMON	<u>30</u>	<u>SK</u>	@ <u>17.90</u>	<u>537.00</u>
POZMIX	<u>20</u>	<u>SK</u>	@ <u>9.35</u>	<u>187.00</u>
GEL	<u>1</u>	<u>SK</u>	@ <u>23.40</u>	<u>23.40</u>
CHLORIDE			@	
ASC			@	
H	<u>225</u>	<u>SK</u>	@ <u>21.20</u>	<u>4770.00</u>
Gyp seal	<u>22</u>	<u>SK</u>	@ <u>37.60</u>	<u>827.20</u>
Salt	<u>25</u>	<u>SK</u>	@ <u>26.35</u>	<u>658.75</u>
Kel Seal	<u>1500</u>		@ <u>.98</u>	<u>1523.00</u>
FL-160	<u>169</u>		@ <u>18.90</u>	<u>3194.10</u>
Mud-clean	<u>500</u>	<u>60L</u>	@ <u>1.39</u>	<u>695.00</u>
HANDLING	<u>352.76</u>		@ <u>7.48</u>	<u>2634.84</u>
MILEAGE	<u>15.23/28/2.60</u>		@	<u>990.30</u>

TOTAL 14,080.59

REMARKS:

See Cement Log

SERVICE

DEPTH OF JOB	<u>5499'</u>		
PUMP TRUCK CHARGE	<u>3099.25</u>		
EXTRA FOOTAGE	@		
MILEAGE	<u>25</u>	@ <u>7.70</u>	<u>192.50</u>
MANIFOLD <u>Hershey</u>	@		<u>275.00</u>
<u>AV 25</u>	@ <u>4.40</u>		<u>110.00</u>

TOTAL 3676.75

PLUG & FLOAT EQUIPMENT

<u>5 1/2</u>			
1-Guide Shoe	@		<u>202.12</u>
1-Lynch Down Pins	@		<u>558.25</u>
16-Centers 1200s	@	<u>4610</u>	<u>657.72</u>

TOTAL 1418.09

To: Allied Oil & Gas Services, LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES 19,175.43

PRINTED NAME _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Vaughn Good
Thank you!!!

(NET) 15,340.34