

Kansas Corporation Commission Oil & Gas Conservation Division

1155687

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|--|--|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R |
| Address 2: | Feet from North / South Line of Section |
| City: | Feet from _ East / _ West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | County: |
| Name: | Lease Name: Well #: |
| Wellsite Geologist: | Field Name: |
| Purchaser: | Producing Formation: |
| Designate Type of Completion: | Elevation: Ground: Kelly Bushing: |
| New Well Re-Entry Workover | Total Depth: Plug Back Total Depth: |
| Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): | Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt |
| Operator: | |
| Well Name: | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW | Chloride content: ppm Fluid volume: bbls Dewatering method used: |
| Plug Back: Plug Back Total Depth | Location of fluid disposal if hauled offsite: |
| Commingled Permit #: | Operator Name: |
| Dual Completion Permit #: | Lease Name: License #: |
| SWD Permit #: | Quarter Sec Twp S. R |
| ☐ ENHR Permit #: ☐ GSW Permit #: | County: Permit #: |
| Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|------------------------------------|
| Letter of Confidentiality Received |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I I II Approved by: Date: |

Side Two



| Operator Name: | | | Lease Name: _ | | | _ Well #: | |
|---|--|--|----------------------------|--------------------------------|-------------------|-----------------|-------------------------------|
| Sec Twp | S. R | East West | County: | | | | |
| time tool open and cl | osed, flowing and shu es if gas to surface te | nd base of formations pe at-in pressures, whether est, along with final chart well site report. | shut-in pressure rea | ched static level, | hydrostatic press | sures, bottom h | nole temperature, fluid |
| Drill Stem Tests Take | | ☐ Yes ☐ No | | og Formatio | n (Top), Depth ar | nd Datum | Sample |
| Samples Sent to Geo | ological Survev | ☐ Yes ☐ No | Nam | ne | | Тор | Datum |
| Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop | ed Electronically | Yes No Yes No Yes No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | | RECORD No- | ew Used ermediate, producti | on, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | ADDITIONA | L CEMENTING / SQI | JEEZE RECORD | 1 | | |
| Purpose: —— Perforate —— Protect Casing Depth Top Bottom Type of Cement | | # Sacks Used | Type and Percent Additives | | | | |
| —— Plug Back TD —— Plug Off Zone | | | | | | | |
| Shots Per Foot | Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) | | | | | d Depth | |
| | | | | | | | |
| | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No | | |
| Date of First, Resumed | Production, SWD or EN | IHR. Producing Me | | Gas Lift C | Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil | Bbls. Gas | Mcf Wat | er B | bls. | Gas-Oil Ratio | Gravity |
| DISPOSITI | ON OF GAS: | | METHOD OF COMPL | _ | | PRODUCTIO | ON INTERVAL: |
| Vented Sol | d Used on Lease | Open Hole | Perf. Dually (Submit | | mit ACO-4) | | |

| BIRK PETROLE 874 12 TH RD SW | | VELL CEMENTING | SERVICE TICKET | |
|--|--------------------------|-------------------|----------------|-----------|
| BURLINGTON, | KS 66839 | | DATE: 05/07/ | 1/2 |
| 620-364-1311 - 0 | FFICE, 620-364-6646 - CE | COUNTY CA | CITY_ | 10 |
| CHARGE TO | birk retrolled | CITY ST | ZIP | |
| ADDRESS_ LEASE & WELL | vo. Sutherland. | CONTRACTOR ST_ | ZIP | |
| KIND OF JOB OIR. TO LOC. | ement long stri | sectwp | OLD NEW | |
| DIR. TO LOC | | | OLD NEW | |
| QUANTITY | 0 | MATERIAL USED | | SERV. CHG |
| 120 Sx | Portana | Coment | A Commence | |
| | | | * | |
| ^ | | | | |
| | | | | |
| | | | | |
| | | | | |
| | BULK CHARGE | | | |
| | BULK TRK. MILES | | | |
| | PUMP TRK. MILES | | | |
| | | | | |
| | PLUGS | | | |
| | | | | |
| | TOTAL | | | |
| T.D. 1/25 | CS CS | SG. SET AT // 9 ' | VOLUME | |
| SIZE HOLE 6 | 1/4 11 | BG SET AT | VOLUME | |
| | 420 | 77/011 | V 0201112 | |
| MAX. PRESS | SI | ZE PIPE 2 70 | | |
| PLUG DEPTH | PR | KER DEPTH | PLUG USED | |
| TIME FINISHED: | | | | 1 |
| 1 | nnert to nine | Pimo Comport | nto Well 6 | ond Circ. |
| REMARKS: (| le Joh Comp | lete. | 100000 | 0001 0110 |
| 1 | | | | |
| | | | | |
| NAME | | | | |
| | | William M | 211A | |
| CEMENTER O | R TREATER | OWNER'S REP. | | |

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER.

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property, which is the subject of this contract.

BB001 B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

22000

BI/SUTHERL B & B COOPERATIVE VENTURES 58 W PAST LERDY 4MI TO OXEN RD N 1/2MI E ON 4TH LANE 1/4MI S SD ENTER IN AT TANKS CHITUEDI ONON O

| | | | | | FF LAIMTAL T | | | |
|-----------|---------|-----------|---------------|--|----------------------------|---------|---------------------|--|
| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | | DRIVER/TRUCK | | PLANT/TRANSACTION # | |
| | | | | % CAL | MA | % AIR | | |
| 03:07:23p | | 13.00 yd | 13.00 yd | 0.00 | 35 | 0.00 | COFCO | |
| DATE | | LOAD # | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER | |
| | To Date | 1 | 13.00 yd. | A STATE OF THE STA | Value and the same and the | | | |
| 05-07-13 | Today | 1 | 13.00 yd | 24000 | G/yd 0.0 | 4.00 in | 34082 | |

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if it places the material in this load where you desire it. It is
our wish to help you in every way that we can, but in order to do this
the drive is requesting that you sign his RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewals,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mult from the wheels of his vehicle so
that he will not littler the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

| Excess Delay Time Char | ged @ \$50/HR. | | / | 1 | 1 was bounded | The state of the s |
|------------------------|------------------------------|----------------------------------|---|--|-------------------------|--|
| QUANTITY | CODE | DESCRIPTION | | and the second s | UNIT PRICE | EXTENDED PRICE |
| 13.00 13.00 2.50 | WELL MIX&HAUL TRUCKING | WELL (10 MIXING & TRUCKING | | 13.00 13.00 2.50 | 55.00 25.00 55.00 | 715.00 325.00 137.50 |

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | | |
|-------------------|--|------------------|---|--|---|--|
| 5:51 | 5.04 | | 1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION | in the second se | SubTotal \$ 1177.50 ax % 6.300 74.18 | |
| LEFT PLANT | ARRIVED JOB | START UNLOADING | CONTRACTOR BROKE DOWN OTHER ADDED WATER | TIME DUE | Total \$ 1251.60 Frder \$ 1251.60 | |
| 3,24 | 4.19 | | | | ADDITIONAL CHARGE 1 125168 | |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME | ADDITIONAL CHARGE 2 | |
| 26 | en aleman en | | | 5 | GRAND TOTAL | |