

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	and the second		Spot Description:
	month day	year	Sec Twp S. R
OPERATOR: License#			(O/O/O/O) feet from N / S Line of Section
			feet from E / W Line of Section
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip: _		County:
Contact Person:			Lease Name: Well #:
Phone:			
ONTRACTOR: License#			Field Name:
Name:			·
vario.			Target Formation(s):
Well Drilled For:	Well Class: Ty	pe Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh R	ec Infield	Mud Rotary	Ground Surface Elevation:feet MS
Gas Storag	ge Pool Ext.	Air Rotary	Water well within one-quarter mile:
Dispos	sal Wildcat	Cable	Public water supply well within one mile:
Seismic ; # of	f Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
[K O) M (M O)			Surface Pipe by Alternate: III
IT OVVVVO: old well I	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			Projected Total Depth:
Original Completion Dat	te: Original Tot	tal Depth:	Formation at Total Depth:
			Water Source for Drilling Operations:
Directional, Deviated or Hor		Yes No	Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Permit with DWR)
KCC DKT #:			- Will Cores be taken? Yes N
			If Yes, proposed zone:
		٨Ε	FIDAVIT
The undersigned hereby a	iffirms that the drilling, com-	nletion and eventual n	lugging of this well will comply with K S A 55 et seg
-			lugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the followi	ing minimum requirements	will be met:	lugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the followi	ing minimum requirements into district office <i>prior</i> to spu	will be met: udding of well;	
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro	ing minimum requirements of the district office <i>prior</i> to sputyed notice of intent to drill so	will be met: udding of well; shall be posted on ead	ch drilling rig;
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amou	ing minimum requirements of the district office <i>prior</i> to sputyed notice of intent to drill sound of surface pipe as specifications.	will be met: udding of well; shall be posted on ead fied below shall be se	th drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso	ing minimum requirements of the district office <i>prior</i> to sputyed notice of intent to drill sound of surface pipe as specificated materials plus a minimum and the surface price as specificated materials plus a minimum and the surface price as specificated materials plus a minimum and the surface price as specificated materials plus a minimum and the surface price and the	will be met: udding of well; shall be posted on ead fied below shall be se nimum of 20 feet into t	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole	ing minimum requirements of the district office prior to sputyed notice of intent to drill sount of surface pipe as specificated materials plus a mine, an agreement between the	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the di	th drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following the sagreed that the following and the sagreed that the following the sagreed that the sagree	ing minimum requirements of the district office <i>prior</i> to sput ved notice of intent to drill so unt of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ;
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appe	ing minimum requirements of the district office <i>prior</i> to sput ved notice of intent to drill <i>s</i> and of surface pipe as speciful bidated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production and ix "B" - Eastern Kansas	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appe	ing minimum requirements of the district office <i>prior</i> to sput ved notice of intent to drill <i>s</i> and of surface pipe as speciful bidated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production and ix "B" - Eastern Kansas	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
1. Notify the appropria 2. A copy of the appro- 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appe	ing minimum requirements of the district office <i>prior</i> to sput ved notice of intent to drill <i>s</i> and of surface pipe as specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production and ix "B" - Eastern Kansas	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; the ground or production casing is cemented in; the definition of the strict office and usually water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; the ground or production casing is cemented in; the definition of the strict office and usually water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; the ground or production casing is cemented in; the definition of the strict office and usually water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. (133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so and of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production and it is a constant of the spud of the sp	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug on pipe shall be cement surface casing order #	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 -	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so ant of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud	will be met: udding of well; shall be posted on ear fied below shall be se nimum of 20 feet into t ne operator and the di efore well is either plug n pipe shall be cement surface casing order # date or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required	ing minimum requirements of the district office <i>prior</i> to spouved notice of intent to drill so unt of surface pipe as specificated materials plus a mirre, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud o	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug nippe shall be cement surface casing order # date or the well shall be feet	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 2. A copy of the appropria 3. The minimum amout through all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so ant of surface pipe as specificially as a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud	will be met: udding of well; shall be posted on each fied below shall be se nimum of 20 feet into the operator and the diefore well is either plug nippe shall be cement surface casing order # date or the well shall be feet	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
It is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required	ing minimum requirements of the district office <i>prior</i> to spouved notice of intent to drill so unt of surface pipe as specificated materials plus a mirre, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud o	will be met: udding of well; shall be posted on ear fied below shall be se nimum of 20 feet into t ne operator and the di efore well is either plug n pipe shall be cement surface casing order # date or the well shall be	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. All 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the followi 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Appermust be completed ubmitted Electron For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so an int of surface pipe as specificial specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud of the spu	will be met: udding of well; shall be posted on ear fied below shall be se nimum of 20 feet into t ne operator and the di efore well is either plug n pipe shall be cement surface casing order # date or the well shall be	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. All 233,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the followi 1. Notify the appropria 2. A copy of the approvance of the well is dry hole 5. The appropriate dis 6. If an ALTERNATE II Or pursuant to Approvance of the appropriate of the approvance of the approv	ing minimum requirements of the district office <i>prior</i> to sput yed notice of intent to drill so an int of surface pipe as specificial specificated materials plus a mine, an agreement between the trict office will be notified be a COMPLETION, production endix "B" - Eastern Kansas within 30 days of the spud of the spu	will be met: udding of well; shall be posted on ear fied below shall be se nimum of 20 feet into t ne operator and the di efore well is either plug n pipe shall be cement surface casing order # date or the well shall be	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. All 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🔲 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2250 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1156025

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Kansas Corporation Commission Oil & Gas Conservation Division

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Pit is:				
Emergency Pit Burn Pit Proposed		Existing	SecTwpR East West	
Settling Pit Drilling Pit Workover Pit Haul-Off Pit	If Existing, date constructed: ——— Pit capacity:		Feet from North / South Line of Section	
(If WP Supply API No. or Year Drilled)			Feet from East / West Line of Section County	
	(bbls)			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
, , , , , , , , , , , , , , , , , , , ,	Length (fee	,	Width (feet) N/A: Steel Pits	
	m ground level to dee			
If the pit is lined give a brief description of the lir material, thickness and installation procedure.	ier		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
•				
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Numb	oer.	Dormi	t Date: Lease Inspection: Yes No	
Date Neceived Feitill Nullik	Лог.	FEIIII	L Date Lease IIIspection. Ies INO	

CORRECTION #1 KANSAS CORPORATION COMMISSION

1156025 Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed

All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	the lease below:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: \[\] I certify that, pursuant to the Kansas Surface Owner Notice A	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form		
	being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			




Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499

burt@pro-stakellc.kscoxmail.com

11028



003237

SCALE: 1" = 1000'

DATE STAKED: July 16th, 2013

MEASURED BY: Luke R.

DRAWN BY: Luke R.

AUTHORIZED BY: Cecil O.


This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR FLEVATION: 3113.7'

Directions: From the NE side of Hugoton Ks, at the intersection of Hwy 56 & Hwy 25 – Now go 4 miles North on Hwy 27/270 – Now go 1 mile East on Rd U to the NW corner of section 23-32s-37w – Now go 0.7 South on Rd 14 to ingress stake East into – Now go 660' East through un-harvested wheat into staked location.

Final ingress must be verified with land owner or Operator.



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

August 23, 2013

Cecil O'Brate Palmer Oil, Inc. 3118 N. Cummings Rd. PO BOX 399 GARDEN CITY, KS 67846

Re: Drilling Pit Application API 15-189-22809-00-00 UPC 23-5 SW/4 Sec.23-32S-37W Stevens County, Kansas

Dear Cecil O'Brate:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

Summary of Changes

Lease Name and Number: UPC 23-5 API/Permit #: 15-189-22809-00-00

Doc ID: 1156025

Correction Number: 1

Approved By: Rick Hestermann 08/23/2013

Field Name	Previous Value	New Value
Elevation Source	Surveyed	Estimated
ElevationPDF	3113 Surveyed	3123 Estimated
Feet to Nearest Water Well Within One-Mile of	2515	2570
Pit Ground Surface Elevation	3113	3123
KCC Only - Approved By	Rick Hestermann 07/31/2013	Rick Hestermann 08/23/2013
KCC Only - Approved Date	07/31/2013	08/23/2013
KCC Only - Date Received	07/24/2013	08/23/2013
KCC Only - Regular Section Quarter Calls	N2 S2 NW SW	S2 N2 NW SW
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInform	https://solar.kgs.ku.edu/kcc/detail/locationInform
Number of Feet North or South From Section Line	ation.cfm?section=23&t 1900	ation.cfm?section=23&t 2250

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section	1900	2250
Line Quarter Call 3	S2	N2
Quarter Call 3	S2	N2
Quarter Call 4 - Smallest	N2	S2
Quarter Call 4 - Smallest	N2	S2
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 52636	//kcc/detail/operatorE ditDetail.cfm?docID=11 56025

Summary of Attachments

Lease Name and Number: UPC 23-5

API: 15-189-22809-00-00

Doc ID: 1156025

Correction Number: 1

Approved By: Rick Hestermann 08/23/2013

Attachment Name

UPC 23-5 Corrected Plat

Fluids 72hrs