Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1153857

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|---|--|
| Name: | Spot Description: |
| Address 1: | |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| | Producing Formation: |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW | Elevation: Ground: Kelly Bushing: |
| □ Gas □ DaA □ EINFH □ SIGW □ OG □ GSW □ Temp. Abd. | Total Vertical Depth: Plug Back Total Depth: |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? Yes No |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD | Drilling Fluid Management Plan |
| Plug Back Conv. to GSW Conv. to Producer | (Data must be collected from the Reserve Pit) |
| _ | Chloride content: ppm Fluid volume: bbls |
| Commingled Permit #: | Dewatering method used: |
| Dual Completion Permit #: | |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| ENHR Permit #: | Operator Name: |
| GSW Permit #: | License #: |
| | Quarter Sec TwpS. R East West |
| Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested | | | | | |
| Date: | | | | | |
| Confidential Release Date: | | | | | |
| Wireline Log Received | | | | | |
| Geologist Report Received | | | | | |
| UIC Distribution | | | | | |
| ALT I II III Approved by: Date: | | | | | |

| | Page Two | |
|-----------------------|-------------|---|
| Operator Name: | Lease Name: | Well #: |
| Sec TwpS. R East West | County: | |

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken Yes No (Attach Additional Sheets) | | Yes No | | Log Formatio | on (Top), Depth an | d Datum | Sample |
|--|--|-----------------------------------|----------------------|---------------------------------|--------------------|------------------|-------------------------------|
| Samples Sent to Geolog | | Yes No | Nan | ne | | Тор | Datum |
| Cores Taken Electric Log Run | | ☐ Yes ☐ No ☐ Yes ☐ No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | | | | | | |
| | | CASING Report all strings set- | | ew Used termediate, producti | on, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | ADDITIONAL | _ CEMENTING / SQ | UEEZE RECORD | | | |
| Purpose: Perforate | Depth Top Bottom | Type of Cement | # Sacks Used | | Type and Pe | ercent Additives | |
| Protect Casing Plug Back TD | | | | | | | |
| Plug Off Zone | | | | | | | |
| Did you perform a hydraulic | d you perform a hydraulic fracturing treatment on this well? | | | | No (If No, skip | o questions 2 an | d 3) |

| Did you perform a nyuradilo naotaning iteatinent on this weil? |
|---|
| Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? |
| Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? |

| | (II NO, SKIP QUESTIONS 2 an |
|----|-----------------------------|
| No | (If No, skip question 3) |

(If No, fill out Page Three of the ACO-1)

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | | | | | Depth | | | | |
|---|---|-------------------------------------|---------|-------------|--------|----------------|----------|-----------------|---------------|---------|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECORD: | Siz | re: | Set At: | | Packer | r At: | Liner F | Run: | No | |
| Date of First, Resumed | I Producti | on, SWD or ENHF | 3. | Producing N | | ping | Gas Lift | Other (Explain) | | |
| Estimated Production Per 24 Hours | | Oil Bb | ls. | Gas | Mcf | Wate | ər | Bbls. | Gas-Oil Ratio | Gravity |
| | | | | 1 | | | | | | |
| DISPOSITION OF GAS: | | METHOD OF COMPLETIC | | TION: | | PRODUCTION INT | TERVAL: | | | |
| Vented Sold Used on Lease | | Open Hole Perf. Dually (Submit A | | | | | | | | |
| (If vented, Submit ACO-18.) Other (Specify) | | |) | (Cubinit) | , | | | | | |

Yes

Yes

No

Anderson County, KS Well:Zastrow 24-HP Lease Owner: Haas

Town Oilfield Service, Inc. Commenced Spudding: (913) 837-8400 7/14/2013

WELL LOG

| Thickness of Strata | Formation | Total Depth |
|---------------------|--------------------|-------------|
| 15 | soil / clay | 15 |
| 60 | shale | 75 |
| 28 | lime | 103 |
| 14 | shale | 117 |
| 2 | lime | 119 |
| 4 | shale & lime | 123 |
| 2 | lime | 125 |
| 46 | shale | 171 |
| 4 | lime | 175 |
| 3 | shale | 178 |
| 5 | lime | 183 |
| 6 | shale | 189 |
| 37 | lime | 226 |
| 6 | shale | 232 |
| 21 | lime | 253 |
| 3 | shale | 256 |
| 22 | lime | 278 |
| 4 | shale | 282 |
| 3 | lime | 285 |
| 6 | sand & sandy shale | 291 |
| 19 | shale | 310 |
| 5 | sand & sandy shale | 315 |
| 93 | shale | 408 |
| 7 | sand & sandy shale | 415 |
| 3 | sandy shale | 418 |
| 27 | shale | 445 |
| 2 | lime | 447 |
| 6 | shale | 453 |
| 2 | lime | 455 |
| 3 | shale | 458 |
| 11 | lime | 469 |
| 10 | shale | 479 |
| 7 | sand | 486 |
| 4 | sandyshale | 490 |
| 9 | shale | 499 |
| 8 | sand | 507 |
| 9 | sandy shale | 516 |
| 4 | shale | 520 |
| 2 | coal | 522 |
| 6 | lime | 528 |

Anderson County, KS Well:Zastrow 24-HP Lease Owner: Haas

Town Oilfield Service, Inc. Commenced Spudding: (913) 837-8400 7/14/2013

| 5 | shale | 533 |
|----|--------------------|-----|
| 1 | lime | 534 |
| 9 | shale | 543 |
| 5 | lime | 548 |
| 20 | shale | 568 |
| 10 | lime | 578 |
| 22 | shale | 600 |
| 3 | lime | 603 |
| 11 | shale | 614 |
| 2 | lime | 616 |
| 14 | shale | 630 |
| 4 | sand | 634 |
| 46 | shale | 680 |
| 17 | sandy shale & sand | 697 |
| 27 | shale | 724 |
| 16 | sand | 740 |
| 2 | sand | 742 |
| 2 | sand | 744 |
| 1 | sand | 745 |
| 2 | sand | 747 |
| 2 | sand | 749 |
| 3 | sand | 752 |
| 1 | broken sand | 753 |
| 9 | sandy shale | 762 |
| 58 | shale | 820 |
| | | |
| | | |
| | | |

| | | 0 | | TICKET NUM | ана <u>Л</u> О | 177 |
|-----------------|--|---------------------------------------|---------------------------------------|-----------------|----------------|-------------|
| | ONSOLIDATED | 260611 | 0 | LOCATION_(| | |
| | Oli Well Services, LLC | $\mathbf{Q}\mathbf{U}\mathbf{U}$ | * | FOREMAN | | |
| PO Box 884 0 | Chanute, KS 66720 FIE | ELD TICKET & TRE | ATMENT REP | | eg remae | × 4 |
| | or 800-467-8676 | CEME | | •••• | | |
| DATE | | LL NAME & NUMBER | SECTION | TOWNSHIP | RANGE | COUNTY |
| 7/16/13 | 3451 Zaste | TOW # 24-HP | NW13 | 20 | 20 | AN |
| CUSTOMER | Potroleum | · · · | | | | |
| MAILING ADDR | ESS | | 481 | DRIVER | TRUCK # | DRIVER |
| 1155 | I dal & Siela | 205 | 6166 | Casken | | |
| CITY | STATE | ZIP CODE | 548 | Garloo | | |
| Leanoc | d KS | 66211 | 675 | KeiDet | | <u> </u> |
| JOB TYPE 0 | | 55/8" HOLE DEP | | CASING SIZE & W | | 27/8"EVE |
| CASING DEPTH | Jan a | | | | OTHER | arve CUE |
| SLURRY WEIGH | | WATER gal | /sk | CEMENT LEFT in | | |
| DISPLACEMEN | | | · | RATE 4.56 | | |
| REMARKS: 60 | | | tion wither | A A | 200 # PA | ne. Sugar |
| Gel follow | | | | | | zwix |
| comput i | 1/ 2% get por ste | rement to su | | | chan or | <u>xuux</u> |
| 2'6 " rubbe | coluce to casing - | TD w/ 4.57 bbb | | er clessure | 1121 | DOI |
| released a | convie, shut in cas | | | | | |
| | ······································ | | | | \sim | |
| | | | | 7) 1 | 17 | |
| | | | | TT | | |
| | | | | | | |
| <u> </u> | | • · · – – ·· | | | 1 | |
| ACCOUNT CODE | QUANITY or UNITS | DESCRIPTION | of SERVICES or PR | ODUCT | UNIT PRICE | TOTAL |
| 5401 | | PUMP CHARGE | | | | 1085,00 |
| 5406 | 25 mi | MILEAGE | | | | 105,00 |
| 5402 | 790' | casing footace | | | | |
| 5407 | 1/2 minimum | ten mileage 80 Vac | | | | 1900 |
| 55020 | 1.5 hrs | 80 Vac | · | | · | 135,00 |
| | | | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | | | |
| 1124 | 108 sks | 5950 Populix co | unent | | | 1242,00 |
| (118B | 381 # | Premium Gel | · · · · · · · · · · · · · · · · · · · | | | 83.82 |
| | | 2 1/2" rubber plu | | | | 29.50 |
| 4402 | (| an lough ph | 5 | | | 01.20 |
| | | <u> </u> | | ····· | | |
| ———- f | | | | <u> </u> | | |
| | | | | | plated | |
| | | | · · · · · · · · · · · · · · · · · · · | | ipicicu į | |
| | ······································ | 1 | ÷. | | | |
| | | | | 8 7 | | |
| | | | | | | |
| | ····· | | | 7.65% | SALES TAX | 103.68 |

Ravin 3737

AUTHORIZTION 10 Co. Rep on location

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TITLE_

ESTIMATED

TOTAL

DATE_

2968.

60

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

August 01, 2013

Mark Haas Haas Petroleum, LLC 11551 ASH ST., STE 205 LEAWOOD, KS 66211

Re: ACO1 API 15-003-25884-00-00 Zastrow 24-HP NW/4 Sec.13-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Mark Haas