Confidentiality Requested: Yes No

## KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1156116

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd.     CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back   Conv. to GSW   Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	QuarterSec TwpS. R East West
Spud Date or         Date Reached TD         Completion Date or           Recompletion Date         Recompletion Date	County: Permit #:

## AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

				Page Iwo	11561		
Operator Na	me:			Lease Name:		_ Well #:	
Sec	Twp	S. R	East West	County:			

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	ical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	JEEZE RECORD			

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

Yes	No
Yes	No
Yes	No

(If No, skip questions 2 and 3) 

 No
 (If No, skip question 3)


 No
 (If No, fill out Page Three

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For		RD - Bridge P Each Interval I		е			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	At:	Liner F		No	
Date of First, Resumed	I Product	ion, SWD or ENHF	<b>}</b> .	Producing N	/lethod:	oing	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF G	GAS:			METHOD		TION:		PRODUCTION INT	ERVAL:
Vented Solo	J 🗌	Used on Lease		Open Hole	Perf.		Comp.	Commingled		
(If vented, Su	bmit ACC	0-18.)		Other (Specify)		(Submit )	,	(Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202





43262 TICKET NUMBER\_ LOCATION EURCEA FOREMAN Rick Indford

PO Box 884, Chanute, KS 66720

FIELD	TICKET	& TREATMENT	REPORT
			A 744 A

620-431-9210 or 800-467-8676			CEMEN	г АА	11* 15-115-	21457			
DATE	CUSTOMER #	WE	ELL NAME & NUA	ABËR	SECTION	TOWNSHIP	RANGE	COUNTY	
7-9-13	1676	1 OVAK	548-1		29	125	46	Marian	
CUSTOMER				Guller			en en seguer se se série d'al de la seguer se se série d'al de la seguer se se série d'al de la seguer se se s La seguer de la segue	<u> </u>	
A A	buckle Ene	rev Inc.		- phy	TRUCK #	DRIVER	TRUCK #	DRIVER	
MAILING ADDRESS				Pay	445	Chris B.		<u> </u>	
29	14 Alame St	•			Lat	Jer			
CITY		STATE	ZIP CODE			Alm G. (M	(ley Tere)		
Wie	hite	25	67211						
JOB TYPE	15 1	HOLE SIZE_	72/8-	HOLE DEPTH	2748	CASING SIZE & V	NEIGHT 54"	15.5"-17"	
CASING DEPTH	2750'	DRILL PIPE_					OTHER		
	HT 13.6#	SLURRY VOI	YI AN	WATER gal/sl	9.4	CEMENT LEFT in CASING			
	T.6512	DISPLACEM	ENT PSI		Burg plug	RATE		<b>.</b>	
		•				n - 1 15 6	b) fresh h	setter.	
Mineral 12	is ses thic	ext com	-15" Ro	1. seel /se + )+	ahoused be	@ 13.64/9	al visit 1	.85.	
1. Jashart	and + has	. telense	loten dam	die. Or	olace w/	654 Bbl fr	esh work!	Fina)	
Alma artes	we 600 155	Bine a	he to 1100	PSI. cela	MC DESSURE	floot + p by	held Goo	Cratition	
8 /		in a dian	The carbo	la dan					
<u>Ç 011 tim</u>	es while le		DO CAPER					·	

Cont - \* 3.7. 12 bourt a \*/

•4 Thank You"

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1015.00	1085.00
5406	-51	MILEAGE	4.20	210.00
11264	125 545	thiczet cenert	20.16	2526.00
ANICA	625*	5th Kalinika	. He	287.50
11079	125**	1th phenisaite	1.35	169.75
SYMA	6.87	ton mileage but tru	1.41	484.34
55024	645	80 Bbi vac. the	90.00	540.00
1123	3000 9013	City woto	17.3/1000	51.71
4164		5th" cannot based	240.05	240.00
4130	3	S1/2 ** 72/8" contrainers	50.50	151.50
4159		5%" AFD flust she	361.00	361.00
4454	/	52 " Latch day plug	266.25	266.75
			sister	6366 74
		7.65		309.63
rin 3737		aleo 360	ESTIMATED TOTAL	6676.37
	Paul Grando	TITLE	DATE	

AUTHORIZTION TAUL MANA da TITLE\_ I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

Cit Wall Survi	nn, ug		D	FOREMAN J	180	847 •//
Box 884, Chanute, KS 66 431-9210 or 800-467-86		KET & TREA1 CEMEN		·	7-00-	a A
DATE CUSTOMER #	WELL NAME &		SECTION	TOWNSHIP	RANGE	COUNTY
2/13 1010	Nougk S	SHR I	29	177	4	Marian
TOMER						
<u>r Suckie Enci</u> Ing address	rgy Inc.	<b></b> .	TRUCK #	DRIVER	TRUCK #	DRIVER
AAIM	~4		446	Josh G.		
2714 Alom9.		· ·	491	Jeremy, A.	¢	
wichit9	KS 672	~	471	Jeff. S.	<del></del>	
TYPE Surface B	HOLE SIZE 12/4	HOLE DEPTH	225	CASING SIZE & W	eight 8 ·	5/8
ING DEPTH 212, 23	DRILL PIPE	TUBING			OTHER	
RRY WEIGHT	SLURRY VOL	WATER gal/si	k	<b>CEMENT LEFT in (</b>		
LACEMENT 13, 25	DISPLACEMENT PSI			RATE		
ARKS: Sqfetv M	ecting Broke	c'aculat.	on Pus	nao 11255	K. 9 C. 19	SCAYAL
% AP.1 2	12 % coleium	Disolaced	1 11: +6	3.2516ks +	no. the suit	sten
Joint	<u>, , , , , , , , , , , , , , , , , , , </u>					

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
54015		PUMP CHARGE	870,00	870.00
54006	50	MILEAGE	-1,20	210.00
11045	125		15.70	
1102	250	15s calcium	.78	195,00
1118B	250		.22	55.00
1107	.70	129 Poly flake	2.47	
5407		min bolk Delivery	36800	348.00
			÷.,	
·				
	<u></u>			
	<u></u>		Subtatal	3784.00
<u>├──</u> ·──┼	<u> </u>	1 200300	SALES TAX	['M9.1]
Ravin 3737	m And	TITLE TOOL PUSKEr	ESTIMATED	3962.11
AUTHORIZTION	110 STAR	TITLE_ (OO / / USA C/	DATE7	2-13

/

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

August 22, 2013

Terry Bayliss Arbuckle Energy Inc. 2914 ALOMA ST WICHITA, KS 67211

Re: ACO1 API 15-115-21457-00-00 Novak SHB 1 SE/4 Sec.29-17S-04E Marion County, Kansas

**Dear Production Department:** 

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Terry Bayliss