

DIAMOND TESTING

General Information Report

General Information

Company Name TRANS PACIFIC OIL CORPORATION
Contact BETH ISERN
Well Name HANKS "C" #1-10
Unique Well ID DST #1, 160-180, 4064-4130
Surface Location SEC 10-17S-27W, LANE CO. KS.
Field WILDCAT
Well Type Vertical
Test Type CONVENTIONAL
Formation DST #1, 160-180, 4064-4130
Well Fluid Type 01 Oil

Representative TIM VENTERS
Well Operator TRANS PACIFIC OIL CORPORATION
Report Date 2013/06/09
Prepared By TIM VENTERS
Qualified By MIKE KIDWELL

Start Test Date 2013/06/09
Final Test Date 2013/06/09

Start Test Time 09:21:00
Final Test Time 17:49:00

Test Recovery:

RECOVERED: 485' GAS IN PIPE
140' G,VHOCM, 2% GAS, 48% OIL, 50% MUD
60' G,O&WCM, 10% GAS, 20% OIL, 24% WATER, 46% MUD
200' TOTAL FLUID


TOOL SAMPLE: 7% GAS, 80% OIL, 1% WATER, 12% MUD

CHLORIDES: 35,000 ppm
PH: 8.0
RW: .20 @ 86 deg.

TRANS PACIFIC OIL CORPORATION
DST #1, 160-180, 4064-4130
Start Test Date: 2013/06/09
Final Test Date: 2013/06/09

HANKS "C" #1-10
Formation: DST #1, 160-180, 4064-4130
Pool: WILDCAT
Job Number: T217

HANKS "C" #1-10





DIAMOND TESTING
 P.O. Box 157
HOISINGTON, KANSAS 67544
 (800) 542-7313
DRILL-STEM TEST TICKET
 FILE: HANKSC1-10DST1

TIME ON: 09:21
 TIME OFF: 17:49

Company TRANS PACIFIC OIL CORPORATION Lease & Well No. HANKS "C" #1-10
 Contractor DUKE DRILLING CO., INC. RIG #4 Charge to TRANS PACIFIC OIL CORPORATION
 Elevation 2590 KB Formation 160-180 Effective Pay _____ Ft. Ticket No. T217
 Date 6-9-13 Sec. 10 Twp. 17 S Range 27 W County LANE State KANSAS
 Test Approved By MIKE KIDWELL Diamond Representative TIMOTHY T. VENTERS

Formation Test No. 1 Interval Tested from 4064 ft. to 4130 ft. Total Depth 4130 ft.
 Packer Depth 4059 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 4064 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4045 ft. Recorder Number 8457 Cap. 10,000 P.S.I.
 Bottom Recorder Depth (Outside) 4127 ft. Recorder Number 11030 Cap. 5,025 P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 47 Drill Collar Length _____ ft. I.D. 2 1/4 in.
 Weight 9.0 Water Loss 7.8 cc. Weight Pipe Length _____ ft. I.D. 2 7/8 in.
 Chlorides 4,000 P.P.M. Drill Pipe Length 4031 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number 4 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? NO Reversed Out NO Anchor Length 35 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. ^{31' DP IN ANCHOR} Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK 1/4 INCH BLOW, BUILDING, REACHING BOB 24 1/2 MIN. (NO BB)
 2nd Open: WEAK SURFACE BLOW, BUILDING, REACHING BOB 17 1/2 MIN. (NOBB)

Recovered 485 ft. of GAS IN PIPE
 Recovered 140 ft. of G,VHOCM 2% GAS, 48% OIL, 50% MUD
 Recovered 60 ft. of G,O&WCM, 10% GAS, 20% OIL, 24% WATER, 46% MUD
 Recovered 200 ft. of TOTAL FLUID

Recovered _____ ft. of _____	CHLORIDES: 35,000 ppm	Price Job
Recovered _____ ft. of _____	PH: 8.0	Other Charges
Remarks: _____	RW: .20 @ 86 deg.	Insurance
<u>WE SLID ABOUT 3' AND PACKERS DIDN'T HOLD ON FIRST TRY.</u>		
<u>TOOL SAMPLE: 7% GAS, 80% OIL, 1% WATER, 12% MUD</u>		Total

Time Set Packer(s) 11:41 AM ^{A.M.} P.M. Time Started Off Bottom 3:56 PM ^{A.M.} P.M. Maximum Temperature 120 deg.

Initial Hydrostatic Pressure..... (A) 1921 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 15 P.S.I. to (C) 51 P.S.I.
 Initial Closed In Period..... Minutes 75 (D) 942 P.S.I.
 Final Flow Period..... Minutes 60 (E) 52 P.S.I. to (F) 95 P.S.I.
 Final Closed In Period..... Minutes 90 (G) 923 P.S.I.
 Final Hydrostatic Pressure..... (H) 1920 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.