

DIAMOND TESTING

Pressure Survey Report

General Information

Company Name	TRANS PACIFIC OIL CORP.	Job Number	M524
Well Name	SPEER A #2-28	Representative	MIKE COCHRAN
Unique Well ID	DST#1 4465-4532 ALTAMONT B	Well Operator	TRANS PACIFIC OIL CORP.
Surface Location	SEC.28-19S-28W LANE CO.KS.	Report Date	2013/07/15
Field	WILDCAT	Prepared By	MIKE COCHRAN
Well Type	Vertical	Qualified By	MAX LOVELY
	Test Unit		NO. 1

Test Information

Test Type	CONVENTIONAL		
Formation	DST#1 4465-4532 ALTAMONT B		
Test Purpose (AEUB)	Initial Test		
Start Test Date	2013/07/15	Start Test Time	19:15:00
Final Test Date	2013/07/16	Final Test Time	01:50:00
		Well Fluid Type	01 Oil
Gauge Name	0063		
Gauge Serial Number			

Test Results


Remarks RECOVERED:
15' DM 100% MUD
15' TOTAL FLUID

TOOL SAMPLE: 100% MUD W/ A FEW SPOTS OF OIL, AND A SLIGHT GASSY ODOR

TRANS PACIFIC OIL CORP.
DST#1 4465-4532 ALTAMONT B
Start Test Date: 2013/07/15
Final Test Date: 2013/07/16

SPEER A #2-28
Formation: DST#1 4465-4532 ALTAMONT B
Pool: WILDCAT
Job Number: M524

SPEER A #2-28





DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: SPRA2-28DST1

TIME ON: 1915 (7/15)
TIME OFF: 0150 (7/16)

Company TRANS PACIFIC OIL CORP. Lease & Well No. SPEER A #2-28
Contractor DUKE RIG 4 Charge to TRANS PACIFIC OIL CORP.
Elevation 2790 KB Formation ALTAMONT B Effective Pay _____ Ft. Ticket No. M524
Date 7/15/2013 Sec. 28 Twp. 19 S Range 28 W County LANE State KANSAS
Test Approved By MAX LOVELY Diamond Representative MIKE COCHRAN

Formation Test No. 1 Interval Tested from 4465 ft. to 4532 ft. Total Depth 4532 ft.

Packer Depth 4460 ft. Size 6 3/4 in. Packer depth N/A ft. Size 6 3/4 in.

Packer Depth 4465 ft. Size 6 3/4 in. Packer depth NA ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4452 ft. Recorder Number 0063 Cap. 6,000 P.S.I.

Bottom Recorder Depth (Outside) 4529 ft. Recorder Number 6884 Cap. 6,275 P.S.I.

Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEM Viscosity 51 Drill Collar Length _____ ft. I.D. 2 1/4 in.

Weight 9.5 Water Loss 6.4 cc. Weight Pipe Length _____ ft. I.D. 2 7/8 in.

Chlorides 2,200 P.P.M. Drill Pipe Length 4438 ft. I.D. 3 1/2 in.

Jars: Make STERLING Serial Number SFTY JT Test Tool Length 27 ft. Tool Size 3 1/2-IF in.

Did Well Flow? NO Reversed Out NO Anchor Length 67 ft. Size 4 1/2-FH in.

Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. (31'DP) Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK INTERMITTENT SB INC TO 1/2 IN 9 MIN DIMINISHING UNTIL DEAD @ 15 MIN (NO BB)

2nd Open: NO BLOW (NO BB)

Recovered 15 ft. of DM 100% MUD

Recovered 15 ft. of TOTAL FLUID

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Remarks: _____

Price Job

Other Charges

Insurance

TOOL SAMPLE: 100% MUD W/ A FEW SPOTS OF OIL, AND A SLIGHT GASSY ODOR

Total

Time Set Packer(s) 9:30 P.M. A.M. P.M. Time Started Off Bottom 11:30 P.M. A.M. P.M. Maximum Temperature 126

Initial Hydrostatic Pressure..... (A) 2180 P.S.I.

Initial Flow Period..... Minutes 30 (B) 9 P.S.I. to (C) 12 P.S.I.

Initial Closed In Period..... Minutes 30 (D) 1096 P.S.I.

Final Flow Period..... Minutes 30 (E) 12 P.S.I. to (F) 15 P.S.I.

Final Closed In Period..... Minutes 30 (G) 1041 P.S.I.

Final Hydrostatic Pressure..... (H) 2178 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.