

GENERAL INFORMATION

Client Information:

Company: JOHN ROY EVANS

Contact: GARY KIRMER

Phone: Fax: e-mail:

Site Information:

Contact: WYATT URBAN

Phone: Fax: e-mail:

Well Information:

Name: SCHNEWEIS #3

Operator: JOHN ROY EVANS

Location-Downhole:

Location-Surface: S32/16S/11W

Test Information:

Company: DIAMOND TESTINGD3347

Representative: JOHN RIEDL

Supervisor: WYATT URBAN

Test Type: DST #2 CONVENTIONAL Job Number: D1347

Test Unit:

Start Date: 2013/08/09 Start Time: 14:00:00

End Date: 2013/08/09 End Time: 19:00:00

Report Date: 2013/08/09 Prepared By: JOHN RIEDL

Qualified By: WYATT URBAN

Remarks:

RECOVERT: 180' GAS IN PIPE, 950' GASSY OIL



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: STC/Schneweis3dst2

TIME ON: 14:00 8/9/13
TIME OFF: 17:00 8/9/13

Company JOHN ROY EVANS Lease & Well No. SCHNEWEIS #3
Contractor ROYALDRILLING RIG #2 Charge to JOHN ROY EVANS
Elevation 1904 K.B Formation ARBUCKLE Effective Pay _____ Ft. Ticket No. D1348
Date 8/06/13 Sec. 32 Twp. 16 S Range 11 W County BARTON State KANSAS
Test Approved By WYATT URBAN Diamond Representative JOHN RIEDL

Formation Test No. 2 Interval Tested from 3323 ft. to 3347 ft. Total Depth 3347 ft.
Packer Depth 3318 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 3323 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____
Top Recorder Depth (Inside) 3326 ft. Recorder Number 30046 Cap. 6000 P.S.I.
Bottom Recorder Depth (Outside) 3344 ft. Recorder Number 11073 Cap. 4000 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 69 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 9.2 Water Loss 8.8 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 6,400 P.P.M. Drill Pipe Length 3313 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number NOT REQUESTED Test Tool Length 20 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 24 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: STRONG (B.OB 2 MINUTES) 2" BB
2nd Open: STRONG (B.O.B 2 MINUTES) NO BB

Recovered 120 ft. of GAS IN PIPE
Recovered 950 ft. of GO (20%GAS 80%OIL)
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____

Remarks: TAL FLUID RECOVERY:950 ' IN DRILL PIPE
TOOL SAMPLE GRINDOUT: 100% OIL

Time Set Packer(s) 3:20 P.M A.M. P.M. Time Started Off Bottom 4:50 P.M A.M. P.M. Maximum Temperature 112

Initial Hydrostatic Pressure..... (A) 1593 P.S.I.
Initial Flow Period..... Minutes 15 (B) 59 P.S.I. to (C) 228 P.S.I.
Initial Closed In Period..... Minutes 30 (D) 1113 P.S.I.
Final Flow Period..... Minutes 15 (E) 240 P.S.I. to (F) 387 P.S.I.
Final Closed In Period..... Minutes 30 (G) 1112 P.S.I.
Final Hydrostatic Pressure..... (H) 1580 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

JOHN ROY EVANS
Start Test Date: 2013/08/09
Final Test Date: 2013/08/09

SCHNEWEIS #3
Formation: ARBUCKLE
Job Number: D1347

SCHNEWEIS #3

