

For KCC Use:			
Effective Date:			
District #	·		
SGA?	Yes No		

Kansas Corporation Commission Oil & Gas Conservation Division

1158309

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

COUNTRACTOR: License# State: Zip: Stat	Expected Spud Date:				Spot Description:	
Contract Person		month	day	year	Sec Twp	S. R
Name:	ODEDATOR: License#					
Is SECTION: Regular regular?						/ W Line of Sectio
Moter Locate well on the Section Plat on reverse aidey					Is SECTION: Regular Irregular?	
County:						
Country Coun					· ·	,
Field Name: Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Target Formation(s): Nearest Lease or unit boundary line (in footage): Geal Mark Storage Pool Ext. Air Rotary Nearest Lease or unit boundary line (in footage): Geal Mark Storage Pool Ext. Air Rotary Nearest Lease or unit boundary line (in footage): Geal Mark Storage Pool Ext. Air Rotary Nearest Lease or unit boundary line (in footage): Geal Mark Storage Pool Ext. Air Rotary Nearest Lease or unit boundary line (in footage): Geal Mark Storage Pool Ext. Air Rotary Nearest Lease or unit boundary line (in footage): Geal Mark Storage Pool Ext. Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Nearest Lease or unit boundary line (in footage): Geal Mark Storage Pool Ext. Depth to bottom of the Air Storage Pool Ext. Depth to bottom of the Nates Public of Pool Ext. Depth to bottom of the Nates Public of Pool Ext. Depth to bottom of the Nates Public of Pool Ext. Depth to Bottom of Teah Nates Public of Pool Ext. Depth to Bottom of Teah Nates Public of Pool Ext. Depth to Bottom of Teah Nates Public of Pool Ext. Depth to Bottom of Teah Nates Public of Pool Ext. Depth to Bottom of Pool Ext. Depth to Bottom of Pool Ext. Depth to Bottom of Nat	•				, –	
Submitted Control Spaced Field? Spaced Field? Start Final Spaced Field? Spaced Field Fie	Phone:					
Name: Well Drilled For: Well Class: Type Equipment: Name: Series of the Process o	CONTRACTOR: License#					
Well Drilled For: Well Class: Type Equipment: Search Sea					·	
Ground Surface Elevation:	varrie.					
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Public water supply well within one mile: Yes	Well Drilled For:	Well Class	: 7	ype Equipment:		
Gas Slorage Pool Ext. Cable Cable Disposal Wildcat Cable Depth to bottom of tresh water: Depth to bottom of usable water: Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Len	Oil Enh F	Rec Infield	ı	Mud Rotary		
Depth to bottom of usable water: Depth to bottom of fresh water: Depth to bottom of usable water Depth to bottom of usable water: Depth to bottom of usable water Depth to bottom of usable water: Depth to bottom of usable water Depth to bottom of usable water: Depth to bottom of usable water Depth to bottom of usable water Depth to bottom of usable water Depth to bottom of usable water: Depth to bottom of us	Gas Stora	ge Pool E	Ext.	Air Rotary	·	
Depth to bottom of usable water: Depth to bottom of usable water:	Dispo	sal Wildca	at	Cable	Public water supply well within one mile:	Yes N
Depth to bottom of usable water: Surface Pipe by Alternate: It I I I I Length of Surface Pipe by Alternate: It I I I I Length of Surface Pipe by Alternate: It I I I I Length of Surface Pipe Planned to be set: Length of Surface Pipe (if any): Projected Total Depth: Promation at Total Depth: Promation	Seismic ;#	of Holes Other	'		·	
Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set:	Other:				Depth to bottom of usable water:	
Operator: Well Name: Original Completion Date: Original Total Depth: Well Name: Original Completion Date: Original Compl					Surface Pipe by Alternate: III	
Projected Total Depth:	If OWWO: old well	information as follo	ows:		Length of Surface Pipe Planned to be set:	
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: ### DWR Pe	Operator:				Length of Conductor Pipe (if any):	
Water Source for Drilling Operations: Water Source for Drilling Operation of Source for Drilling Operation Water Source on	•				Projected Total Depth:	
Water Source for Drilling Operations: Water Source for Drilling Operations of Source for Parmit with DWR Water Source for Parmit with K.S.A. 55 et. seq. Water Source for Parmit with K.S.A. 55 et. seq. Water Source for Parmit with K.S.A. 55 et. seq. Water Source for Parmit with K.S.A. 55 et. seq. Water Source for Parmit with K.S.A. 55 et. seq. Water Source for Parmit with K.S.A. 55 et. seq. Water Source for Parmit with K.S.A. 55 et. seq. Water Source for Parmit with K.S.A. 55 et. seq. Water Source for Parmit with K.S	Original Completion Da	ate:	Original To	otal Depth:	Formation at Total Depth:	
Yes, true vertical depth: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? Yes						
Bottom Hole Location:	Directional, Deviated or Ho	rizontal wellbore?		Yes No	Well Farm Pond Other:	
Note: Apply for Permit with DWR Yes Will Cores be taken? Yes Will Cores be taken? Yes Will Cores be taken? Yes Yes Will Cores be taken? Yes Will Cores be taken? Yes Yes Will Cores be taken? Yes	If Yes, true vertical depth: _					
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; File acreage attribution plat according to field proration orders; Notify appropriate district office at hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);						
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Ompletion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	KCC DKT #:				Will Cores be taken?	Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);					If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. While the complete of the KCC District office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);				Λ.	FID AV/IT	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Whinimum surface pipe required	The undersigned hereby	offirms that the d	r:11:na oon			
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Por KCC Use ONLY API #15 - Conductor pipe required feet feet Minimum surface pipe required feet per ALT. I I I I Security appropriate district office 48 hours prior to workover or re-entry; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); This authorization expires: Approved by: This authorization expires: A completion Form ACO-1 within 120 days of field proration orders; Submit plugging report (CP-4) after plugging is completed (within 60 days); The approved by: A completion Form ACO-1 within 120 days of field proration orders; Submit plugging report (CP-4) after plugging is completed (within 60 days); The approved by: A completion Form ACO-1 within 120 days of field proration ord	-		_		ugging of this well will comply with K.S.A. 55 et. seq.	
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	It is agreed that the follow	ing minimum req	uirements	will be met:		
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. While the complete complete is to the KCC Use ONLY API #15 -						
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. White Completion Form Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	.,			·	0 0.	
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Which is a completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);					, ,	shall be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Bemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);						ior to plugging:
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Benember to: For KCC Use ONLY API # 15						or to plugging,
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. White the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);				1 0	,	/S of spud date.
### Conductor pipe required	Or pursuant to App	endix "B" - Easte	rn Kansas	surface casing order #	133,891-C, which applies to the KCC District 3 area, alter	nate II cementing
For KCC Use ONLY API # 15	must be completed	within 30 days o	f the spud	date or the well shall b	e plugged. In all cases, NOTIFY district office prior to a	iny cementing.
For KCC Use ONLY API # 15						
For KCC Use ONLY API # 15						
For KCC Use ONLY API # 15	ubmitted Electro	nically				
API # 15					Remember to:	
API # 15	For KCC Use ONLY				- File Certification of Compliance with the Kansas Surface	e Owner Notification
Minimum surface pipe required feet per ALT. I I II	API # 15				•	
Minimum surface pipe requiredfeet per ALTIIIII					,	; ;
Approved by:						
This authorization expires: - Submit plugging report (CP-4) after plugging is completed (within 60 days);	Minimum surface pipe red	uired	1	eet per ALT I II		
Inis authorization expires:	Approved by:				 Notify appropriate district office 48 hours prior to workey 	ver or re-entry:
	Approved by.					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

Side Two



SEWARD CO. 3390' FEL

495 ft.

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R
Number of Acres attributable to well:	is section. Neutral of Hiteurial
QTR/QTR/QTR of acreage:	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
lease roads, tank batteries, pipelines and electrical lines,	PLAT earest lease or unit boundary line. Show the predicted locations of as required by the Kansas Surface Owner Notice Act (House Bill 2032). In a separate plat if desired.
	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
27	EXAMPLE
	1980' FSL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.



Kansas Corporation Commission Oil & Gas Conservation Division

1158309 Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.
	KCC	OFFICE USE O	NLY
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No



1158309


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
	County:		
Address 1:	Lease Name: Well #:		
Address 2: State: Zip:+			
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface		
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			
[_		



- Flow Line

---- Electric

All lines troads to existing wells EASTBURN LEASE SE 1/4 & 27-215-21E