

Kansas Corporation Commission Oil & Gas Conservation Division

1158350

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	. 5
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT

Side Two



Operator Name:			Lease Name: _			Well #:	
Sec Twp	S. R	East West	County:				
time tool open and clo	osed, flowing and shu es if gas to surface te	d base of formations pen t-in pressures, whether s st, along with final chart(s well site report.	hut-in pressure read	ched static level,	hydrostatic press	ures, bottom h	ole temperature, fluid
Drill Stem Tests Taker (Attach Additional		Yes No		og Formation	n (Top), Depth an	d Datum	Sample
Samples Sent to Geo	logical Survey	☐ Yes ☐ No	Nam	е		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop	d Electronically	Yes No Yes No Yes No					
List All E. Logs Run:							
		Report all strings set-		ermediate, producti		T 2 .	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	JEEZE RECORD	I		
Purpose: —— Perforate —— Protect Casing —— Plug Back TD	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Plug Off Zone							
Shots Per Foot		DN RECORD - Bridge Plug Footage of Each Interval Perl			cture, Shot, Cement mount and Kind of Ma		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or EN	HR. Producing Meth		Gas Lift C	other (Explain)		
Estimated Production Per 24 Hours	Oil I	Bbls. Gas	Mcf Wat	er Bl	ols. G	Sas-Oil Ratio	Gravity
DISPOSITI	ON OF GAS:	N.	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:
Vented Solo	Used on Lease	Open Hole	Perf. Dually		nmingled mit ACO-4)		
(If vented, Su	bmit ACO-18.)	Othor (Specify)	(SubMit i	100-0) (SUDI	IIII ACO-4)		

Finney Drilling Company 402685 W. 100 Road Wann, OK 74083

INVOIGE

Invoice Number: 774

Invoice Date:

May 20, 2013

Due Date

1,200.00

1,200.00

1,200.00

Page:

1

PHONE; 620-330-1420

KCC#: 5989

Federal ID#: 48-0925903

Bill To:

COLT ENERGY, INC. P.O. BOX 388 IOLA, KS 66749

CUSTOMER ID#

Ì	C	A	1	Central	A STATE OF THE STA	

COUNTY

COLT	CLINE LEASE	ALLEN	6/19/13
Quantity	Description	Unit Price	Amount
CI fro Tr Tr	3/13 - RIG TIME- Cline Lease # 8-16 - Move Rig to the #8-16, rig up, trip in drill pipe. Drill cement and plug in 862' to 884'. b) out, trip in underreamer, underream from 876' to 885 or out, rig down		1,200.00
	MAY 2 4 pron		

Subtotal

Sales Tax

TOTAL

Total Invoice Amount

Payment/Credit Applied

LEASE AND WELL NUMBER

			Þ	RILLE	RS LC	G						
API NO: 15 - 001 -	30583 - 0	0 - 00		_				S. 16	T. 24	R. 18	<u>E.</u>	W.
OPERATOR: COLT EN	ERGY, INC			.				LC	OCATION:	SE NW	SE NE	
								İ	COUNTY:	ALLEN		
ADDRESS: P.O. BOX	388, IOLA, I	KS 66749							ELEV. GR.:	952		
							•		DF:		KB:	
WELL#: 8-16		LEAS	E NAME:	CLINE								
FOOTAGE LOCATION:	1960	FEET	FROM	<u>(N)</u>	(S)	LINE	900	. FEET	FROM	<u>(E)</u>	(W)	LINE
CONTRACTOR:	FINNEY DI	RILLING CO	OMPANY				GEO	LOGIST:	REX ASH	LOCK		
					-						······································	
SPUD DATE:	4/3/2	2013					TOTA	L DEPTH:	888	_	P.B.T.D.	
DATE COMPLETED:	4/5/2	2013					OIL PUR	CHASER:	COFFEY	VILLE RES	OURCES	
			C	ASING	RECO	RD						
REPORT OF ALL ST	RINGS - SU	RFACE, IN	TERMEDIA	ATE, PROD	UCTION, E	TC.	-					
PURPOSE OF STRING	T	SIZE CASII	NG SET (in		T	G DEPTH	TYPE CEMENT	SACKS	TYPE	AND % AD	DITIVES	
SURFACE:	12.2500	8.62	250	28	21	.30 🔍	l	15	SERVICE	COMPAN'	Y]
PRODUCTION:	6.7500	4.	5	10.5	8	75 ,)	OWC		SERVICE	COMPAN'	Y	J
				WELL	LOG	hod	HUOT N					

RAN:

CORES: #1 - 878 - 888
RECOVERED:
ACTUAL CORING TIME:

FORMATION	TOP	BOTTON
OP SOIL	0	4
_AY	4	16
RAVFI	16	19

TOP SOIL 0 4 CLAY 4 16 GRAVEL 16 19 LIME 19 20 SHALE 20 21 LIME 63 69 SHALE 69 72 SHALE 72 89 LIME 89 105 SHALE 105 140 LIME 89 105 SHALE 105 140 LIME 203 207 LIME 203 207 LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 551 554 SHALE & SAND 554 571 LIME			
CLAY 4 16 GRAVEL 16 19 LIME 19 20 SHALE 20 21 LIME 21 63 SHALE 63 69 LIME 69 72 SHALE 72 89 LIME 89 105 SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 546 551 LIME 544 546 SHALE 551 554 SHALE 551 554 SHALE 551 554 SHALE	TOP SOIL	0	4
LIME 19 20 SHALE 20 21 LIME 21 63 SHALE 63 69 LIME 69 72 SHALE 72 89 LIME 89 105 SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 546 551 SHALE 546 551 LIME 554 571 LIME 571 602 SAND & SHALE 602 876		4	16
SHALE 20 21 LIME 21 63 SHALE 63 69 LIME 69 72 SHALE 72 89 LIME 89 105 SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 546 551 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876	GRAVEL	16	19
LIME 21 63 SHALE 63 69 LIME 69 72 SHALE 72 89 LIME 89 105 SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876	LIME	19	20
LIME 21 63 SHALE 63 69 LIME 69 72 SHALE 72 89 LIME 89 105 SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876	SHALE	20	21
LIME 69 72 SHALE 72 89 LIME 89 105 SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			
LIME 69 72 SHALE 72 89 LIME 89 105 SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876	SHALE	63	69
LIME 89 105 SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 516 544 LIME 516 544 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876		69	72
LIME 89 105 SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 516 544 LIME 516 544 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876	SHALE	72	89
SHALE 105 140 LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 235 263 LIME 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			105
LIME 140 203 SAND & SHALE 203 207 LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876		105	140
SAND & SHALE 203 207 LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 516 544 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			203
LIME 207 233 SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876	A CONTRACTOR OF THE CONTRACTOR		
SHALE 233 235 LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876	L		
LIME 235 263 SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			
SHALE 263 454 LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			
LIME 454 462 SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			
SAND & SHALE 462 513 LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			
LIME 513 516 SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			
SAND & SHALE 516 544 LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			1
LIME 544 546 SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			1
SHALE 546 551 LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			
LIME 551 554 SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876			
SHALE & SAND 554 571 LIME 571 602 SAND & SHALE 602 876	L		
LIME 571 602 SAND & SHALE 602 876			
SAND & SHALE 602 876			
OIL SHOW O'V GOOT.D.			
	OIE SHOW	- 0,0	000 1.5.
			
			
			
			
			ļ
			ļI
			L

MIXED 25 SACKS OF MUD @ 728' MIXED 10 SACKS OF MUD @ 789'	FORMATION	ТОР	BOTTOM
MIXED 25 SACKS OF MUD @ 728' MIXED 10 SACKS OF			
MUD @ 728' MIXED 10 SACKS OF			
MUD @ 728' MIXED 10 SACKS OF	MIXED 25 SACKS OF		
MIXED 10 SACKS OF MUD @ 789'	MUD @ 728'		
MIXED 10 SACKS OF MUD @ 789'			
	MIXED 10 SACKS OF		
	1000 @ 769		
	1.2.4.4.0.000000000000000000000000000000		
		·····	
	and the second s		



ENTERED

TICKET NUMBER 41486

LOCATION EUCHA

FOREMAN RICK Leaford

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

1828

DATE

MAILING ADDRESS

4-15-13

CUSTOMER

CUSTOMER#

FIELD TICKET & TREATMENT REPORT

CEMEI	NT/5-001-3	0583	1/1/1/	
WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
live 8-16	16	24	18E	Aller
				W
	TRUCK#	DRIVER	TRUCK#	DRIVER
	520	Jeho		

611

Joes

Joha 125

JOB TYPE L/3 0 HOLE SIZE 6314" HOLE DEPTH 888 CASING SIZE & WEIGHT 41/2", 10/2 /fx

CASING DEPTH 875 DRILL PIPE TUBING OTHER

SLURRY WEIGHT 13.6 SLURRY VOL 30 66) WATER gal/sk 6.5 CEMENT LEFT in CASING 25'

DISPLACEMENT 13.5 661 DISPLACEMENT PSI 500 MER PSI 500 Shut in RATE

ZIP CODE

REMARKS: Safety meeting- Rig up to 472" casing w/ wireline. Break circulation w/ 5 Bb1 first water.

Pump 200# gc1-flish, 5 Bb1 water space, 5 Bb1 dre water. Minus 125 ses class A cement w/2%

gc1, 1% cause + 1# phenomi/se @ 13.6#/ga1. washout pump + lines, reliese plug. Displace to 950'

w/ 13.5 Bb1 water. followed plug w/ wireline. Final pump pressure 500 PSI. Shut will in @ 500 PSI.

"Thank Ke"

5401	,			
A1.4		PUMP CHARGE	1030.00	1030.00
5406	ď	MILEAGE 201 well of 2	1/4	ajc
11045	125 5xs	class A cement	14.95	1868.75
11488	235*	200 gel	.21	49.35
11/2	118#	190 Cach2	.74	87.32
11024	125 H	1 th phesoson /s=	1. 29	161.25
11183	50 [#]	gel-flush (150 provided by Colt)	. 2,	18.50
5407A 5.8	· · · · · · · · · · · · · · · · · · ·	to mileage busk +1/K 1	1.34	393,96
4404		41/2" top where plus	45-00	45.00
				3646.13
rin 3737		2.5%	SALES TAX ESTIMATED	767.77 3813.90

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TITLE