

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Spot Description: Spot Description: Spot Description: Spot Description: Sect. TwpS. R E W		re (5) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form.		
Section Sect	Expected Stud Date:	Snot Description:		
OPERATOR: Licenses	month day year	·		
Section Regular Impediar Restrown E / W Line of Section Radioses 1: Address 2: City Slate: Zip: County: County				
Address 5: Contact Person:	OPERATOR: License#			
Address 2: Chip: Signo: Zip:	Name:			
Country: Contact Person: Contract Co	Address 1:	Is SECTION: Regular Irregular?		
ContraCtors: Ucense# Name: Field Marne: Lease Name: Well #: Field Marne: Lease Name: Well Drilled For: Well Class: Type Equipment: String Properties String Pro	Address 2:	(Note: Locate well on the Section Plat on reverse side)		
Lease Name: Well #:	·	County:		
Field Name:		Lease Name: Well #:		
Name: Neil Drilled For: Weil Class: Type Equipment. Nearest Lease or unit boundary line (in footage): Nearest L	Phone:	Field Name:		
Name:	CONTRACTOR: License#	Is this a Prorated / Spaced Field?		
Nearost Lease or unit boundary line (in footage): Set MSL Galos	Name:			
Ground Surface Elevation: feet MSL Water well within one-quarter mile: yas No No Water well within one-quarter mile: yas No No Water well within one-quarter mile: yas yas Yas No Water well within one-quarter mile: yas yas No Water well within one-quarter mile: yas yas yas yas yas	Wall Drillad For: Wall Class: Type Fauinment:			
Oil Enh Rec Infloid Mula Rotary Water well within one-quarter mile: Yes No Public water supply well within one-quarter mile: Yes No Public water supply well within one mile: Depht to bottom of fresh water: Depht to Detom of fresh water: Depht to D		· · · · · · · · · · · · · · · · · · ·		
Gas Grage Pool EXI. Cable Ca				
Seismic : # of Holes Other Other: Organor: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Other: Well Agent of Defiling Operations: Well Farm Pond Other: DWR Permit #: Well Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district Office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date, Or pursuant to Appendix "B'- Eastern Kansass surface casing order #133,891-4, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY				
Depth to bottom of usable water:				
Surface Pipe by Alternate:		·		
Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any):	Other:			
Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Water Source for Drill Drill Drill; Formation at Teach Per Permit water Water Source for Water	If OWWO: old well information as follows:			
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations. Water Source for Drilling Operations. Water Source for Drilling Operation At Experiment Source device on each drilling rigger or Source device on each drilling r	in evivo. did non midimation de followe.	·		
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source For Drilling Operation Form Drilling Operation For Month of Water Source For Drilling Operations: Water Source For Drilling Operations: Water Source For Drilling Operation For Month of Water Source For Drilling Operations: Water Source For Drilling Operations: Water Source For Drilling Operations: Water Source For Drilling Operation For Month of Water Source For Drilling Operation For Month of Water Source For Drilling Oper	Operator:	- ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
Water Source for Drilling Operations: Water Source for Drilling Operation Water Source for Drilling Operation Water Source for Drilling Operations: Water Source for Drilling Operation Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation Promation operation or Drilling Operation Promation Promation Promat		-		
Well Farm Pond Other:	Original Completion Date: Original Total Depth:	Formation at Total Depth:		
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix B*- Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API #15 - Conductor pipe required feet Minimum surface pipe required feet per ALT.				
Bottom Hole Location:				
Will Cores be taken? Yes No	•	DWR Permit #:		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required				
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15	KCC DKT #:	- Will Cores be taken? Yes No		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY		If Yes, proposed zone:		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY	A.F.			
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required				
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY		lugging of this well will comply with K.S.A. 55 et. Seq.		
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	It is agreed that the following minimum requirements will be met:			
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15				
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15 - Conductor pipe required				
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required				
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required				
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	, , ,	, , , , , , , , , , , , , , , , , , , ,		
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15				
Remember to: For KCC Use ONLY	must be completed within 30 days of the spud date or the well shall b	e plugged. In all cases, NOTIFY district office prior to any cementing.		
Remember to: For KCC Use ONLY				
Remember to: For KCC Use ONLY				
Remember to: For KCC Use ONLY	Submitted Electronically			
For KCC Use ONLY API # 15	,	Pamember to:		
API # 15	For KCC Use ONLY			
Conductor pipe requiredfeet	ADI # 15	·		
Conductor pipe required				
Minimum surface pipe requiredfeet per ALTIII	Conductor pipe requiredfeet			
Approved by:	Minimum surface pipe requiredfeet per ALTIII			
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.				
(This authorization expires:				
	·			
	1 2.2010.1.2010.1.101.1.19 Tot otal tod Wallet 12 Mollillo of approval date.)	- If well will not be drilled or permit has expired (See: authorized expiration date)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2590 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

1158382 Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued in the continue	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
Distance to peacest water well within one mile of	of nit-	Donth to challe	west fresh waterfeet.
Distance to nearest water well within one-mile of pit:		Source of inform	nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: xing pits to be utilized: procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1158382

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	




Pro-Stake LLC

Oil Field & Construction Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



Herman L. Loeb LLC

OPERATOR

263214bar

Hinz #3-26

LEASE NAME

Barber County, KS

26 32s 14w Sec. Twp. Rng.

2590' FSL - 2590' FWL

LOCATION SPOT

SCALE: 1" = 1000'

DATE STAKED: Sept. 18th, 2013

MEASURED BY: Ben R.

DRAWN BY: Drew H.

AUTHORIZED BY: Jesse M.


This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

GR. ELEVATION: 1920.9°

Directions: From the South side of Medicine Lodge, Ks at the intersection of Hwy 281 North & Hwy 160 - Now go 12.9 miles West on Hwy 160 - Now go 3.4 miles South on Lake Side Rd which is approx. 2540' West of the NE corner of section 26-32s-14w - Now go 0.5 mile South on Lake side Rd to ingress stake SE into - Now go 0.1 mile SE on trail - Now go 30' South through pasture with cattle into staked location.

Final ingress must be verified with land owner or Operator.





Pro-Stake LLC

Oil Field & Construction Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



Herman L. Loeb LLC

OPERATOR

263214bar

22 14

Hinz #3-26

LEASE NAME

Barber County, KS

26 32s 14w Sec. Twp. Rng.

2590' FSL - 2590' FWL

LOCATION SPOT

SCALE: N/A

DATE STAKED: Sept. 18th, 2013

MEASURED BY: Ben R.

DRAWN BY: Drew H.

AUTHORIZED BY: Jesse M.


This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

R FLEVATION: 1920.9°

Directions: From the South side of Medicine Lodge, Ks at the intersection of Hwy 281 North & Hwy 160 - Now go 12.9 miles West on Hwy 160 - Now go 3.4 miles South on Lake Side Rd which is approx. 2540' West of the NE corner of section 26-32s-14w - Now go 0.5 mile South on Lake side Rd to ingress stake SE into - Now go 0.1 mile SE on trail - Now go 30' South through pasture with cattle into staked location.

Final ingress must be verified with land owner or Operator.





Pro-Stake LLC


Oil Field & Construction Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

14w

11170 INVOICE NO. Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



Herman L. Loeb LLC

OPERATOR

263214bar

Hinz #3-26

LEASE NAME

Barber County, KS COUNTY

26 32sSec. Twp.

2590' FSL - 2590' FWL

LOCATION SPOT

1" = 1000' SCALE: Sept. 18th, 2013 DATE STAKED: Ben R. MEASURED BY: Drew H. DRAWN BY: Jesse M. AUTHORIZED BY: _


This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

1920.9'

Directions: From the South side of Medicine Lodge, Ks at the intersection of Hwy 281 North & Hwy 160 - Now go 12.9 miles West on Hwy 160 - Now go 3.4 miles South on Lake Side Rd which is approx. 2540' West of the NE corner of section 26-32s-14w – Now go 0.5 mile South on Lake side Rd to ingress stake SE into - Now go 0.1 mile SE on trail - Now go 30' South through pasture with cattle into staked location.

Final ingress must be verified with land owner or Operator.



SURFACE FACILITY PLAT



263214bar

Pro-Stake LLC Oil Field & Construction Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499

burt@pro-stakellc.kscoxmail.com

14w

INVOICE NO.

Hinz #3-26

Herman L. Loeb LLC

Barber County, KS

32s Twp.

LEASE NAME 2590' FSL - 2590' FWL

LOCATION SPOT

1" = 1000' SCALE:_

Sept. 18th, 2013 DATE STAKED:_

Ben R. MEASURED BY:__ Drew H.

DRAWN BY: __ AUTHORIZED BY: Jesse M.


This drawing does not constitute a monumented survey or a land survey plat

This drawing is for construction purposes only

GR. ELEVATION: 1920.9°

Directions: From the South side of Medicine Lodge, Ks at the intersection of Hwy 281 North & Hwy 160 - Now go 12.9 miles West on Hwy 160 - Now go 3.4 miles South on Lake Side Rd which is approx. 2540' West of the NE corner of section 26-32s-14w - Now go 0.5 mile South on Lake side Rd to ingress stake SE into - Now go 0.1 mile SE on trail - Now go 30' South through pasture with cattle into staked location.

Final ingress must be verified with land owner or Operator.



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

NOTICE

Nearest Lease or Unit Boundary Line

K.A.R. 82-3-108 provides that all oil and gas well locations must comply with setback requirements, unless an exception has been granted by the Commission. Depending upon whether the subject well is an oil well or gas well, and also depending upon the county in which the well is located, the setback may be 330 feet or 165 feet from the nearest lease or unit boundary.

This Intent to Drill ("C-1") form indicates that the distance between the well and the nearest lease or unit boundary will comply with the setback requirement. Accordingly, the C-1 has been approved. However, the C-1 also stated that the well location is very near a boundary line of a Section or a Quarter-Section. This notice is being sent as a courtesy reminder, in case an error was made on the C-1.

As the operator of the proposed well, you must independently verify that the proposed well location complies with the applicable regulatory setback. If at any time it should appear that a well does not comply with the regulatory setback, the well may be subject to being shut-in pending Commission approval of an application for a well location exception. In addition, if such an application is not granted by the Commission, you may be required to plug the well.

If the proposed well location will comply with the regulatory setback, this notice may be disregarded. Please contact the KCC Production Department with any questions or concerns. Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 30, 2013

George Payne / Jesse Middagh HERMAN L. LOEB, LLC PO BOX 838 LAWRENCEVILLE, IL 62439

Re: Drilling Pit Application HINZ 3-26 SW/4 Sec.26-32S-14W Barber County, Kansas

Dear George Payne / Jesse Middagh:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.