

Kansas Corporation Commission Oil & Gas Conservation Division

1158540

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🔲 East 🗌 West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to:w/sx cmt.
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Side Two



Operator Name:			Lease Name: _			_ Well #:	
Sec Twp	S. R	East West	County:				
time tool open and cl	osed, flowing and shu es if gas to surface te	nd base of formations pe at-in pressures, whether est, along with final chart well site report.	shut-in pressure rea	ched static level,	hydrostatic press	sures, bottom h	nole temperature, fluid
Drill Stem Tests Take		☐ Yes ☐ No		og Formatio	n (Top), Depth ar	nd Datum	Sample
Samples Sent to Geo	ological Survev	☐ Yes ☐ No	Nam	ne		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop	ed Electronically	Yes No Yes No Yes No					
List All E. Logs Run:							
			RECORD No-	ew Used ermediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONA	L CEMENTING / SQI	JEEZE RECORD	1		
Purpose: —— Perforate —— Protect Casing	Depth Top Bottom	Type of Cement	# Sacks Used		Type and I	Percent Additives	
—— Plug Back TD —— Plug Off Zone							
Shots Per Foot	PERFORATI Specify	ON RECORD - Bridge Plu Footage of Each Interval Pe	gs Set/Type rforated		cture, Shot, Cemen		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or EN	IHR. Producing Me		Gas Lift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wat	er B	bls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF GAS:		METHOD OF COMPL	_		PRODUCTIO	ON INTERVAL:
Vented Sol	d Used on Lease	Open Hole	Perf. Dually (Submit		mit ACO-4)		

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Mosher #BI-2 API # 15-121-29466-00-00 SPUD DATE 07-22-13

Footogo		Formation	Trl.:_1	G (20) - 677 / 2
Footage 2		Formation Topsoil	Thickness	Set 20' of 7" w/ 3sx
7			2 5	TD 773'
9		clay sand stone		Ran 768' of 2 7/8 on 07-23-13
30			2	
37		lime	21	
51		shale	7	
		lime	14	
61		shale	10	
70		lime	9	
97		shale	27	
116		lime	19	
125		shale	9	
127		lime	2	
199		shale	72	
221		lime	22	
249		shale	28	
257		lime	8	
310		shale	53	
318		lime	8	
322		shale	4	
338		lime	16	
346	7	shale	8	
385		lime	39	
543		shale	158	
544		lime	1	
552		shale	8	Perf 663 – 665 per Doug
558		lime	6	Perf 672 – 677 per Doug
607		shale	49	
611		lime	4	
655		shale	44	
656		lime	1	
660		shale	4	
661		black shale	1	
663		white shale	2	
664		white shale/sand	1	good bleed, 75% shale, 25% sand
665		sand	1	70% sand, 30% shale
670		shale	5	20.3
673		sandy shale	3	
677		oil sand	4	good bleed, 65% sand, 35% shale
773		shale	96	



REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 Fax 620/431-0012

INVOICE

Invoice #

260842

Invoice Date: 07/24/2013

Terms: 0/0/30, n/30

Page

1

BLUE DIAMOND HOLDINGS, LLC P.O. BOX 128

WELLSVILLE KS 66092)

MOSHER BI-2

42248

1-16-21

07-23-2013

KS

Part Number Description Qty Unit Price Total 1124 50/50 POZ CEMENT MIX 108.00 11.5000 1242.00 1118B PREMIUM GEL / BENTONITE 281.00 .2200 61.82 1111 SODIUM CHLORIDE (GRANULA 227.00 .3900 88.53 1110A KOL SEAL (50# BAG) 540.00 .4600 248.40 4402 2 1/2" RUBBER PLUG 1.00 29.5000 29.50 Description Hours Unit Price Total 503 MIN. BULK DELIVERY 1.00 368.00 368.00 666 CEMENT PUMP 1.00 1085.00 1085.00 666 EQUIPMENT MILEAGE (ONE WAY) 20.00 4.20 84.00 666 CASING FOOTAGE 768.00 .00 .00 675 80 BBL VACUUM TRUCK (CEMENT) 2.00 90.00 180.00			=======	========	========
Description Hours Unit Price Total 503 MIN. BULK DELIVERY 1.00 368.00 368.00 666 CEMENT PUMP 1.00 1085.00 1085.00 666 EQUIPMENT MILEAGE (ONE WAY) 20.00 4.20 84.00 666 CASING FOOTAGE 768.00 .00 .00	1124 1118B 1111 1110A	50/50 POZ CEMENT MIX PREMIUM GEL / BENTONITE SODIUM CHLORIDE (GRANULA KOL SEAL (50# BAG)	108.00 281.00 227.00 540.00	11.5000 .2200 .3900 .4600	1242.00 61.82 88.53 248.40
503 MIN. BULK DELIVERY 666 CEMENT PUMP 666 EQUIPMENT MILEAGE (ONE WAY) 666 CASING FOOTAGE 768.00 700 700 700 700 700	4402	Z 1/Z" RUBBER PLUG	1.00	29.5000	29.50
	503 MIN. BULK DELI 666 CEMENT PUMP 666 EQUIPMENT MILE 666 CASING FOOTAGE	AGE (ONE WAY)	1.00 1.00 20.00	368.00 1085.00 4.20	368.00 1085.00 84.00

_______ 1670.25 Freight: Parts: .00 Tax: 123.59 AR 3510.84

Labor: .00 Misc: .00 Supplies: .00 Total:

3510.84

Sublt:

.00 Change:

.00

Signed

Date



260842

TICKET NUMBER_	42248
LOCATION_OHAU	ua KS
FOREMAN Casey	Kennedy

Ravin 3737

FIFI D TICKET & TREATMENT REPORT

CUSTOMER Blue Diamond Holdings MAILING ADDRESS PO Box 128 CITY STATE ZIP CODE Wellsuille KS 6697 HOLE DEPTH 773' CASING DEPTH 768' DRILL PIPE SLURRY WEIGHT DISPLACEMENT 4-276bls DISPLACEMENT 4-276bls DISPLACEMENT 4-276bls DISPLACEMENT 4-276bls DISPLACEMENT 4-276bls REMARKS: hold rataly resting, established circulation, mixed 4 pumped 100 4 Premium Cel followed by 10 645 frash water mixed 4 pumped 108 sks 5/60 Pozmix		hanute, KS 6672 or 800-467-8676		DIICKE	CEMEN	TWENT REP	UKI		<i>.</i> .
CUSTOMER Blue Diamond Holdings MAILING ADDRESS PO Box 138 CTY Willsville HOLE SIZE FILE HOLE DEPTH 773' CASING SIZE A WEIGHT 276" HOLE DEPTH 773' CASING SIZE A WEIGHT 276" HOLE SIZE FILE HOLE DEPTH 773' CASING SIZE A WEIGHT 276" HOLE DEPTH 773' CASING SIZE A WEIGHT 276" CASING DEPTH 1468 DISPLACEMENT 40 DISPLACEMENT PSI MIX	DATE	CUSTOMER#	WELL N	IAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
CUSTONER BIOLD DIAMOND Holdings MALLING ADDRESS THOUGH # DRIVER IT TRUCK # DRIVER TRUCK # DRIVER IT TRUCK # DRIVER LOS YOU STATE ZIP CODE		1/33	Mosher #	BI-2		NWI	16	21	WI
MALLING ADDRESS PO Box 128 CITY Wellsville KS 66972 HOLE DEPTH 773' CASING SIZE & WEIGHT 276" ENE CASING DEPTH 773' CASING SIZE & WEIGHT 276" ENE SUURRY WEIGHT SLURRY WOLD SLURRY WOLD WATER gallsk CEMENT LEFT in CASING SO FROM MIX PSI RATE 4.5 bp. RATE 4.5 bp. REMARKS: hold rating receting established circulation, mixed to purpose 100 to Premium Cell tallowed by 10 bbs thash water mixed to purpose 100 to Premium Cell tallowed by 10 bbs thash water mixed to purpose 100 to Premium Cell tallowed by 10 bbs thash water mixed to purpose 100 to Sis. The Desiring Country of 20 cal 50 saft to 54 Kolsen par st. census to Sixtace, thick prime clean, purpose 3'b" cubber due to battle w/ 4.27 bbs thach unetar, pressur ACCOUNT CODE ACCOUNT ACCOUNT CODE ACCOUNT CODE ACCOUNT ACCOUNT CODE ACCOUNT CODE ACCOUNT ACCOUNT ACCOUNT CODE ACCOUNT ACCOUNT ACCOUNT CODE ACCOUNT ACCOUNT CODE ACCOUNT ACCOUNT ACCOUNT CODE ACCOUNT ACC	CUSTOMER		11.			and with the sale		7-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	imini
PO Box 128 CITY Willsville	MAILING ADDR	ess Ho	ildings					- 71	DRIVER
STATE ZIPCODE (1809) 1875 KE DE (1809) 1875 KE DET (1809) 1875 MILLERY VOL. WATER BAILS CEMENT LEFT IN CASING 30' DISPLACEMENT 4-776/5 DISPLACEMENT PSI MIX PSI RATE 4-59 per RATE 4-59 per REMARKS: hold rately received, established encounting nixed to pumped 100 the Premium Cell followed by 10 665 Hash water nixed to pumped 100 the State Premium Cell followed by 10 665 Hash water nixed to pumped 100 the State Premium Cell followed by 10 665 Hash water nixed to pumped 100 the State Premium Cell followed by 10 665 Hash water nixed to pumped 100 the State Premium Cell followed by 10 665 Hash water nixed to pumped 100 the State Premium Cell followed by 10 665 Hash water nixed to pumped 100 the State Premium Cell followed by 10 665 Hash water nixed to pumped 100 the State Premium Cell followed pressure and the pumped 100 the State Premium Cell followed pressure								v Sately	Meeting
Wellsville Wellsville WS 66092 JOB TYPE COLORSTRING JOB TYPE COLORSTRING LOSS THE STATE HOLE SIZE JOB TYPE COLORSTRING CASING DEPTH 713' CASING SIZE & WEIGHT 274" EXE CASING DEPTH 713' CASING SIZE & WEIGHT 274" EXE OTHER SLURRY WEIGHT ACTION MIX PSIS RATE 75 BOAN RATE 75 BOAN RATE 75 BOAN REMARKS: hold rafely receiver astablished circulation, nixed for purped 100 # Premium Gel blowed by 10 bbs frash water nixed for purped 100 # Premium COLOR Tolored by 10 bbs frash water nixed for purped 100 # Premium COLOR TOLOR ACCOUNT CODE ACCOUNT CODE ACCOUNT CODE ACCOUNT CODE ACCOUNT QUANITY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT CODE SHOT ACCOUNT MILEAGE SHOT SHOT MILEAGE SHOT	CITY FO B	0x 120	CTATE 17	ID CODE	_		GarMoo	V	
ACCOUNT CODE QUANITY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL SHOLL / PUMP CHARGE SHOLL / PU		,,	1			503	ASIMOD	V	
CASING DEPTH 768 DRILL PIPE TUBING LATTLE 738' OTHER SLURRY WEIGHT SLURRY WEIGHT SLURRY VOL WATER BAILSK CEMENT LEFT IN CASING 30' DISPLACEMENT 4 2766 DISPLACEMENT PSI MIX PSI REMARKS: hold not fully receive, established excellation nixed to pumped 100 the Premium Cel followed by 10 this fact, water naixed to pumped 100 the Premium Cell followed by 10 this fact, water naixed to pumped 100 the Surface, Aliesh Cement w/ 20 acl 57, soft, to 5 the Kolsen for st. cement to surface, Aliesh plant clean, pumped 26" rubber plus to battle w/ 4.27 this fact, under pressur to 800 PSI, related pressure, shut in casing. Account account will pressure, shut in casing. Account account will pressure to the surface strong to the strong water pressure. SHOL 20 mi MILEAGE SHOL 20 mi MILEAGE SHOL 20 mi minum to mileage SHOL 2 hrs 80 Nau 1124 108 tcs 3788 Poznix cement 1118 281 the Frequirum Gel 1119 277 the Soft 1110A SHOL 21'S" (water play 248.50 248.50 248.50 248.50 248.50 248.50 248.50 248.50 248.50 248.60 29.50					j	675	Ke Det	V	
SLURRY WEIGHT DISPLACEMENT 4 276bbs DISPLACEMENT PSI MIX PSI RATE 4.5 bp. RATE 4.	JOB TYPE_(OL	astring	HOLE SIZE	7/8"	77 8			WEIGHT 27/	" ELE
DISPLACEMENT 4-27665 DISPLACEMENT PSI MIX PSI RATE 4.5 Gen REMARKS: hold refully received, established encoulation rixed topurped 100 of Premium Gel tollowed by 10 bbs trash water naixed topurped 100 sts 500 Pozniix Censent w/ 2% cel 5% salt + 5 of Kolsen par st, censent to surface, flight privacy clean, privaced 36" rubber plug to battle w/ 4.24 bds froch unter pressiv to 500 PSI, reladed pressure, that in casing. Account code quantity or units bescription of services or product unit price total 5401 / Pump charge 1085.9 5402 Alse 200 Milleage 1085.9 5404 Minimum ton mileage 1086.0 5502C 2 hcs 80 Usau 1245.0 1104 /08 sks 5/8 Poznix censent 1245.0 1118B 281 th Premium Gel (e. 8- 1110A 540 th Solf 200 200.5 1110A 540 th Kolseal 248.10 215 "Lubber plag 29.50 4462 1 2/5" Lubber plag 29.50	CASING DEPTH	Hos	DRILL PIPE	2	_TUBING ba	4/e -738	li	OTHER	
DISPLACEMENT 4-14665 DISPLACEMENT PSI MIX PSI RATE 4.5 Spon REMARKS: hold rately recting established circulation, rived t pumped 100 of Premium Cell followed by 10 665 trash water unived t pumped 108 cts. Sto Pozenix Cement w 220 get, 52 saft, + 5 of Kolsent par st. cement to Sixtage, flesh entry clean, pumped 2'5" rubber dig to battle w/ 4.27 bbs fresh water pressur to 800 PSI, related pressure, that in casing. ACCOUNT CODE QUANTY or UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL SHOL 1 PUMP CHARGE SHOL 20 Mi MILEAGE SHOL 30 Milleage SHOL MINIMUM Ion Mileage SHOL MINIMUM Ion Mileage SHOL MINIMUM Ion Mileage 1240.00 1124 108 sts 18/8 Poznix cement 1124.00 1188 281 th Premium Gol (21.8-3) 11104 SHOL SHOLL SHOLL SHOLL 1110A SHOLL SHOLL 1110A SHOLL			SLURRY VOL	9864	WATER gal/s	k	CEMENT LEFT in	CASING 30	, ·
Gel followed by 10 bbs flash water nixed to purped 108 sks 500 Poseurix cernent w/ 20 gel 5% saft + 5 st Kolsen par st cernent to sixface flish purped 2/5" rubber oling to ballile w/ 4.27 bbs floah water, pressure, 500 PSI, celeded pressure, shut in casing. ACCOUNT CODE QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE TOTAL SHOLL JOHN MILEAGE 84.00 SHOLL JOHN MILEAGE 84.00 SHOLL JOHN MILEAGE 84.00 SHOLL JOHN MILEAGE 360.00 SHOLL J	DISPLACEMENT	14.2766s	DISPLACEMENT P	PSI	MIX PSI		RATE_ 4.56	PM	
Cell followed by 10 bbs trash water naived to purped io 8 sks 50 to Pozuix Cellent w 20 get 50 saft + 5 st Kalsan par st cellent to sirrace, thesh pump clean, pumped 2's "cubber plug to battle w) 4.27 bbs trash unetar pressur to 800 PSI, related pressure, shut in casing. ACCOUNT CODE QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE TOTAL SHOL / PUMP CHARGE 1085.9 SHOL 20 Mi MILEAGE 84.00 SHOL Winimum ton mileage 368.00 SHOL Winimum ton mileage 368.00 SHOL 2 hrs 80 (lau 180.00 1124 /08 sks 50/5 Poznix cellent 1118B 281 th Premium Gel 61.8 11104 540 th Kolseal 248.40 4462 1 2/5 "rubber flog 39.50 4462 1 2/5 "rubber flog 39.50	REMARKS: A	eld rately	resting e	stablishe	d circula	tion mix	ed townse	d 100 #	Promin
Cellent W 22 get, So Salt, & St Rollen per st, cellent to Surface Mashing Clean, pumped 2's" rubber plog to battle w/ 4.27 bis trach water pressure. To SOO PSI, relacted pressure, shut in casing. ACCOUNT CODE QUANITY or UNITS DESCRIPTION of SERVICES of PRODUCT UNIT PRICE TOTAL SHOW A SHOW MILEAGE SHOW MILEAGE SHOW MILEAGE SHOW MILEAGE STOOL THESE STOOL THESE STOOL Show MILEAGE Stool Solve Sol	Gel tollo	wed by 10	o 66s Fras	h water	- Mike		. /	SOM D	
ACCOUNT QUANTY or UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL SHO! SHO! PUMP CHARGE SHOW SHOW AND THE STORM SHOW SHO	cement	w/ 2% as	el, 5% sal	4,+5	# Kolsen		2		Al al a
ACCOUNT QUANITY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE TOTAL SHO! SHO! Description of SERVICES or PRODUCT UNIT PRICE TOTAL 1085.9 SHO! SHO! Description of SERVICES or PRODUCT UNIT PRICE TOTAL 1085.9 SHO! S	evera de	ean puna	ed 2%" n	bber ol-				coch mate	O COCCUM
ACCOUNT CODE QUANITY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL SHO! PUMP CHARGE SHOC DO MI MILEAGE SHOW SHOW	1 1100	PSI. colocus		<i>N</i> .	<i>/</i> .			CON UNICITY	, 131 ESUR
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL SHO! PUMP CHARGE SHOW SHOW SHOW THOSE SHOW MILEAGE SHOW SHOW SHOW MILEAGE SHOW SHOW SHOW SHOW SHOW IT PRICE TOTAL 1085.99 SHOW SHOW SHOW SHOW INTERICE TOTAL 1085.99 SHOW INTERICE SHOW SHOW INTERICE TOTAL 1085.99 SHOW SHOW INTERICE SHOW SHOW INTERICE TOTAL 1085.99 SHOW INTERICE SHOW INTERICE TOTAL 1085.99 SHOW INTERICE TOTAL 1085.99 SHOW INTERICE SHOW INTERICE TOTAL INTERICE SHOW INTERICE TOTAL INTERICE SHOW INTERICE INTERICE SHOW INTERICE INTER		,				9		α	*
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL SHO! PUMP CHARGE SHOW SHOW SHOW THOSE SHOW MILEAGE SHOW SHOW SHOW MILEAGE SHOW SHOW SHOW SHOW SHOW IT PRICE TOTAL 1085.99 SHOW SHOW SHOW SHOW INTERICE TOTAL 1085.99 SHOW INTERICE SHOW SHOW INTERICE TOTAL 1085.99 SHOW SHOW INTERICE SHOW SHOW INTERICE TOTAL 1085.99 SHOW INTERICE SHOW INTERICE TOTAL 1085.99 SHOW INTERICE TOTAL 1085.99 SHOW INTERICE SHOW INTERICE TOTAL INTERICE SHOW INTERICE TOTAL INTERICE SHOW INTERICE INTERICE SHOW INTERICE INTER			TRANSPORTED IN NO. 100 March	32 to - 25 to			1	//	
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL SHO! PUMP CHARGE SHOOD THOSE TOTAL TOTA						***************************************	- /) , /	<i>\(</i>	200 - Tue 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL SHO! PUMP CHARGE SHOOD THOSE TOTAL TOTA					<u></u>		154		
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL SHO! PUMP CHARGE SHOOD THOSE TOTAL TOTA	-		· · · · · · · · · · · · · · · · · · ·				- 	-/	
5406 20 mi MILEAGE 84.00 5402 768' asing botage 5407 minimum ton mileage 368.00 55020 2 hrs 80 Uau 180.00 1124 108 ks 50/58 Poznix censent 1242.00 1118B 281 # Premium Gol 61.8- 1110A 540 # Kolseal 248.40 4462 1 215" (Nober flog 29.50		QUANITY (or UNITS	DE	SCRIPTION of	SERVICES or PRO	DDUCT	UNIT PRICE	TOTAL
5406 20 mi MILEAGE 5402 768' asing tootage 5407 minimum ton mileage 5502C 2 hrs 80 Uau 1124 108 xs 50/5 Poznix cement 1118B 281 # Premium Gol 1110A 540 # Kolsea 4462 1 21/5" Wober plug 29.50	5401	/	PL	JMP CHARG	E				mec a
5407 minimum ton mileage 368.00 5502C 2 hrs 80 Vau 180.00 1124 108 des 50/5 Poznix cement 1242.00 1118B 281 # Premium Gel 61.8- 1110A 540 # Kolseal 248.40 4462 1 21/5" Wolfer flog	5406	20 M	MI أر	ILEAGE					8400
5407 minimum ton mileage 5502C 2 hrs 80 Usu 1124 108 des 50/50 Poznix censent 1118B 281 # Promium Gol (21.8- 1110 227 # Salt 1110A 540 # Kalsoal 4462 1 21/5" (John flog) 29.50				msine	Partone		· · · · · · · · · · · · · · · · · · ·		
5502C 2 hrs 80 Uau 1124 108 des 50/5 Poznix cement 1118B 281 # Premium Gol 1110 277 # Sqlt 1110A 540 # Kolseal 248.40 275" (dober flog) 29.50				」 フ 、	1				21.000
1124 108 sks 50/50 Poznix connent 1242.00 1118B 281 # Promium Gol 61.8- 1110 277 # Salt 88.53 1110A 540 # Kalsoal 248.40 4462 1 21/2" (dober flog 29.50	0_	21-						-	
1118B 281 # Premium Gol 1111 227 # Sqlt 1110A 540 # Kolseal 4462 1 2/5" (Nober plug) 29.50	JOSOAC	2 N/3		ou Cac		- 10			180.00
1118B 281 # Premium Gol 1111 227 # Sqlt 1110A 540 # Kolseal 4462 1 2/5" (Nober plug) 29.50	-				Walter				
1118B 281 # Premium Gol 1111 227 # Sqlt 1110A 540 # Kolseal 4462 1 2/5" (Nober plug) 29.50	117//	148 .	lec 1	10/- D				-	
1111 227 # Salt 1110A 540 # Kolsoal 248.40 4462 1 21/2" (Nober plug) 29.50			yes s	SO FO	PHLYC	ement			1242.00
1110A 540 ± Kolseal 248.53 4462 1 21/5" (vlotes flog 39.50			± 7	comina	u Gel				61.82
2/5" (Nober plug 29.50		227 \$		Salt					
2/5" (Nober plug 29.50	1110A	540 ±	<u> </u>	Solseal			388		
	4462			21/2" (1/2	obes plua				
		100-000 100 100 100 100 100 100 100 100	19.00 No. 60		7		part of the latest		107.00
ALTERIAL STATES OF SELECTION AND AND AND AND AND AND AND AND AND AN						***		RI	
							TO/A	ammiotos	
							121		<u> </u>
				· ·					tr .

ESTIMATED AUTHORIZTION No Co. Rep. on location TOTAL TITLE_ DATE

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

7,4%

SALES TAX