

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec. Twp. S. R E W
OPERATOR: License#	feet from N / S Line of Section
Name:	foot from E / W Line of Coation
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: + _	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
	Negreet League or unit boundary line (in footage)
Well Drilled For: Well Class: Type Equipmen	t: Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotar	V
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes No
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Biggetiered Devices des Hericantel wellhouse	Water Source for Drilling Operations:
	S No Well Farm Pond Other:
If Yes, true vertical depth:	DWK Fellill #.
KCC DKT #:	(Note: Apply for Fernit with DVIV.
NOO DICT #.	Will Cores be taken? Yes No
	If Yes, proposed zone:
	A FEID AVIT
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and e	
It is agreed that the following minimum requirements will be met:	eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we	eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sl</i>	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; nall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sl</i> through all unconsolidated materials plus a minimum of 20	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; nall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; nall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sl</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6.	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; nall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sl</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing the state of the surface of the surface casing	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; wither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. Ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sl</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing the state of the surface of the surface casing	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; beither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of we A copy of the approved notice of intent to drill <i>shall be</i> post The minimum amount of surface pipe as specified below <i>sl</i> through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator as The appropriate district office will be notified before well is an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing 	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; whether plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sI</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the way.	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. Ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sI</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the way.	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; wither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. Ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sI</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the way.	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; wither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. Ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sI</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the way.	li; ed on each drilling rig; nall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; bither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. ng order #133,891-C, which applies to the KCC District 3 area, alternate II cementing rell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>st</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the well that the complete of the spud date or the well that the complete of the spud date or the well that the complete of the spud date or the well that the complete of the spud date or the well that the complete of the spud date or the spud dat	eventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; bither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. Ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sI</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the way. **Ubmitted Electronically** For KCC Use ONLY API # 15 -	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the way. *Ubmitted Electronically* For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sI</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the way. **Ubmitted Electronically** For KCC Use ONLY API # 15 -	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the way. *Ubmitted Electronically* For KCC Use ONLY API # 15	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sl</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is at 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the way. Submitted Electronically For KCC Use ONLY API # 15	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sl</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the way. **UDMITTED STATE OF THE STATE OF	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration or date.) - Notify appropriate district office 48 hours prior to workover or re-entry; - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sI</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the well be completed. Submitted Electronically For KCC Use ONLY API # 15	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to scompleted (within 60 days); Notify appropriate district Office 48 hours prior to workover or re-entry; Submit plugging greport (CP-4) after plugging is completed (within 60 days);



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Nell Number:	feet from E / W Line of Section
Field:	SecTwp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	is section. Negulai of Integulai
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	PLAT
	arest lease or unit boundary line. Show the predicted locations of as required by the Kansas Surface Owner Notice Act (House Bill 2032).
	ch a separate plat if desired. 330 ft.
	330 ft.
	990 ft. LEGEND
	Tank Battery Location
	: Electric Line Location
	Lease Road Location
	EXAMPLE :
23	
	·· , ······· , ·······
	: : : : : : : : : : : : : : : : : : :
	··. ······· ········

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l
Is the bottom below ground level? Artificial Liner? Yes No Yes No		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (feet)			Width (feet)
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: per closed within 365 days of spud date.
·			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1158776

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name: When filing a Form T-1 involving multiple surface owners,			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Anderson Energy, Inc.	Location of Well: County: Sedgwick
Lease: Dugan Family Partnership	330 feet from N / S Line of Section
Well Number: 1	990. feet from $X \to I$ W Line of Section
Field: Wildcat	Sec 23 Twp. 29 S. R.1 E X W
Number of Acres attributable to well: OTR/OTR/OTR/OTR of acreage: - NW - NE - NE	- Is Section: 🛛 Regular or 🔲 Irregular
QTR/QTR/QTR/QTR of acreage: NW NE NE	
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	RLAT
	st lease or unit boundary line. Show the predicted locations of
	equired by the Kansas Surface Owner Notice Act (House Bill 2032).
	separate plat if desired. 330 ft.
117~7	330 ft.
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	990 ft. LEGEND
	O Well Location Tank Battery Location
	Pipeline Location
	: : Electric Line Location
/()'	Lease Road Location
	:
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	EXAMPLE : :
7 23	
// \\	
	1980' FSL
	Y III
	. ·······
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 27, 2013

Thomas Anderson Anderson Energy, Inc. 300 W DOUGLAS AVE, STE 410 WICHITA, KS 67202

Re: Drilling Pit Application
Dugan Family Partnership 1
NE/4 Sec.23-29S-01W
Sedgwick County, Kansas

Dear Thomas Anderson:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 6 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.