

Kansas Corporation Commission Oil & Gas Conservation Division

1158860

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.


Submitted Electronically

KCC Office Use ONLY			
Letter of Confidentiality Received			
Date:			
Confidential Release Date:			
Wireline Log Received			
Geologist Report Received			
UIC Distribution			
ALT I II III Approved by: Date:			

Side Two



Operator Name:			Lease Name: _			_ Well #:	
Sec Twp	S. R	East West	County:				
time tool open and clorecovery, and flow rat	osed, flowing and shu	d base of formations per t-in pressures, whether s st, along with final chart well site report.	shut-in pressure rea	ched static level,	hydrostatic pres	sures, bottom h	ole temperature, fluid
Drill Stem Tests Taker (Attach Additional		Yes No		og Formation	n (Top), Depth ar	nd Datum	Sample
Samples Sent to Geo	•	☐ Yes ☐ No	Nam	ne	Тор		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	ed Electronically	Yes No Yes No Yes No					
List All E. Logs Run:							
			RECORD N	ew Used ermediate, production	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONA	L CEMENTING / SQI	JEEZE RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used		Type and I	Percent Additives	
Shots Per Foot		ON RECORD - Bridge Plu Footage of Each Interval Pe			cture, Shot, Cemen count and Kind of Ma		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or EN	HR. Producing Me		Gas Lift O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf Wa	ter Bb	ols.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF GAS:		METHOD OF COMPL	ETION:		PRODUCTIO	ON INTERVAL:
Vented Solo	d Used on Lease	Open Hole	Perf. Duall		nmingled nit ACO-4)		
(If vented, Su	bmit ACO-18.)	Othor (Specify)	(Summit	AUU-U) (SUDI	IIII ACO-4)		



Superior Building Supply, Inc. 215 West Rutledge Yates Center, KS 66783

620-625-2447



SOLD TO: Owens Scott 1274 202nd Rd. Yates Center, KS 66783

620-625-3607

Please Remit To: Superior Building Supply, Inc., 215 West Rutledge, Yates Center, KS 66783

Terms P.O.# Order# Type Sld.By Cust.# Slm.

10	HIIIS		P.U.#		Order #	Type	Siu.by	Gust.#	SIIII.	
Net 10th			Ea46		84609	House	MED	O36070	Store	
Quantity	UM		Item #			Description			Price	Extended Price
20.000	EA	MA123	5	Por	rtland Cemer	nt 94#			12.10	242.00
LET US E-	MAIL	Your in	NVOICES & STA	TEM	ENTS				Taxable: Tax: Non-Tax:	242.00 21.54 0.00
Received b	y:								Total:	263.54

Hurricane Services, Inc. 3613 A Y Road Madison, KS 66860 Office # 620-437-2661 Brad Cell # 620-437-6765



Ticket Number_	100281
Location	Madisen
Foreman	Brad Butter

Cement Service ticket

Date	Customer #	Well Name & Number	Sec./Township/Range	County
7-15-13		Eggle #46	13-24-15E	Woodson
Customer		Mailing Address	City State	Zip
	News Petroleum		-	

() WENS PETFORE	im			·····	
			Truck #	Drivor	
Job Type: 20	ngstring		Truck #	Driver	
Holo Sizo: 4-7/4"	Casing Size:	Displacement: 6-8 Bbls.	201	Kelly Jerry	
Hole Size: 57/8" Hole Depth: 1/90	Casing Weight:	Displacement PSI: 500	106	David	
Hole Depth: //90 -	Tubing: 2%"	Cement Left in Casing: o	106	valia	
Packer:	PBTD: //76	Comment Leve III Garange D			
TORKETT	11/6				
Quantity Or Units	Description of	Servcies or Product	Pump charge	790.00	
35	Mileage		\$3.25/Mile	113.75	
156 SACKS	70/30 Poznix cement		12.00	1872.00	
275 Ibs.	Gel 22		.30	82.50	
50 1hs.	Flocele		2,15	107.50	
102.	1,000				
200 1bs.	Gel > Flush Ahead		, 30	60.00	
3 Hrs.	WATE Truck		84.00	252.00	
35 miles	Truck #290		1.50	52.50	
	Witeline Services		50.00	NC	
Tons	Bulk Truck > minimum cher	٠.	\$1.15/Mile	250.00	
	, , , , , , , ,				
2	Plugs 27/8 Top Rubber		25.00	50.00	
		,	Subtotal	3,630,25	
		7.15%	Sales Tax	155,30	
			Estimated Tota	al 3.785,55	
Remarks: Rigupto 2%" Tubing Break circulation with Stesh water, Pumped 10861. Gel Flush, circulated Gel					
Ground To condition Hole, Mixed 156,5Ks. 70/30 POZMIX CEMENTY 22 GEL & Flocale, ShuTchown-WAShout					
D . I D . O.	TILL N - D' L. A	N 13/4 DIL 100	FIND P.	500 PST	
Tump 1 Lines Krlease &	Top Rubber Plugs - Displaced	Trugs with 6-74 Just WATE	I Inal lump	149 20 101	
Kumpred Pluss To 1000 F	SI close Tubbe in with	1000 RSL			

Remarks: Rigupto 278" Tubing Break circulation with Crosh water, Pumped 10 Bbl. Gel Flush, circulated Gel
Ground To condition Hole, Mixed 156,5Ks. 70/30 Rozmix comerty 22 Get + Flocale, Shutdown-washout
Pump 1 Lines, Release 2 Top Rubber Plugs - Displaced Hugs with 634 Rbls water. Final Rumping of 500 PSI
Bumped Plugs To 1000 RST, clase Tubing in with 1000 RSI
Dumped Trugs to Took BL CASE THOUGH WHA TOOK OF
Good cement FeTWAS with 41/2 Bhl Slurry
Const.
Thank you"

Called by Scott Customer Signature

(Rev. 1-2011)