

Kansas Corporation Commission Oil & Gas Conservation Division

1159106

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
☐ Oil ☐ WSW ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	·
Operator: Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Conv. to ENHR	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Side Two



Operator Name:			Lease Nan	ne:		_ Well #:	
Sec Twp	S. R	East West	County:				
INSTRUCTIONS: Show time tool open and clos recovery, and flow rates ine Logs surveyed. Att	ed, flowing and shut if gas to surface tes	in pressures, whethe st, along with final cha	r shut-in pressure	e reached static leve	l, hydrostatic pres	sures, bottom h	ole temperature, fluid
Drill Stem Tests Taken (Attach Additional Sh	neets)	Yes No		Log Formati	on (Top), Depth a	nd Datum	Sample
Samples Sent to Geolo	gical Survey	☐ Yes ☐ No		Name		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)		Yes No Yes No					
ist All E. Logs Run:							
			NG RECORD [et-conductor, surface	New Used	ction, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITION	IAL CEMENTING	/ SQUEEZE RECORI)		I
Purpose: —— Perforate —— Protect Casing —— Plug Back TD	Depth Top Bottom	Type of Cement	# Sacks Use	ed	Type and	Percent Additives	
Plug Off Zone							
Shots Per Foot	PERFORATIO Specify F	ON RECORD - Bridge P ootage of Each Interval F	lugs Set/Type Perforated		acture, Shot, Cemer Amount and Kind of M		d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No)	
Date of First, Resumed P	roduction, SWD or ENF	Producing M	lethod:	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Water	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION	N OF GAS:		METHOD OF CC	MPLETION:		PRODUCTIO	ON INTERVAL:
Vented Sold	Used on Lease	Open Hole	Perf.	Dually Comp. Co	ommingled		
(If vented, Subn		Other (Specify)	•	ubmit ACO-5) (Su	bmit ACO-4)		

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	GW Weston 7-13
Doc ID	1159106

Tops

Name	Тор	Datum
Soil	0	12
Shale	12	60
Lime & Shale	60	740
Lime	740	870
Shale	870	1000
Lime & Shale	1000	1025
Lime	1025	1170
Shale	1170	1172
5' Lime	1172	1175
Shale	1175	1178
Upper Squirrel Sand	1178	1198
Shale	1198	1222
Cap Rock	1222	1223
Shale	1223	1225
Cap Rock	1225	1226
Lower Squirrel Sand	1226	1235
Shale	1235	1340

PAGE NO 1

3077.39

TAX AMOUNT

TOTAL AMOUNT

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

CUSTOMER NO. JOS NO. PURCHASE O	ORDER NO. REFERENCE	TERMS	SE	CLERK 1/29/	DATE TIME
S LAYMON OIL II 1998 SOUTREL FO NEOSHO FALLS KS 6675	S H I P T O		1/29/13 TI 301 IOLAL I	ERM#552 *	OCH 26938B ************************************
SHIPPED ORDERED UM	SKU DESCRIPTION	LOCATION	UNITS	9.45 /EA	2,835.00
McHone 5-12 Menoby 2-13 Menoby 3-13 Meske 20-13 Meske 21-13 Meske 21-13 Mec 35-100-13 Mec 35-100-13 Mec 35-101-13	Heske 24-13 Hosks Haymon 80 Hosks Gwweston 10 pks Heske 3	2-13/D. 0/20 3-13/D. 0/20 2-13/D. 0/20 2-	GU GU AD AD	w 77 i	3-10 elso 16-13 10 elso 1-13-10
K. Me. 22-13	10 DRO			1	SATE DO
B.	ORDER ** ORDER ** ORDER ** ** DEPOSIT AMOUNT ** BALANCE DUE **	**		TAXABLE NON-TAXABLE SUBTOTAL	2835.00 6.09 2835.00
RECEIVED BY	** PAYMENT RECEIV	ED **	0.90	TAX AMOUNT	242.39

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

LA/GW WEST LAYMON OIL II L.L.C. 54 W TO 75 N 7 MI TO 180TH RD W 4MI TO INDIAN RD N 1/2MI WSD

G W WESTON#7-13

LA005 LAYMON DIL II, L.L.C.

NEOSHO FALLS KS

	TIME	FORMULA	LOAD SIZE	YARDS ORDERED	* CO1	DRIVER/TRUCK	4 OTD	PLANT/TRANSACTION #
	11:46:25a	HELL.	8.50 yd	17.00 yd	0.00	32	0.00	WOOCO
	DATE	A TALL	LOAD# -y	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
STATE OF THE PARTY	07-31-13	oday	i	8.50 yd	24654	G/yd 0.0	4.00 in	- 34630

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to, the premises and/or adjacent
property if it places the material in this-lided where you desire it. It is
our wish to help you in every way that we dan, but in order to do this
the driver is requesting that you sign this RELEASE relevely, him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
anism out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

QUANTITY	CODE	DESCRIPTION			UNIT PRICE	EXTENDED PRICE
8.50	WELL	WELL (10	SACKS PER UNIT)	8.50		
8.50	MIX&HAUL	MIXING &	HAULING	8.50		
2.00	TRUCKING	TRUCKING	CHARGE CHARGE	2.00		

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
			1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	
12:27	1:04				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks; roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNEB.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

LA/GW WEST LAYMON OIL II L.L.C. 54 W TO 75 N 7 MI TO 180TH RD W 4MI TO INDIAN RD N 1/2MI WSD

6 W WESTON#7-13

LAYMON DIL II, L.L.C. 1998 SQLITRREL RD.

TIME FORM	IULA LOAD SIZE					
	LOAD OIZE	YARDS ORDERED	* CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
11:55:38a WELL	8.50 yd	17.00 yd	0.00	32	0.00	MOOCO
DATE to Date	LOAD# B	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
07-31-13 Today	2	17.00 ya	24655	6/yd 0.0	4.00 in	34631

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. CODE

MIXSHALL

PROPERTY DAMAGE BELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) OTO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises, and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this driver is requesting that you sign this RELEASE releiventy him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

UNIT PRICE EXTENDED PRICE

QUANTITY 8.50 8.50

WELL (10 SACKS PER UNIT)

MIXING & HAULING

DESCRIPTION

17.00

17.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
			1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	
-					ADDITIONAL CHARGE 1
1201	() 4				ADDITIONAL GITAITOL I
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL