

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:	
month day	<i>year</i> Sec	Twp S. R
DPERATOR: License#	(Q/Q/Q/Q) fee	t from N / S Line of Section
lame:	foo	t from E / W Line of Section
ddress 1:	OFOTION	
ddress 2:		ation Plat on reverse side)
City: State: Zip:		*
Contact Person:		
Phone:		
CONTRACTOR: License#	Field Name:	Yes N
Name:	to time at Foratour opacour forat	
varie.	Target Formation(s):	
Well Drilled For: Well Class:	Type Equipment: Nearest Lease or unit boundary line (in for	• '
Oil Enh Rec Infield	Mud Rotary Ground Surface Elevation:	
Gas Storage Pool Ext.	Air Rotary Water well within one-quarter mile:	Yes N
Disposal Wildcat	Cable Public water supply well within one mile:	Yes N
Seismic ;# of Holes Other	Depth to bottom of fresh water:	
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate: II	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	D : . IT. ID :	
Original Completion Date: Original	otal Depth: Formation at Total Depth:	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Perr	mit with DWR 🔲)
KCC DKT #:	Will Cores be taken?	Yes N
	100	
	If Yes, proposed zone:	
	` <i>'</i>	
The undersigned hereby affirms that the drilling, co	AFFIDAVIT	
	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of	
It is agreed that the following minimum requirement	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 et will be met:	
t is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 et will be met: Budding of well;	
t is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 et will be met: Budding of well; Shall be posted on each drilling rig;	et. seq.
It is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases	et. seq.
t is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imum of 20 feet into the underlying formation.	et. seq. surface pipe shall be set
 t is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases	et. seq. surface pipe shall be set
 It is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imum of 20 feet into the underlying formation. The operator and the district office on plug length and placement is not all cases.	et. seq. surface pipe shall be set ecessary prior to plugging;
 t is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, producti 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. The operator and the district office on plug length and placement is never fore well is either plugged or production casing is cemented in;	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date.
 It is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansa 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is new perfore well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 It is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansa 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Install be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District.	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 t is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansa 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Install be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District.	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 s agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Install be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District.	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 s agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Install be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District.	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 s agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases of this inimum of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; In pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District of the date or the well shall be plugged. In all cases, NOTIFY district office.	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Soudding of well; Shall be posted on each drilling rig; iffied below shall be set by circulating cement to the top; in all cases in imum of 20 feet into the underlying formation. The operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District of date or the well shall be plugged. In all cases, NOTIFY district office. Remember to: - File Certification of Compliance with the Kall.	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be plugged of will comply with K.S.A. 55 of will be plugged of will comply with K.S.A. 55 of will be plugged in the top; in all cases with the case of will be plugged or production casing is cemented in; on pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District of date or the well shall be plugged. In all cases, NOTIFY district office of the certification of Compliance with the Kanack (KSONA-1) with Intent to Drill; Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met. Remember to: - File Certification of Compliance with the Kanack (KSONA-1) with Intent to Drill;	surface pipe shall be set ecessary prior to plugging; thin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of a will be met: Soudding of well; Is hall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in inimum of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district office of the certification of Compliance with the Kanada (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 dates.	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of a will be met: Soudding of well; Is hall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in inimum of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district office of the certification of Compliance with the Kanada (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 dates.	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
t is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spu ubmitted Electronically For KCC Use ONLY API # 15	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of a will be met: Sudding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in immum of 20 feet into the underlying formation. Ithe operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district office of the center of the cen	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing. ensas Surface Owner Notification lintent to Drill; eys of spud date; eld proration orders;
It is agreed that the following minimum requirement 1. Notify the appropriate district office prior to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spu ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of a will be met: Sudding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in immum of 20 feet into the underlying formation. Ithe operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged and the	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing. ensas Surface Owner Notification intent to Drill; eys of spud date; eld proration orders; rior to workover or re-entry; eng is completed (within 60 days);
It is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of six will be met: Soudding of well; Inshall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in immum of 20 feet into the underlying formation. Ithe operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district official date or the well shall be plugged. In all cases, NOTIFY district official feet in the feet in the feet in the feet in the feet plugging report (CP-4) after plugging of this will be plugging report (CP-4) after plugging of the interior of the feet in the feet plugging of the feet in the feet plugging report (CP-4) after plugging of the feet in the feet plugging of the feet plugging report (CP-4) after plugging of the feet plugging report (CP-4) after plugging of the feet in the feet plugging report (CP-4) after plugging of the feet plugging report (CP-4) after plugging repo	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing. Intent to Drill; eys of spud date; eld proration orders; rior to workover or re-entry; eg is completed (within 60 days); e injecting salt water.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

1980 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1

May 2010

Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date con Pit capacity: Trea? Yes	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l
Is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits): Depth fro	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: per closed within 365 days of spud date.
·			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1159883

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: sheet listing all of the information to the left for each surface owner owner information can be found in the records of the register of de-	
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: EAGLE CREEK CORPORATION Lease: SIMONS FARMS	Location of Well: County: Wich 174
Lease: SIMONS FARMS	. 40
Well Number:	feet from Feet f
Field: WILDCAT	Sec. 12 Twp. 17 S. R. 35 E W W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: 42 - 42 - NW - 5W	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 26, 2013

Dave Callewaert Eagle Creek Corporation 8100 East 22nd Street North Building 1500 Suite A WICHITA, KS 67226

Re: Drilling Pit Application Simons Farms 1-12 SW/4 Sec.12-17S-35W Wichita County, Kansas

Dear Dave Callewaert:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased. Keep pits on east side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.