

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	_
SGA? Yes No	

## Kansas Corporation Commission Oil & Gas Conservation Division

1160299

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R [ E [ ] \
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
(CC DKT #:	Will Cores be taken? Yes Yes
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
aas.oighoa horosy aminio that the arming, completion and eventual pr	
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	h drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the distriction.  4. If the well is dry hole, an agreement between the operator and the distriction.	In drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> </ol>	In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging;
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on production casing is cemented in; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and plug length a
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on production casing is cemented in; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and plug length a
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date.
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging;</i> It is ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date.
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i>: through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date. In all cases, NOTIFY district office prior to any cementing explugged.  In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> ; through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either plug of the surface of the surface of the well is either plug of the surface casing order work or pursuant to Appendix "B" - Eastern Kansas surface casing order would be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be shall be supported to the well shall be shall be completed within 30 days of the spud date or the well shall be supported to the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the spud date or the well shall be supported to the spud date or the spud date or the well shall be supported to the spud date or t	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set into the set of the set into the set of th	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b  UDMITTED Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 Side Two



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

3659 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date co  Pit capacity:	Existing nstructed:	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of wor	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Drill pits must b	be closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No



1160299

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

MILLER OIL AND CATTE LIC# 33561 ANDERSON County KS Branton Lease 521 - T205 - R 20E NE4 1A = 2811 FSL 1539 FEL 24 = 2805 FSL 1296 FEL 3A = 2475 FSL 1533 FEL 4A = 3795 FSL 925 FEL II = 3659 FSL 1108 FEL 2I = 3354 FSL 1222 FEL 3 I = 2989 FSL 1298 FEL 4I = 2658 FSL 1675 FEL L. EASE BOUNDARY Lease SE4

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

#### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 27, 2013

Tom Miller Miller, Thomas R. dba Miller Oil & Cattle 2526 N FUNSTON ST IOLA, KS 66749-4013

Re: Drilling Pit Application Branton 1-I NE/4 Sec.21-20S-20E Anderson County, Kansas

Dear Tom Miller:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607.	DISPOSAL OF DIKE AND PIT CONTENTS.
(a)	Each operator shall perform one of the following when disposing of dike or
pit	contents:
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;
or	
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);  (B) removal and placement of the contents in an on-site disposal area approved by the commission;  (C) removal and placement of the contents in an off-site disposal area
on	
lease	acreage owned by the same landowner or to another producing
from	or unit operated by the same operator, if prior written permission
110111	the landowner has been obtained; or

	(D)	removal of the contents to a permitted off-site disposal area
approved		
		by the department.
(b)	Each	violation of this regulation shall be punishable by the following:
(1	) A \$1,0	000 penalty for the first violation;
(2	a \$2,5	00 penalty for the second violation; and
(3	a \$5,0	000 penalty and an operator license review for the third violation.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo	
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo  If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.	
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage whe the haul-off pit is to be located, to the haul-off pit application.	Э