Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

## **KANSAS CORPORATION COMMISSION**

**OIL & GAS CONSERVATION DIVISION** 

1160698

March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

Form CP-4

## WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ( )	NE NW SE SW
Type of Well: (Check one)       Oil Well       Gas Well       OG       D&A       Cathodic         Water Supply Well       Other:       SWD Permit #:       SWD Permit #:       SWD Permit #:         ENHR Permit #:       Gas Storage Permit #:       Gas Storage Permit #:       No         Is ACO-1 filed?       Yes       No       If not, is well log attached?       Yes       No         Producing Formation(s): List All (If needed attach another sheet)	County: Well #: Lease Name: Well #: Date Well Completed: The plugging proposal was approved on: (Date) by: (KCC District Agent's Name) Plugging Commenced: Plugging Completed:

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			ction)
Formation	Content	Casing	Casing Size Setting Depth Pulled Out		

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #:		Name: _			
Address 1:		Address	2:		
City:			_ State:	Zip:	+
Phone: ( )			-		
Name of Party Responsible for Plugging F	Fees:				
State of	County,		, SS.		
	(Print Name)			perator or Operator on abo	
he for a Court durb a surrain and a still second The st	I be as the second and all a set of the set	a tana a sa ta la sa al sa a ttan	and the second second second second second	the state of the s	weathing and file of the state

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

## Submitted Electronically



## QUALITY OILWELL CEMENTING, INC.

٢,

PO Box 32 - 740 West Wichita Ave, Russell KS 67665 Phone:785-324-1041 fax:785-483-1087 Email: cementing@ruraltel.net

Invoice

Contact: Murfin Drilling Company Address/Job Location: Murfin Drilling Company P.O. Box 288 Russell Ks 67665

Reference: KING 2

**Description of Work:** PLUG JOB

**Invoice Terms:** 

Net 30

Services / Items Included:	Quantity		Price	Taxable
Labor		\$	1,005.76	Yes
Common-Class A	216	\$	2,902.54	Yes
Bulk Truck Matl-Material Service Charge	451	\$	993.51	Yes
POZ Mix-Standard	144	S	729.60	Yes
Premium Gel (Bentanite)	23	\$	412.43	Yes
Pump Truck Mileage-Job to Nearest Camp	23	\$	252.83	Yes
Cottonseed Hulls	6	\$	171.83	Yes
Bulk Truck Mileage-Job to Nearest Bulk Plant	23	\$	147.95	Yes

....

SubTotal: \$ 6,616.43 Discount Available ONLY if Invoice is Paid & Received \$ (992.46)within listed terms of invoice: SubTotal for Taxable Items: \$ 5,623.96 SubTotal for Non-Taxable Items: \$ -Total: \$ 5,623.96 Tax: \$ 382.43 6.80% Trego County Sales Tax Amount Due: \$ 6,006.39 **Applied Payments:** Balance Due: \$ 6,006.39

ltem

Past Due Invoices are subject to a service charge (annual rate of 24%) This does not include any applicable taxes unless it is listed. ©2008-2013 Straker Investments, LLC. All rights reserved.

**Thank You For Your Business!** 

PAIDI 4198.0002.1 6006.39 Cement Job - P+A #2

Date: 1/13/2011 Invoice #-564\_

P.O.#:

Due Date: 2/12/2011 **Division:** Russell

APPROVED

Quantity

Price

Taxable

iate       1-10-12       20       21       T(eggin Ks       211         case       King       Weil No. #2       Location       Riag       Rd + 1 - No / App ox, IN +         ontractor       MW in D(11) / No       Owner       & E N/S       IN +         vpe Job P/ug       T.D.       Owner       & E N/S       IN +         ole Size       T.D.       Charge       You are hereby requested to rent cementing equipment and furnist cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner or contractor to do work as its cementer and helper to assist owner agent or con teas the astice as the astit and thele to astit andition and the astit and the astice astit a	785-483-2025 -324-1041			I.D.# 20-2886107 ox 32 Russell, KS 67665	<b>No.</b>	564
asse Aing Weitho #2 Llocation Bildo Date 110, Hopport INT ontination Must in Drilling Owner 2, PNS was able Plug To Quality Queen between the comming equipment and furnise is a Str Depth Sister Comming and the base owner or contractor to do work at its sa Str Depth Sister Charge Must in Drilling Sister bg. Size 2* Depth Sister Charge Must in Drilling Sister bg. Size 2* Depth Sister Charge Must in Drilling Sister bg. Size 3* Depth Sister Charge Must in Drilling Sister bg. Size 3* Depth Sister Charge Must in Drilling Sister bg. Size 3* Depth Sister Charge Must in Drilling Sister bg. Size 3* Depth Sister Charge Must in Drilling Sister bg. Size 3* Depth Sister Charge Must in Drilling Sister bg. Size 3* Depth Sister Charge Must in Drilling Sister bg. Size 3* Depth Sister Charge Must in Signa Sister Charge Charge Must in Signa Sister Charge Charge Charge Charge Charge Sister Sis	-10-12 Sec.	Twp. Range		and a second	On Location	2115 p
Image db Pluge       10       0 Quality Oliveril Centerning, inc.         role and helper to assist owner or contractor to do work as its owner agent or contractor to do work as its owner agent or contractor to do work as its owner agent or contractor to do work as its owner agent or contractor to do work as its owner agent or contractor to do work as its owner agent or contractor.         equilibrium difference       Machine difference         intervent       11 3X gel       So O H Huils         umptrk / No       Departer       11 3X gel       So O H Huils         umptrk / No       Departer       11 3X gel       So O H Huils         umptrk / No       Departer       11 3X gel       So O H Huils         umptrk / No       Departer       11 3X gel       So O H Huils         umptrk / No       Departer       11 3X gel       So O H Huils         umptrk / No       Departer       Gel 23       Departer         umptrk / No       Departer       Departer <td>King W</td> <td>ell No. 12</td> <td>Locatio</td> <td>on Riga Rd + I-</td> <td>10, Appor.</td> <td>IN to KR</td>	King W	ell No. 12	Locatio	on Riga Rd + I-	10, Appor.	IN to KR
We lob Pluge       To Cuality Ulvel Cementing, Inc.         To are hereby requested to ront camening equipment, and furnist         sg.       5t <sup>n</sup> bg. Size       74         Depth       Charge         Sg.       5t <sup>n</sup> Depth       Charge         Size       74         Depth       Charge         Cold       Depth         Cold       Cold         Windk       No         Cold       Cold         Cold       Cold         Cold       Cold         Cold       Cold         Cold       Cold <td>, Murf</td> <td>in Drilling</td> <td>× -</td> <td>Owner SENS</td> <td></td> <td></td>	, Murf	in Drilling	× -	Owner SENS		
ole Size 1 T.D. cementer and helper to assist owner or contractor to do work as its sg. St." Depth Charge Mukfig Df://ineq bg.Size 2" Depth 39.50' Street coid Depth City Street coid D	Pluse	•	().			terre a second de la constante
Observed       Charge Multin Deithing         Sg. Size 2 <sup>th</sup> Depth         Sg. Size 2 <sup>th</sup> Depth         Coll       Depth         Sg. Size 2 <sup>th</sup> Depth         Coll       Displace         H No       Comment         Comment       JA         Diver       Diver         Diver       Diver <td>Y Y</td> <td>Ť.D.</td> <td></td> <td>cementer and helper to assist owr</td> <td>cementing equipment her or contractor to d</td> <td>o work as listed</td>	Y Y	Ť.D.		cementer and helper to assist owr	cementing equipment her or contractor to d	o work as listed
Str. Str. 2       Depth       39.50'       Street         Tool       Depth       City       State         Street       City       State         Cool       Depth       City       State         Depth       City       State         Cool       Depth       City       State         Depth       Displace       HZD       Cement Amount Ordered 4/25 yr, 60/40 4/86/1         Pumpirk / No       Cement Amount Ordered 4/25 yr, 60/40 4/86/1       Cumpirk / No       Cement Amount Ordered 4/25 yr, 60/40 4/86/1         Pumpirk / No       Other Brizzo       Common 2/60       Common 2/60         Suiter / Min       One Processory       Common 2/16       Common 2/16         Suiter / Min       One Processory       Common 2/16       Common 2/16         Suiter / Min       One Processory       Common 2/16       Common 2/16         Suiter / Min       One Processory       Common 2/16       Common 2/16         Suiter / Min       One Processory       Common 2/16       Common 2/16         Suiter / Min       One Processory       Common 2/16       Common 2/16         Suiter / Min       Common 2/16       Calcium       Calcium         Sate / One Procolar       Common 2/16       Sate /			-	Charge Mustin DC	lling	
Tool     Depth     City     State       Dement Left in Csg.     Shoe Joint     The above was done to satisfaction and supervision of owner agent or conditionation and supervision and supervision of owner agent or conditionation and supervision and supervis		·	÷ .		runia	- P
Store Joint     The above was done to satisfaction and supervision of owner agent or conditional supervision of owner agent or conditional supervision of the statisfaction and supervision of owner agent or conditional supervision of the statisfaction and supervision of owner agent or conditional supervision of the statisfaction and supervision and supervision of the statisfaction and supervision of the statisfaction and supervision of the statisfaction and supervision a					0	
deas Line       Displace       HZO       Cement Amount Ordered 425 37 60/40 4264         EQUIPMENT       11 3X gel       S OD H Hulls       Uscel 36         Dumpirk / No. Connect Crisco       Common 216       Common 216         Jukkt /2       No. Connect Crisco       Common 216         Jukkt /2       No. Diver Brick       Gel. 23         JOB SERVICES & REMARKS       Calcium         <		· · · · · · · · · · · · · · · · · · ·				
EQUIPMENT       11 sX gel       Soo H Hulls       Used 36         Pumpirk / No. Common Crisco       Common 2/6         auktrk / No. Driver Brick       Gel. 23         JOB SERVICES & REMARKS       Calcium	eft in Csg.	······································	<u>.</u>	1101	na supervision of owner	agent or contractor.
Pumptrk / No. Commenter C 1520 Suliktrk /2 No. Driver Brien A. Poz. Mix /444 Suliktrk /2 No. Driver Brien A. Poz. Mix /444 Suliktrk /2 No. Driver Brien A. Gel. 23 JOB SERVICES & REMARKS Calcium Remarks: Connext A. Hulls SDH Remarks: Connext A. Hulls Sth Remarks: Connext A. Hulls Hulls Sth Remarks: Connext A. Hulls Hull			<b>D</b>		<u>) 04/40 1%</u>	201
Umptrk     Halper     C120     Outhton     Classical       Julktrk     2     No.     Briver Briver     Poz. Mix     144       Job Services & PEMARKS     Gel.     23       Job Services & PEMARKS     Calcium       At Hole     Sait       Aouse Hole     Flowseal       Centralizers     Kol-Seal       Job Services & PEMARKS     Calcium       Aouse Hole     Flowseal       Centralizers     Kol-Seal       Job Services & PEMARKS     Calcium       Mouse Hole     Flowseal       Centralizers     Kol-Seal       Jaskets     Mud CLR 48       Or or Port Collar     CPL-117 or CD110 CAF 38       JOB Services & PEMARKS     Sand       Hullis Sold     Handing 45%       JOB Services     Gel 75 5x 60/40       JOB Services     Sand       Hullis Sold     Handing 45%       JOD Sold     Colour       JOD Sold </td <td></td> <td></td> <td><u>`````````````````````````````````````</u></td> <td>11 3X ge/ 200</td> <td># HUIIS L</td> <td>fed 360_</td>			<u>`````````````````````````````````````</u>	11 3X ge/ 200	# HUIIS L	fed 360_
Auktrik 12 No. Dires Brinn Poz. Mix 144 Dires Bit K JOB SERVICES & REMARKS Gel. 23 JOB SERVICES & REMARKS Galcium Annuel Alin Circuitette. Hulls 300H Sait Sait Alie Sait Alie Sait Alie Sait Alie Sait Alie Centralizers Saskets David of Port Collar CFL-117 or CD110 CAF 38 Saskets DAV or Port Collar CFL-117 or CD110 CAF 38 CFL-117 or CD110 CAF 38 CFL-117 or CD110 CAF 38 CFL-117 or CD110 CAF 38 CFL-117 or CD10 CAF 38 CFL	Helper /					
Addition of the second					· · · · · · · ·	
Alemantis Connexts did Circulate Hulls 3004 Att Hole Sait Hulls 3004 Ause Hole Flowseal Kol-Seal Saskets Mud CLR 48 ON or Port Collar CFL-117 or CD110 CAF 38 3950' - 115X-agel 75 Sr 60/40 Sand Handling 5' Handling 5' Handling 5' Handling 5' Handling 5' Handling 5' Handling 5' Baskets Circulate to Centralizer Saskets AFUNSET Content of the State Saskets AFUNSET AFUNCTION AFUNCTION AFUNCTION AFUNSET AFUNSET AFUNCTION AFUN		K		Gel. 23		
Rat Hole     Salt       Mouse Hole     Flowseal       Centralizers     Kol-Seal       Baskets     Mud CLR 48       D/V or Port Collar     CFL-117 or CD110 CAF 38       39 SO ' - // SX-opt / 75 SX /0/40     Sand       496 Gul     205 4/4/4/113       Handling     Handling       9 SO ' - // SX-opt / 75 SX /0/40     Sand       496 Gul     205 4/4/4/113       Handling     Handling       50 SO ' - // SX-opt / 75 SX /0/40     Sand       13 UD ' - MULLAR     Handling       Surface     UD /51 / 60 / 40 /4/56 / 40       13 UD ' - MULLAR     Contralizer       Surface     UD / 51 / 60 / 40 /4/56 / 40       13 UD ' - MULLAR     Handling       14 Do / - MULLAR     Contralizer       Surface     UD / 51 / 60 / 40 /4/56 / 40       13 UD ' - MULLAR     AFUInserts       14 Do / - MULLAR     AFUInserts       15 St face     10 / 41 / 35 St Latch Down       16 / 40 / 45 / 60 /     Pumptrk Charge, p/Lg       Mileage 2.3     Tax	JOB SERVICES	& REMARKS		Calcium		
Rat Hole     Salt       Mouse Hole     Flowseal       Centralizers     Kol-Seal       Baskets     Mud CLR 48       D/V or Port Collar     CFL-117 or CD110 CAF 38       39 SO ' - // SX-opt / 75 SX /0/40     Sand       496 Gul     205 4/4/4/113       Handling     Handling       9 SO ' - // SX-opt / 75 SX /0/40     Sand       496 Gul     205 4/4/4/113       Handling     Handling       50 SO ' - // SX-opt / 75 SX /0/40     Sand       13 UD ' - MULLAR     Handling       Surface     UD /51 / 60 / 40 /4/56 / 40       13 UD ' - MULLAR     Contralizer       Surface     UD / 51 / 60 / 40 /4/56 / 40       13 UD ' - MULLAR     Handling       14 Do / - MULLAR     Contralizer       Surface     UD / 51 / 60 / 40 /4/56 / 40       13 UD ' - MULLAR     AFUInserts       14 Do / - MULLAR     AFUInserts       15 St face     10 / 41 / 35 St Latch Down       16 / 40 / 45 / 60 /     Pumptrk Charge, p/Lg       Mileage 2.3     Tax	Convert of	Est Circo	bee.	Hulls 3004		· · · · · · · · · · · · · · · · · · ·
Mouse Hole Flowseal Centralizers Kol-Seal Baskets Mud CLR 48 D/V or Port Coller 3950' - // 5X-00/ 755X /0/40 Sand 496 Gel 200 #/// 755X /0/40 Sand Handling 5/ Mileage 2050' - // DUSX 60/40 // 6/6/ 6/ Guide Shoe / 305' - Crculate +5 Guide Shoe / 305' - Crculate +5 Centralizer Surface with 1505X 60/40 Baskets 48 Float Shoe / To Fl' & Top With 355X Latch Down Ko/40 496 Gel Dack She Cementeel. Pumptrk Charge, p/Jug 1 Contents Kol-She Cementeel. Pumptrk Charge, p/Jug 1 Contents Kol-She Cementeel. Pumptrk Charge, p/Jug 1 Contents Kol-She Cementeel. Tax					a tak as to the	
Centralizers Kol-Seal Baskets Mud CLR 48 DV or Port Coller CFL-117 or CD110 CAF 38 39 SO' - 11 SX-gel 75 SX 40/40 Sand 496 Gel 200 HUU/B Handling 55/ Mileages 20 SO' - 100 SX 60/40 HIS/6(1) Guide Shoe 13 UD - Creulate + Ceptralizer Starface with 150 SX 60/40 Float Shoe Float She Centralizer Baskets 48 Gel 4 100 HUU/S 40 AFUInserts Float She Cemented. Back SMe Cementell. Pumptrk Charge, plage Mileage 23 Tax		· · · · ·	`		· · · · · · · · · · · · · · · · · · ·	
Baskets Mud CLR 48 D/V or Port Collar CFL-117 or CD110 CAF 38 39 50' - // 5 5x /0/40 Sand 49/5 G.L 2004/4/4/1/3 Handling // 5/ Mileage 20 50' - 1005x /0/40 H3/3/6/1 Guide Shoe / 3 05' - Marcas Circulate +5 Gentralizer Surface with 1505x 60/400 Baskets Hall Shoe Fioat She Cemertell. Back she Cemertell. Pumptrk Charge, p/Ly Mileage 23 Tax		· · · · · · · · · · · · · · · · · · ·	·			
DN or Port Collar 3950' - 115x ar 175 sr 60/40 Sand 44% Gel 200 4444118 Handling 51/ Mileaged 2050' - 100 57 60740 48/561 Guide Shoe 1305' - Crealate to Guide Shoe 1305' - Crealate to Centralizer Surface with 150 sx 60140 Baskets 1980 Gel a 100 4 Halls and AFUINSETS Float Shoe 2 4 4 5 5 5 1 Latch Down 60140 45 Gel Back she Cemertel. Pumptrk Charge Pling Mileage 3 Tax	115	<u></u>		·····		
3950' - 115x gel 755x 60/40 Sand 44% Gel 2002 Hulls Handling 51 Mileage 2250' 100 5x 60/40 Helds 61 Guide Shoe 1305' - Martin Circulate to Centralizer Surface with 1505x 60/40 Baskels 450 Gel Alls and AFUJINSERS Float Shoe PTOFI & Top With 355 St Latch Down Ko140 455 Gel Back She Cementel. Pumptrk charge plag Mileage 23 Tax						<u></u>
4% Gul       225 #HUIB       Handling 5 / Mileage         2250 / UD 57 60/40 HIG 61       Mileage         3050 / Other High 61       Guide Shoe         1305 / Other High 61       AFUINSerts         1305 / Other High 61       Float Shoe         1306 / Other High 61       Float Shoe         1307 / Other High 61       Float Shoe         1308 / Other High 61       Float Shoe         1308 / Other High 61       Float Shoe </td <td></td> <td>1.00-</td> <td>1. (1)</td> <td>CFL-117 OF CD110 CAF 38</td> <td></td> <td></td>		1.00-	1. (1)	CFL-117 OF CD110 CAF 38		
AD SO / / UD/SX 60/40 48/861 Guide Shoe / 3 UD / - ANDER Circulate to Centralizer Surface with 1 SO SX 60140 Baskets 78 Gui & 100 # Mulls and AFUlinserts Float Shoe Float Shoe Float Shoe Back solle Cementel. Pumptrk Charge, plag Mileage 23 Tax		(mar / 1) SX	60140	Sand	· · · · ·	
22 SO 100-52 60/40 1966. Guide Shoe 1300' - Mileage 23 1300' - Mileage 23 1300' - Mileage 23 1300' - Mileage 23 FLOAT EQUIPMENT Guide Shoe Guide Shoe Gui	Adapter state	HX1B SALA	1	Handling 957	the second s	
23 SO 1005 100 100 100 100 100 100 100 100 10	A LINE TO A LINE AND A					
1300' - Crementer 15 Surface with 1505x 60,400 Baskets 498 Gil is 100 + Hulls are AFUInserts Float Shoe 60,40 455 Gil Back She Cementer in Pumptrix Charge, plug Mileage 23 Tax	O' - IUUSX	60/40 19/364	1933	FLOAT EQUIPM	IENT	40 , · · · · · · · · · · · · · · · · · ·
Surface with 1505x 60140 Baskets 198 Gel is 100 # Halls is a AFUINSets Float Shoe Float Shoe Back She Cementel Mileage 23 Tax					**************************************	
Surface with 1505x 60140 Baskets 198 Gel is 100 # Halls is a AFUINSets Float Shoe Float Shoe Back She Cementel Mileage 23 Tax	D' - COLOR (	irculate.	$+\delta^{\ast}$	Centralizer		
PTOH & Top With 35 six Latch Down 60140 4% Gel Back sole Cementel., Pumptrk Charge p/1.9 Mileage 23	face with	1505x 6	opun	Baskets		
PTOH & Top With 35 six Latch Down 60140 4% Gel Back sole Cementel., Pumptrk Charge p/1.9 Mileage 23	6 Gel 100	# Halls	e is	AFU nserts	AS ANY	
PTOH 4 100 WILL 35 SIX Latch Down 60140 4564 Back sole Cementellin Pumptrk Charge plug and Mileage 2.3			N.V	Float Shoe	A Morrali II	
boj40 45 Gel Back she Cenertel. Pumpirk Charge p/1-9 Mileage 23	OH STA	W.71 25	S.M.	14 ACTORY 655 428 182	the subject of	×
Back sole Cemertel. (Pumptrk Charge, p/1.g)	illo yof p		2/1			
Back sole Cementel. Pumptrk Charge p/1 g Mileage 23	<u>y yu kang</u>	u	<b>S</b>	i i i i i i i i i i i i i i i i i i i		· · · · · · · · · · · · · · · · · · ·
Mileage 2.3 Tax	k . K .	20 m Larl	101 AP			
Tax	ace since (	ementer.	1. <sup>30</sup> 5**	Pumptrk Charge, p/11-9	<u>Venný 2</u> 18. – 47	
Discourt				Mileage 1.3	**************************************	- <u> </u>
Discount		· · · · · · · · · · · · · · · · · · ·	··		Ta)	(
	· · · · · · · · · · · · · · · · · · ·				Discoun	1
Signature Leve Welling	La data	lim	1 - T		Total Charge	ə <sup>r</sup> <sup>43,</sup>